JOURNAL OF THE MARINE BIOLOGICAL ASSOCIATION OF THE UNITED KINGDOM


PUBLISHED BY THE SYNDICS OF THE CAMBRIDGE UNIVERSITY PRESS

Bentley House, 200 Euston Road, London, N.W. 1 American Branch: 32 East 57th Street, New York, N.Y. 10022

© Copyright Marine Biological Association of the U.K.

Printed in Great Britain at the University Printing House, Cambridge

JOURNAL OF THE MARINE BIOLOGICAL ASSOCIATION OF THE UNITED KINGDOM



THE PLYMOUTH LABORATORY

VOLUME 51 1971

CAMBRIDGE
AT THE UNIVERSITY PRESS
1971

The Council of the Marine Biological Association wish it to be understood that they do not accept responsibility for the accuracy of statements published in this Journal, excepting when those statements are contained in an official report of the Council.

CONTENTS OF VOLUME 51

Number 1, pp. 1-234, 5 February 1971 Number 2, pp. 235-508, 7 May 1971 Number 3, pp. 509-744, 14 August 1971 Number 4, pp. 745-1006, 18 November 1971

Report of the Council: 1970–71					PAGE 1015
Income and Expenditure Account and Balance Sheet					1049
OBITUARY, PROFESSOR J. S. ALEXANDROWICZ	•		•	•	1007
Anderson, A.	•	•	•	•	1007
Intertidal activity, breeding and the floating habit of <i>Hydrobia ulvae</i> in the Yt	han E	Estua	ry		423
Andrews, P. and Williams, P. J. LeB. Heterotrophic utilization of dissolved organic compounds in the sea. III. Moon oxidation rates and concentrations of glucose and amino acids in sea water	asur	emen	t of t	he •	111
BAYNE, B., see WIDDOWS and BAYNE					827
BLAXTER, J. H. S., WARDLE, C. S. and ROBERTS, B. L. Aspects of the circulatory physiology and muscle systems of deep sea fish			•		991
BOALCH, G. T. The typification of the diatom species Coscinodiscus concinnus Wm. Smith and C. Gough	Soscin	odisci	us g ra n	nii	685
Bone, Quentin On the Scabbard Fish Aphanopus carbo		•	•		219
BOYDEN, C. R. A comparative study of the reproductive cycles of the cockles Cerastoderma edu	le and	d <i>C.</i> į	glau c u	m	605
Brander, K. M., see Walley, White and Brander					489
BRYAN, G. W. and HUMMERSTONE, L. G. Adaptation of the polychaete Nereis diversicolor to estuarine sediments cont	ainin	g hig	gh con	1-	
centrations of heavy metals	•	•	•	•	845
Buchanan, J. B., see Warwick and Buchanan	•	•	•	•	355
Burton, J. D. and Massie, K. S. The occurrence of tantalum in some marine organisms					679
CLARE, J., JONES, D. and O'SULLIVAN, A. J. On the occurrence of detached spherical colonies of the hydroids Sarsia tubula larynx in Morecambe Bay	<i>sa</i> an	nd Ti	ubular	ia	495
Collins, J. D., see Segar, Collins and Riley			•		131
CRISP, MARY Structure and abundance of receptors of the unspecialized external epitheli	ium (of N	ass ari	us	0.4
reticulatus [Gastropoda, Prosobranchia]	•	٠	•	•	865
CROTHERS, J. H. Further observations on the occurrence of 'teeth' in the dog-whelk Nucella lag	villus				623
Demir, Neclâ On the occurrence of grey mullet postlarvae off Plymouth	•		•		235

Davis Nama and Davis E. S.												PAGI
DEMIR, NECLÂ and RUSSELL, F. S. On the postlarva of the goby Lebetus See also RUSSELL and DEMIR							•					669
DENTON, E. J. and GILPIN-BROWN, J. B. Further observations on the buoyancy	of Sp	irula		٠			•					363
DENTON, E. J., MUNTZ, W. R. A. and No The distribution of visual pigment with					eleost	s.	•	•	•			905
Droop, M. R. and Pennock, J. F. Terpenoid quinones and steroids in the	nutr	ition c	of Ox	yrrhis	mari	na			•			455
EGGLESTON, D. Synchronization between moulting in epibiont <i>Tricella koreni</i> [Polyzoa Ecto			acand	reae •	[Deca	poda]	and	repro	ducti	on in	its	409
Evans, P. D., Ruscoe, C. N. E. and Tree Observations on the biology and submo		-		r of s	ome l	ittora	ıl beet	tles				375
FINCHAM, A. A. Ecology and population studies of some	e inter	rtidal a	and s	ublitt	oral s	and-c	lwelli	ng an	nphip	ods		471
Fogg, G. E., see Samuel, Shah and Fogo												793
FOLKARD, A. R., see JONES and FOLKARD												159
FORSTER, G. R. Line-fishing on the continental slope. I	II. M	.id-wa	ter fi	shing	with	vertic	al lin	ıes				73
FORSTER, J. R. M. and GABBOTT, P. A. The assimilation of nutrients from co Pandalus platyceros	mpou	ınded	diets	by 1	the p	rawn:	s Pale	aemor	ı serr	atus e	and	943
FOXTON, P. A. A new species of the genus Acanthephys MS notes by Dr Stanley W. Kemp	ra [Cr •	ustace	ea: N	atanti	ia]: fiı	rst di:	scove:	red ar	nd de	scribe	ed in	33
Fretter, Vera and Pilkington, Margar The larval shell of some prosobranch g								•	•			49
GABBOTT, P. A. See Forster and GABBOTT See HOLLAND and GABBOTT												945 659
GIBBS, P. E. A comparative study of reproductive c Cirratulidae	ycles	in fou	ır po	lychae	ete sp	ecies	belor	nging	to th	e fan	nily	745
GILPIN-BROWN, J. B., see DENTON and G	ILPIN-	-Brow	/N									363
Gray, John S. and Reiger, Reinhard, A sandy beach, at Robin Hood's Bay, Y	Л. А	quant		e stud		the r						J° J
Green, J. C., see Parke, Green and Man			•	•	•	•	•	•	•	•	•	
HEAD, P. C. Observations on the concentration of iro			iter, v	vith p	particu	ılar re	eferen	ce to	Sout	hamp	ton	927
Water	•	•	•	•	•	•	•	•	•	•	•	891
HEARD, V. E. J., see McLusky and HEARD		•	•	•	•	•	•	•	•	•	٠	709
CIEWETT, L. L. SPR INDERNIES STOT HIGHETT												411

CONTENTS OF VOLUME 51	vii
Herry D. L. and Cypnoger D. A.	PAGE
HOLLAND, D. L. and GABBOTT, P. A. A micro-analytical scheme for the determination of protein, carbohydrate, lipid and RNA levels in marine invertebrate larvae	659
Hummerstone, L. G., see Bryan and Hummerstone	845
Hunt, O. D. Holkham Salts Hole, an isolated salt-water pond with relict features. An account based on studies by the late C. F. A. Pantin	717
JEFFERIES, D. F. and HEWITT, C. J. The accumulation and excretion of radioactive caesium by the plaice (<i>Pleuronectes platessa</i>) and the thornback ray (<i>Raia clavata</i>)	411 963
Jones, D., see Clare, Jones and O'Sullivan	495
JONES, P. G. W. and FOLKARD, A. R. Hydrographic observations in the Eastern Irish Sea with particular reference to the distribution of nutrient salts	159
KAIN, JOANNA M. (Mrs N. S. Jones). The biology of Laminaria hyperborea. VI. Some Norwegian populations	387
Langham, N. P. E. The distribution and abundance of larval sand-eels [Ammodytidae] in Scottish waters	697
Leach, J. H. Hydrology of the Ythan Estuary with reference to distribution of major nutrients and dietritus	137
Leadbeater, B. S. C. Observations by means of ciné photography on the behaviour of the haptonema in plankton flagellates of the Class Haptophyceae	207
LOCKET, N. A. Retinal structure in <i>Platytroctes apus</i> , a deep-sea fish with a pure rod fovea	79
McLusky, D. S. and Heard, V. E. J. Some effects of salinity on the mysid Praunus flexuosus	709
Manton, I., see Parke, Green and Manton	927
Massie, K. S., see Burton and Massie	679
MAUCHLINE, J. The biology of Paramysis arenosa [Crustacea, Mysidacea]	339 347 641 653 799
Seasonal occurrence of mysids [Crustacea] and evidence of social behaviour	809
The species of Lebetus [Teleostei: Gobiidae]	771 247
Moodie, C. F., see Srinivasagam, Raymont, Moodie and Raymont	917
MOORE, P. G. The nematode fauna associated with holdfasts of kelp (Laminaria hyperborea) in North-East Britain	580

									PAGE
Morris, Robert J. Seasonal and environmental effects on the lipid composition	n of	Neom	ysis i	ntege	r				21
MUNTZ, W. R. A. see DENTON, MUNTZ and NORTHMORE .	,								909
Newell, R. C. and Pye, V. I. Variations in the relationship between oxygen consumpti metabolism in the winkle <i>Littoria littoria</i>	ion,	body	size	and	sum	mateo	1 tiss	ue	315
Northmore, D. P. M., see Denton, Muntz and Northmore	3							·	909
O'Sullivan, A. J., see Clare, Jones and O'Sullivan					Ť		-	•	495
Parke, M., Green, J. C. and Manton, I. Observations on the fine structure of zoids of the genus Ph	aeocs	vetic []	Hant	onhv	ceae		•	•	927
Pennock, J. F., see Droop and Pennock		, , , , , , , , , , , , , , , , , , , ,	Lupt	opiij	ccac		•	•	455
Penreath, R. J. and Jefferies, D. F. The uptake of radionuclides by I-group plaice (Pleuronecte Irish Sea	s pla	tessa)	off t	he C	umb	erlanc	i coas	st,	963
PHILLIPS, GRAHAM Incubation of the English prawn Palaemon serratus				•					43
PILKINGTON, MARGARET C., see Fretter and PILKINGTON .									49
POLLOCK, LELAND, W. On some British marine Tardigrada, including two new spe	ecies	of Ba	ıtilli‡	oes					93
Preece, G. S. The swimming rhythm of <i>Bathyporeia pilosa</i> [Crustacea: A	mph	ipoda]	•			•		777
Pye, V. I., see Newell and Pye									315
RAYMONT, J. E. G., SRINIVASAGAM, R. T. and RAYMONT, J. K. Biochemical studies on marine zooplankton. IX. The bio		nical	com	posit	ion (of Eu	phaus	ia	
superba		•				•	•	•	581 917
RAYMONT, J. K. B. See RAYMONT, SRINIVASAGAM and RAYMONT				•	•	•	•	•	581
See Srinivasagam, Raymont, Moodie and Raymont .					•			•	917
Russell, F. S. and Demir, Neclâ	_		_						
On the seasonal abundance of young fish. XII. The years a See also DEMIR and RUSSELL	1967,	1968	, 196	9 and	1 197	70	•	•	127 669
REIGER, REINHARD M., see GRAY and REIGER							•		1
RILEY, J. P. and ROTH, IGAL The distribution of trace elements in some species of phyto	mlan	kton (TTOUT	n in	oultu	·		•	
See also Segar, Collins and Riley	, piuri		51000					•	63 131
ROBERTS, B. L., see BLAXTER, WARDLE and ROBERTS									991
ROTH, IGAL, see RILEY and ROTH									63
Ruscoe, C. N., see Evans, Ruscoe and Treherne									375
SAMUEL, S., SHAH, N. M. and FOGG, G. E. Liberation of extracellular products of photosynthesis by tr	opica	al phy	topla	nkto	n	•			793
SEGAR, D. A., COLLINS, J. D. and RILEY, J. P. The distribution of the major and some minor elements in						lusce			121

CONTENTS OF VOLUME 51	1X
	PAGE
SNOW, N. B. and WILLIAMS, P. J. LEB. A simple method to determine the O:N ratio of small marine animals	105
SRINIVASAGAM, R. T., RAYMONT, J. E. G., MOODIE, C. F. and RAYMONT, J. K. B.	,0)
Biochemical studies on marine zooplankton	917
STEBBING, A. R. D. The epizoic fauna of Flustra foliacea [Bryozoa]	283
Taylor, D. L.	
Ultrastructure of the 'zooxanthella' Endodinium chattonii in situ	227
[Turbellaria: Acoela]	301
Tett, P. B. The relation between dinoflagellates and the bioluminescence of sea water	183
TREHERNE, J. E., see Evans, Rusceo and Treherne	375
WALLEY, L. J., WHITE, F. and BRANDER, K. M. Sperm activation and fertilization in Balanus balanoides	489
WARDLE, C. S. New observations on the lymph system of the plaice <i>Pleuronectes platessa</i> and other teleosts .	
See also BLAXTER, WARDLE and ROBERTS	977 991
WARNER, G. F. On the ecology of a dense bed of the brittle-star Ophiothrix fragilis	267
Warwick, Richard M.	,
Nematode association in the Exe Estuary	439
WARWICK, RICHARD M. and BUCHANAN, J. B. The meiofauna off the coast of Northumberland. II. Seasonal stability of the nematode population	355
WHITE, F., see WHALLEY, WHITE and BRANDER	489
WIDDOWS, J. and BAYNE, B. L. Temperature acclimation of <i>Mytilus edulis</i> with reference to its energy budget	827
WILLIAMS, P. J. LEB.	,
See Andrews and Williams	111
See Snow and Williams	105
WILSON, DOUGLAS P. Sabellaria colonies at Duckpool, North Cornwall, 1961–1970	509
ABSTRACTS OF MEMOIRS	
RECORDING WORK DONE IN THE PLYMOUTH LABORATORY	
BAREL, C. D. N. & KRAMERS, P. G. N., 1970. Notes on associates of echinoderms from Plymouth and the coast of Brittany	505
CHANDLER, W. K. & MEVES, H., 1970. Sodium and potassium currents in squid axons perfused with fluoride solutions	1013
CHANDLER, W. K. & Meves, H., 1970. Evidence for two types of sodium conductance in axons perfused with sodium fluoride solution	1013
CHAPMAN, D. M., 1969. The nature of cnidarian desmocytes	505
	J-J

COHEN, L. B., HILLE, B. & KEYNES, R. D., 1970. Changes in axon birefringence during the action potential	PAGE 505
DENTON, E. J., 1970. On the organization of reflecting surfaces in some marine animals	505
DENTON, E. J., GILPIN-BROWN, J. B. & SHAW, T. L., 1969. The buoyancy mechanism found in cranchid squid	506
Forster, G. R., Badcock, J. R., Longbottom, M. R., Merrett, N. R. & Thompson, K. S., 1970. Results of the Royal Society Indian Ocean Deep Slope Fishing Expedition, 1969	506
GIBSON, R. N., 1970. The tidal rhythm of activity of Coryphoblennius galerita (L.) (Teleostei, Blenniidae)	1013
HOWARTH, J. V., 1970. The technique of thermal measurements in excitable tissues	1013
LYONS, K. M., 1969. Sense organs of monogenean skin parasites ending in a typical cilium .	506
LYONS, K. M., 1969. Compound sensilla in monogenean skin parasites	507
Lyons, K. M., 1970. The fine structure and function of the adult epidermis of two skin parasitic monogeneans	507
MAPSTONE, G. M., 1970. Feeding activities of veligers of Nassarius reticulatus and Crepidula fornicata and the use of artificial foods in maintaining cultures of these larvae	743
MULLER, W. A., 1969. Die Steuerung des morphogenetischen Fliessgleichgewichts in den Polypen von Hydractinia echinata. I. Biologisch experimentelle Untersuchungen	507
MULLER, W. A., 1969. Die Steuerung des morphogenetischen Fliessgleichgewichts in den Polypen von Hydractinia echinata. II. Chemisch-analytische Untersuchungen	508
MULLER, W. A., 1969. Determination de Geschlechtspolypen von <i>Hydractinia echinata</i> . Eine biologische und chemische Analyse	508
PILKINGTON, M. C. & FRETTER, V., 1970. Some factors affecting the growth of prosobranch veligers	743
POTTS, G. W., 1969. Behaviour of the snapper, Lutianus monostigma around Aldabra	1014
POTTS, G. W., 1970. The schooling ethology of Lutianus monostigma (Pisces) in the shallow reef environment of Aldabra	508
RUSSELL, F. S., 1970. On a new species of medusa from an inland salt lake in South Australia .	1014
SOUTHWARD, A. J. & SOUTHWARD, E. C., 1970. Observations on the roles of dissolved organic compounds in the nutrition of benthic invertebrates. Experiments on three species of Pogonophora.	1014
SPOONER, M., 1970. Some ecological effects of marine oil polution	1014
WICKSTEAD, J. H., 1970. On a small collection of Acrania (Phylum Chordata) from New Caledonia	508
BOOK REVIEW	
Seaweeds and Their Uses. By Professor V. J. CHAPMAN	744

CORRIGENDA

Page 76, line 9, for m read mm

Number 1, Back Page of Cover, Contents, line 1, for GREY read GRAY

Page 502, References, CHILD, C. M., 1923, for axial read axial

Page 503, References, Crowell, S. & Wyttenbach, C., 1957, for Biol. mar. biol. Bull. read Biol. Bull. mar biol.

Page 503, References, ROSENE, H. V. & LUND, E. J., 1930, for KNC read KCN

Number 2, Back Page of Cover, Contents, line 20, for CLARKE read CLARE

Pages, 591 and 593, Tables 1 and 2, for Paradoxostomatina asymmetrica read Paraxystomatina asymmetrica

Page 788, line 3, for isoped read isopod

INDEX

Page 1177, column 1, line 44, for elegansk read elegans

Page 1178, column 1, line 9, for Dipatra read Diopatra

Page 1178, column 2, 3rd line from bottom, for penicea read panicea

Page 1179, column 1, line 19, for Hayale read Hyale

Page 1183, column 2, line 11, for lucus read luscus

THE MARINE BIOLOGICAL ASSOCIATION OF THE UNITED KINGDOM

THE ASSOCIATION was founded in 1884 to promote accurate researches leading to the advancement of zoological and botanical science and to an increase in our knowledge of the food, life, conditions and habits of British fishes. The work of the Association is controlled by a Council elected annually by its subscribing members.

Professor T. H. Huxley took the chair at the initial meeting held in the rooms of the Royal Society and was elected the first President. Among those present were Sir John Lubbock (afterwards Lord Avebury), Sir Joseph Hooker, Professor H. N. Moseley, Mr G. J. Romanes, and Sir E. Ray Lankester who, after Professor Huxley, was for many years president of the Association. It was decided to build a laboratory at Plymouth, where a rich and varied fauna is found.

The Plymouth Laboratory was opened in June 1888, and, since that date, considerable additions have been made to the buildings, including a library, lecture-hall, and extensive laboratory accommodation with up-to-date equipment. Additional sea-water reservoirs have also been built, and an aquarium, modernized in 1959, opened to the public.

Since its foundation the Association has been supported by subscriptions and donations from private members, universities, learned societies, the Fishmongers' Company and other public bodies. For some time past, however, the main financial support for the work of the Plymouth Laboratory has come from Government funds, and since 1965 the Laboratory has been grant-aided through the Natural Environment Research Council.

The Marine Biological Association, under the direction of its Council, undertakes research in all branches of marine science and the main results are published in this journal. Accounts of the laboratory and aquarium are to be found in Vol. 27 (p. 761), Vol. 39 (p. 391) and Vol. 43 (p. 281), and summaries of the activities and research of the Association are given annually in the Report of the Council in the November issue of the Journal.

The laboratory is open throughout the year and its work is carried out by a fully qualified research staff under the supervision of the Director. The names of the members of the staff will be found on the inner page of the front cover. Accommodation is available for British and foreign scientific workers who wish to carry out independent research in all branches of marine science. Arrangements are made for courses for advanced students, and marine animals and plants are supplied to educational institutions.

Work at sea is undertaken by three research vessels and by a motor boat, and these also collect the specimens required in the laboratory.

TERMS OF MEMBERSHIP

											£
Annual Mem	bers	, recei	ving	the J	ourna	١.		per	r ann	um	3.00
Annual Mem	bers	, with	out t	he Jo	urnal			per	ann	um	1.05
Junior Memb	ers,	receiv	ring 1	the Jo	urnal			per	ann	um	1.05
Life Member	S						Co	mpos	ition	fee	45.00
Founders											100.00
Governors											500.00

Members of the Association have the following rights and privileges: they elect annually the Officers and Council; they are entitled to receive the Journal of the Association at a much reduced rate; they are admitted to view the laboratory at Plymouth, and may introduce friends with them; they have the first claim to rent a place in the laboratory for research, with use of tanks, boats, etc; they have the privilege of occupying a table for one week in each year free of charge; and they have access to the books in the library at Plymouth.

The Commissioners of Inland Revenue have approved the Association for the purposes of Section 16, Finance Act, 1958, and that the whole of the annual subscription paid by a member who qualifies for relief under the section will be allowable as a deduction from his emoluments assessable to income tax under Schedule E.

All correspondence should be addressed to the Director, The Laboratory, Citadel Hill, Plymouth, PL1 2PB.

JOURNAL OF THE MARINE BIOLOGICAL ASSOCIATION OF THE U.K. Vol. 51, No. 4

CONTENTS

	PAGE
GIBBS, P. E. A comparative study of reproductive cycles in four polychaete species belonging to the family Cirratulidae	745
MILLER, P. J. The species of Lebetus [Teleostei: Gobiidae]	771
PREECE, G. S. The swimming rhythm of Bathyporeia pilosa [Crustacea: Amphipoda]	777
SAMUEL, S., SHAH, N. M. and FOGG, G. E. Liberation of extracellular products of photosynthesis by tropical phytoplankton	793
MAUCHLINE, J. Rare species of Mysidacea [Crustacea] from the west coast of Scotland .	799
MAUCHLINE, J. Seasonal occurrence of mysids [Crustacea] and evidence of social behaviour	809
WIDDOWS, J. and BAYNE, B. L. Temperature acclimation of Mytilus edulis with reference to its energy budget	827
BRYAN, G. W. and Hummerstone, L. G. Adaptation of the polychaete <i>Nereis diversicolor</i> to estuarine sediments containing high concentrations of heavy metals. I. General observations and adaptation to copper	845
CRISP, MARY. Structure and abundance of receptors of the unspecialized external epithelium of Nassarius reticulatus [Gastropoda, Prosobranchia]	865
HEAD, P. C. Observations on the concentration of iron in sea water, with particular reference to Southampton Water	891
DENTON, E. J., MUNTZ, W. R. A. and NORTHMORE, D. P. M. The distribution of visual pigment within the retina in two teleosts	905
Srinivasagam, R. T., Raymont, J. E. G., Moodie, C. F. and Raymont, J. K. B. Biochemical studies on marine zooplankton. X. The amino acid composition of <i>Euphausia superba</i> , Meganyctiphanes norvegica and Neomysis integer	917
Parke, M., Green, J. C. and Manton, I., F.R.S. Observations on the fine structure of zoids of the genus <i>Phaeocystis</i> [Haptophyceae]	92
FORSTER, J. R. M. and GABBOTT, P. A. The assimilation of nutrients from compounded diets by the prawns <i>Palaemon serratus</i> and <i>Pandalus platyceros</i>	943
Pentreath, R. J. and Jefferies, D. F. The uptake of radionuclides by I-Group plaice (Pleuronectes platessa) off the Cumberland coast, Irish Sea	927
WARDLE, C. S. New observations on the lymph system of the plaice <i>Pleuronectes platessa</i> and other teleosts	977
BLAXTER, J. H. S., WARDLE, C. S. and ROBERTS, B. L. Aspects of the circulatory physiology and muscle systems of deep-sea fish	991
Obituary . Prof. J. S. Alexandrowicz	1007
Abstracts of Memoirs	1013
REPORT OF THE COUNCIL FOR 1970-71	1015

The subscription price of the Journal to non-members of the Association is £22.00 net a volume of four parts, post free, or \$70.00 in U.S.A., payable in advance. Subscriptions may be sent to any bookseller or to the Cambridge University Press, and in U.S.A. to the Cambridge University Press American Branch.

CAMBRIDGE UNIVERSITY PRESS

BENTLEY HOUSE, 200 EUSTON ROAD, LONDON NW1 2DB
AMERICAN BRANCH: 32 EAST 57TH STREET, NEW YORK, N.Y. 10022

Printed in Great Britain at the University Printing House, Cambridge