INDEX OF SUBJECTS.

Air, see Atmospheric conditions, Compressed air illne thermometer, Respiration, Silicosis.	ess,	Dioxan,	Fo	otwear,	Ka	ta-	PAGE
Antigens of cholera group of vibrios	•		•	•		•	262
Atmospheric conditions, effects on industrial worker							78
Bacteria:							
Bacillus typhosus in faeces, isolation of							38
Bacterium aerogenes, see coli and.							
coli and Bact. aerogenes in water. Method	l for	rapid er	ıun	neration			437
paratyphosum		٠.					354
typhi flavum (so-called)							354
typhosum							354
containing Vi antigen in typhoic	d car	ses with	Vi	antigen i	n th	eir	
sera							42
virulence and immunogenic ac	etivi	ities of.	in	relation	to.	it.s	
antigenic constituents .				101001011	•	100	429
Staphylococci and their products clot plasma .	•	•	٠	•	•	•	549
Streptococci in bovine mastitis, bacteriology of .	•	•	٠	•	•	•	504
in scarlatina carriers and return cases	•	•	٠	•	•	•	283
scarlatinal, toxic fractions of	•	•	•	•	•	•	203 93
see Bovine mastitis.	•	•	•	•	•	•	99
Streptococcus of Aronson							23
Vibrio cholerae, its Q proteins and non-specific antig	· ·		•	•	•	•	
Vibrios (rough), serological grouping of	;ens	•	•	•	•	•	498
see Cholera.	•	•	•	•	•	•	347
Bovine mastitis, streptococci isolated from 50 cases							238
streptococcus mastitis, bacteriology of .	·		•	•	•	•	504
boreprocessus massess, serveriousg, er	•	•	•	•	•	•	904
Cancer and inflammation, violence of animal's reaction	n in	relation	to	etiology			404
Lanolin protective against mineral-oil and tar						•	130
recommendations				•	•	•	138
Mortality, in one house or neighbouring houses	·		Ĭ.	·	•	•	46
is it increasing or decreasing? .			·	·	•	٠	327
see Carcinogenicity.	-	•	•	•	•	•	021
Carcinogenicity, new method for measuring							125
Chemotherapeutic susceptibility, see Trypanosoma brue	cei .	•	•	•	•	•	120
Cholera group of vibrios, antigens of							262
see Bacteria.			·	•	•	•	202
Compressed air illness, prevention of							318
Deaths, see Cancer.							
Dermatitis, see Cancer.							
Dietary of man fed to rats for 2½ years, effects observe	ed						476
Dievan noisoning affects on kidney and liver (experim			•	•	•	•	4/0

$Index\ of\ Subjects$	563
Diphtheria, pseudo-Schick reaction	PAGE 512 49, 512
·	19, 534
England and Wales, see Mortality.	
Footwear in relation to perspiration	199
Germicidal tests, see Disinfectants	
Heating, see Atmospheric conditions, Kata-thermometer, Man's body. Hong Kong, see Scarlatina.	
Hypophysectomised animals, immunity experiments on	372
Immunity:	
Antigens of cholera group of vibrios	262
1 , 0,	19, 512
pseudo-Schick reaction	512
experiments with hypophysectomised animals	372
Antiserum containing two antibodies (experiments with)	69
Multiple zones (experiments on)	169
Globulin increase in diphtheria antitoxin shown	174
see Bact. typhosum, Scarlatina, Tuberculin, Tuberculo-protein, Vibrio cholerae. Impetigo contagiosa, epidemiology and control	150
Industrial, see Air.	150
Kata-thermometer, errors in testing cooling powers and air velocities with Kenya, see Typhus-like disease.	255
Louping-ill, virus disease of sheep, infection of rhesus monkeys by the nose $$. Lung, see Silica.	339
Man's body, effective radiating surface of	303
skin temperature in relation to warmth of environment	307
see Atmospheric conditions, Kata-thermometer. Mastitis, see Bovine. Mineral-oils and tars, see Cancer, Carcinogenicity.	
Mortality decrease in early adult male life in England and Wales see Cancer.	375
Nose-opening and -closing rays	75, 185
Perspiration in relation to footwear	199
Plague in East Africa, relation of cotton crop as vehicle to rats and fleas	. 388
Plasma, clotted by Staphylococci or their products	549
Precipitation reaction, see Immunity. Psittacosis (enzootic) in wild Australian parrots	412

Rats and fleas in relation to plague in East Africa								388
on human dietary, a long-term experiment		•	•	•	•	•	•	476
·	•	•	•	•	•	•		_
Respiration: nose-opening and -closing rays	, .	•	•	•	•	•	10,	185
Rhipicephalus sanguineus, vector of "tropical" ty	phus	•	•	•	•	•	•	1
Scarlatina, carriers and return cases								283
Immunity in Hong Kong								161
Scarlatinal, see Bacteria; Streptococci.								
Silica content of lung, method of expressing .								64
Silicosis, modern views on								207
see Silica.								
South Africa, see Typhus-like disease.								
Statistics, see Cancer, Mortality.								
Ticks, see Rhipicephalus.								
Trypanosoma brucei, variation in chemotherapeu virulence	tic su	scept	ibility	with	cha	nge i	in	180
	•	•	٠	•	•	•	•	
Tuberculin reactions of Chinese in Hong Kong	•	•	•	•	•	•	•	300
Tuberculo-protein, use of, see Tuberculin.								
Typhoid fever, see Bacteria: Bact. typhosum.								
Typhus-like disease ("fièvre boutonneuse"?) in K	enya,	tick	vector	•	٠	•	•	1
in South Africa	٠	•	•	•	•	•	•	116
Three viruses distinguished	٠		٠	•	٠	•	•	120
Virulence, see Trypanosoma brucei.								
Virus diseases, see Psittacosis.								
Water, see Bacteria: Bact. aerogenes and Bact. coli	i.							

CAMBRIDGE: PRINTED BY W. LEWIS, M.A., AT THE UNIVERSITY PRESS