- Johnson NL, Leone FC. Cumulative sum control charts—mathematical principles applied to their construction and use, part I. *Industrial Quality Control* 1962;18(12):15-21. Part II, 1962;19(1):29-36. Part III, 1962;19(2):22-28.
- Ewan WD. When and how to use cu-sum charts. Technometrics 1963;5(1):1-32.
- Hunter JS. Part II: just what does an EWMA do? ASQC Statistics Division Newsletter 1995;16(1):4-12.
- Hawkins DM. Cumulative sum control charts: an underutilized SPC tool. Quality Engineering 1993;5(3):463-477.
- Benneyan JC. Adaptive Statistical Process Control Using Sequential Hypothesis Tests. Technical Report. Amherst, MA: University of Massachusetts; 1993.
- Dessau DB, Steenberg P. Computerized surveillance in clinical microbiology with time series analysis. J Clin Microbiol 1993;31:857-860.
- 80. Page ES. Control charts with warning lines. *Biometrika* 1955;42:243-257.
- Benneyan JC. Multivariate and Nonparametric Approaches to Statistical Process Control. Technical Report. Amherst, MA: University of Massachusetts; 1993.
- 82. Rocke DM. Robust control charts. Technometrics 1989;31:173-184.
- Willemain TR, Runger GC. Designing control charts using an empirical reference distribution. *Journal of Quality Technology* 1996;28:31-38.
- Seppala T, Moskowitz, Plante R, Tang J. Statistical process control via the subgroup bootstrap. *Journal of Quality Technology* 1995;27:139-153.
- Wu Z, Wang Q. Bootstrap control charts. Quality Engineering 1996;9:143-150.
- 86. Alwan LC, Roberts HV. Time series modeling for statistical process control. *Journal of Business and Economic Statistics* 1988;6:87-95.
 87. Vasilopoulas AV, Stamboulis AP. Modification of control chart limits in
- Vasilopoulas AV, Stamboulis AP. Modification of control chart limits in the presence of data correlation. *Journal of Quality Technology* 1978;10:20-30.

- Montgomery DC, Mastrangelo CM. Some statistical process control methods for autocorrelated data. *Journal of Quality Technology* 1991:23:179-193.
- Runger GC, Willemain TR. Model-based and model-free control of autocorrelated processes. *Journal of Quality Technology* 1995;27:283-292.
- Yashchin E. Performance of cusum control schemes for serially correlated observations. *Technometrics* 1993;35:37-52.
- Alloway JH, Raghavachari M. An introduction to multivariate control charts. ASQC Annual Quality Congress Transactions. Milwaukee, WI: American Society for Quality, Inc; 1991:773-783.
- 92. Hicks CR. Some applications of Hotelling's *T Industrial Quality Control* 1955;11(6) :23-26.
- Patel HI. Quality control methods for multivariate binomial and Poisson distributions. *Technometrics* 1973;15:103-112.
- Anderson EA, Diaz J. Using process control chart techniques to analyze crime rates in Houston, Texas. *Journal of the Operational Research Society* 1996;47:871-881.
- Garnerin PH, Saidi Y, Valleron AJ. The French communicable diseases computer network. Extended Clinical Consulting by Hospital Computer Networks. In: Parsons DF, Fleisher CM, Greens RA, eds. New York, NY: Ann NY Acad Sci. 1992;670:29-42.
- Jackson JE. Quality control methods for two related variables. *Industrial Quality Control* 1956;12:4-8.
- Jackson JE. Quality control methods for several related variables. Technometrics 1959;1:359-377.
- Mandel BJ. The regression control chart. Journal of Quality Technology 1969;1:1-9.
- Latzko WJ. Control charts in the board room. ASQC Annual Quality Congress Transactions Milwaukee, WI: American Society for Quality, Inc; 1989:731-736.

Nosocomial Transmission of Mycobacterium bovis

Gina Pugliese, RN, MS Martin S. Favero, PhD

Since 1990, several nosocomial outbreaks of multidrug-resistant (MDR) TB occurred in the Madrid area, but none of them involved *M bovis*. Investigators from Spain have described an epidemic of nosocomial and primary MDR *M bovis* TB, from December 1993 to February 1995, among HIV-1-infected patients in a district of Madrid. They undertook genetic characterization of the *M bovis* strain and investigated its presence in a TB epidemic in a Madrid hospital in a case-controlled study. They assessed 19 cases diagnosed with MDR TB due to *M bovis* during the study period. For the control group, they ran-

domly selected 33 patients with HIV-1 infection and isolation of a strain of Mtuberculosis susceptible to isoniazid, rifampin, or both, who were treated in Ramon y Cajal Hospital. They detected 19 cases in HIV-1-infected patients with primary MDR TB produced by M bovis resistant to 11 antituberculosis drugs. They found phenotypic and genotypic similarities in the strains of M bovis. In the case group, the index case and two other cases had previous contact with another hospital that had an MDR TB outbreak. All patients died after a mean of 44 days (range, 2-116), despite multidrug treatment with first-line and second-line antituberculosis drugs. The cases with *M bovis* MDR tuberculosis were significantly more likely than controls to have been admitted to a hospital ward at the same time as patients already infected with MDR TB during the 10 months before their diagnosis, (*P*<.0001). Advanced HIV-1 immunosuppression was associated with the development of MDR TB

The authors concluded that an M bovis primary MDR TB epidemic that cannot be treated effectively and with high mortality has emerged in Europe and has been transmitted between hospitals.

FROM: Guerrero A, Cobo J, Fortun J, Navas E, Quereda C, Asensio A, et al. Nosocomial transmission of *Mycobacterium bovis* resistant to 11 drugs in people with advanced HIV-1 infection. *Lancet* 1997;350(9093):1738-1742.