

JOURNAL OF DAIRY RESEARCH

EDITED BY

B. A. ROLLS
M. L. GREEN

Institute of Food Research, Reading Laboratory,
Reading RG6 2EF, UK

Consulting Editors

R. G. VERNON
B. A. LAW

Assistant Editors

B. F. BONE
MARY C. A. GRIFFIN
C. J. WILDE

Editorial Assistant

B. GILLIAN DAY

Secretary

CLARE J. STAKER



CAMBRIDGE
UNIVERSITY PRESS

VOLUME 61, 1994

PUBLISHED BY
THE SYNDICS OF THE CAMBRIDGE UNIVERSITY PRESS

The Pitt Building, Trumpington Street, Cambridge CB2 1RP
40 West 20th Street, New York, NY 10011-4211
10 Stamford Road, Oakleigh, Melbourne 3166 Australia

© Proprietors of *Journal of Dairy Research* 1994

Printed in Great Britain by the University Press, Cambridge

Contents

No. 1 (February 1994)

PAGE

Measurement of teatcup liner wall movement. M. C. BUTLER and N. J. D. ADLEY	1
Characteristics of α -aminoisobutyric acid transport by lactating rat mammary gland. D. B. SHENNAN and S. A. MCNEILLIE	9
Milk whey proteins in plasma of sows: variation with physiological state. S. C. DODD, I. A. FORSYTH, H. L. BUTTLE, M. I. GURR and R. R. DILS	21
Hormonal induction of α -lactalbumin and β -lactoglobulin in cultured mammary explants from pregnant pigs. S. C. DODD, I. A. FORSYTH, H. L. BUTTLE, M. I. GURR and R. R. DILS	35
Distribution and density of α - and β -adrenergic receptor binding sites in the bovine mammary gland. H. M. HAMMON, R. M. BRUCKMAIER, U. E. HONEGGER and J. W. BLUM	47
Heavy coagulum formation in lactic casein manufacture: solids content, pH and gel strength variations through setting lactic coagulum. M. G. WEEKS, E. J. GOSLING and P. A. MUNRO	59
Changes in the gelation mechanism of whey protein concentrate with pH and temperature. S. M. TAYLOR, L. F. GLADDEN and P. J. FRYER	71
Arsenic content of Spanish cows' milk determined by dry ashing hydride generation atomic absorption spectrometry. M. L. CERVERA, J. C. LOPEZ and R. MONTORO	83
Rapid, sensitive two-site ELISA for detection of cows' milk in goats' or ewes' milk using monoclonal antibodies. D. LEVIEUX and A. VENIEN	91
Detection of residual chymosin in cheese by an enzyme-linked immunosorbent assay. N. BOUDJELLAB, O. ROLET-REPECAUD and J.-C. COLLIN	101
Identification of the unsaturated oxo fatty acids in cheese. E. Y. BRECHANY and W. W. CHRISTIE	111
Effect of milk protein standardization, by ultrafiltration, on the manufacture, composition and maturation of Cheddar cheese. T. P. GUINEE, P. D. PUDJA and E. O. MULHOLLAND	117
Effect of freezing and frozen storage on the physicochemical, organoleptic and microbiological characteristics of a semi-hard ewes' milk cheese. J. FONTECHA, C. PELÁEZ, M. JUÁREZ and M. C. MARTÍN-HERNÁNDEZ	133
Evaluation of khoa as a milk solids source in ice cream. SHAKEEL-UR-REHMAN, K. G. UPADHYAY and A. J. PANDYA	143
Short communication	
Mineral composition as a characteristic for the identification of animal origin of raw milk. F. RINCÓN, R. MORENO, G. ZURERA and M. AMARO	151

Review article

- Regulation of water and solute transport across mammalian plasma cell membranes by prolactin. D. B. SHENNAN 155

No. 2 (May 1994)

- Milk accumulation and distribution in the bovine udder during the interval between milkings. C. H. KNIGHT, D. HIRST and R. J. DEWHURST. 167
- Effect of the levels of N fertilizer, grass and supplementary feeds on nitrogen composition and renneting properties of milk from cows at pasture. J. E. HERMANSEN, S. OSTERSEN and O. AAES 179
- Triacylglycerol fatty acid composition of milk from periparturient cows during acute *Escherichia coli* mastitis. A.-M. MASSART-LEEN, C. BURVENICH and D. L. MASSART 191
- Some aspects of measuring the size and rate of dispersion of milk powder agglomerates using the Malvern Particle Sizer 2600c. X. D. CHEN and R. J. LLOYD 201
- Modification of β -lactoglobulin by aliphatic aldehydes in aqueous solution. H. STAPELFELDT and L. H. SKIBSTED 209
- Thermal gelation and denaturation of bovine β -lactoglobulins A and B. M. McSWINEY, H. SINGH, O. CAMPANELLA and L. K. CREAMER 221
- Retinol determination in milk by HPLC and fluorescence detection. S. K. JENSEN 233
- Production of volatile compounds in model milk and cheese media by eight strains of *Geotrichum candidum* Link. N. JOLLIVET, J. CHATAUD, Y. VAYSSIER, M. BENSOUSSAN and J.-M. BELIN 241
- Autolysis and proteolysis of different strains of starter bacteria during Cheddar cheese ripening. M. G. WILKINSON, T. P. GUINEE, D. M. O'CALLAGHAN and P. F. FOX. 249
- Thermal inactivation of γ -glutamyltranspeptidase and *Enterococcus faecium* in milk-based systems. S. S. PATEL and R. A. WILBEY 263
- Phagocytic activity of bovine polymorphonuclear neutrophil leucocytes. A. ZECCONI, V. BRONZO, R. PICCININI, G. SPREAFICO and G. RUFFO 271
- Changes in free fatty acids during the ripening of Idiazabal cheese: influence of brining time and smoking. A. I. NÁJERA, L. J. R. BARRON and Y. BARCINA 281
- Methods for the determination of aroma compounds in dairy products: a comparative study. V. XANTHOPOULOS, D. PICQUE, N. BASSIT, C.-Y. BOQUIEN and G. CORRIEU 289

Short communications

- Sensory and rheological properties of low-fat filled 'pasta filata' cheese. E. PAGLIARINI and N. BEATRICE 299

Effects of UHT heating of milk in an experimental plant on several indicators of heat treatment. M. M. HEWEDY, C. KIESNER, K. MEISSNER, J. HARTKOPF and H. F. ERBERSDOBLER	305
Effect of sodium dodecylsulphate on the binding of <i>Lactococcus lactis</i> subsp. <i>lactis</i> T-80 cells with Trp-P1. T. TANABE, K. SUYUMA and A. HOSONO	311

No. 3 (August 1994)

Effects on milk yield, somatic cell count and milk conductivity of short-term non-milking of lactating quarters of cows. J. HAMMAN and P. GYODI	317
Continuously elevated concentrations of oxytocin during milking are necessary for complete milk removal in dairy cows. R. M. BRUCKMAIER, D. SCHAMS and J. W. BLUM	323
High affinity (Na ⁺ + Cl ⁻)-dependent taurine transport by lactating mammary tissue. D. B. SHENNAN and S. A. MCNEILLIE	335
Intramammary pressure and luteal oxytocin after PGF2 α administration in cycling and early pregnant ewes. P.-G. MARNET and J. LABUSSIÈRE	345
Optimizing clarified whey ultrafiltration: influence of pH. G. DAUFIN, J.-P. LABBE, A. QUEMERAIS, F. MICHEL and U. MERIN	355
Characterization of the oligopeptides of Parmigiano-Reggiano cheese soluble in 120 g trichloroacetic acid/l. F. ADDEO, L. CHIANESE, R. SACCHI, S. S. MUSSO, P. FERRANTI and A. MALORNI	365
Effect of heat treatments on the incorporation of milk serum proteins into the fat globule membrane of homogenized milk. S. K. SHARMA and D. G. DALGLEISH	375
Detection of powerful odorants in heated milk by use of extract dilution sniffing analysis. L. MOIO, P. ETIEVANT, D. LANGLOIS, J. DEKIMPE and F. ADDEO	385
Detection of proteolysis in raw milk stored at low temperature by an inhibition ELISA. C. PICARD, I. PLARD, D. RONGDAUX-GAIDA and J.-C. COLLIN	395
Simple empirical and fundamental methods to determine objectively the stretchability of Mozzarella cheese. C. APOSTOLOPOULOS	405

Short communications

Evaluation of the inclusion of estimators of body composition in models for the prediction of milk production by dairy cows. A. J. ROOK, M. J. GIBB, W. E. IVINGS, K. ASTON and J. D. SUTTON	415
Thermal sensitivity of mares' milk proteins. F. BONOMI, S. IAMETTI, E. PAGLIARINI and G. SOLAROLI	419
Inorganic constituents of milk. V. Ion activity product for calcium phosphate in diffusates prepared from goats' milk. C. HOLT, I. H. L. ORMROD and P. C. THOMAS	423

Effect of trypsin on bovine lactoferrin and interaction between the fragments under different conditions. L. MATA, H. CASTILLO, L. SÁNCHEZ, P. PUYOL and M. CALVO	427
Important differences between the generation times of <i>Listeria monocytogenes</i> and <i>List. innocua</i> in two <i>Listeria</i> enrichment broths. F. MACDONALD and A. D. SUTHERLAND	443
Measurement of proteolysis in cheese: relationship between phosphotungstic acid-soluble N fraction by Kjeldahl and 2,4,6-trinitrobenzenesulphonic acid-reactive groups in water-soluble N. Y. BOUTON and R. GRAPPIN	437

No. 4 (November 1994)

Once daily milking of dairy cows: relationship between yield loss and cisternal milk storage. C. H. KNIGHT and R. J. DEWHURST	441
Effect of milking interval on secretion rate and composition of camel milk in late lactation. M. A. ALSHAIKH and M. S. SALAH	451
Machine milking of dairy goats during lactation: udder anatomy, milking characteristics, and blood concentrations of oxytocin and prolactin. R. M. BRUCKMAIER, C. RITTER, D. SCHAMS and J. W. BLUM	457
Evaluation of the use of an artificial teat to measure the forces applied by a milking machine teatcup liner. N. J. D. ADLEY and M. C. BUTLER	467
Rennet coagulation of milk in the presence of sucrose. M.-H. FAMELART	473
Disulphide arrangement in bovine caseins: localization of intrachain disulphide bridges in monomers of κ - and α_{s2} -casein from bovine milk. L. K. RASMUSSEN, P. HØJRUP and T. E. PETERSEN	485
Secondary structures in β -casein peptide 1-42: a two dimensional nuclear magnetic resonance study. N. M. WAHLGREN, P. DEJMEK and T. DRAKENBERG	495
Heat stability of homogenized milk: role of interfacial protein. C. H. McCRAE, D. HIRST, A. J. R. LAW and D. D. MUIR	507
Quantitation of <i>trans</i> fatty acids in milk fat using spectroscopic and chromatographic methods. F. ULBERTH and M. HENNINGER	517
Identification of <i>Bacillus</i> strains isolated from milk and cream with classical and nucleic acid hybridization methods. R. TATZEL, W. LUDWIG, K. H. SCHLEIFER and P. R. WALLNÖFER	529
Response to phage infection of immobilized lactococci during continuous acidification and inoculation of skim milk. F. M. L. PASSOS, T. R. KLAENHAMMER and H. E. SWAISGOOD	537
Inhibitory effect of dairy products on the mutagenicities of chemicals and dietary mutagens. P. CASSAND, H. ABDELALI, C. BOULEY, G. DENARIAZ and J. F. NARBONNE	545

Effect of yogurt feeding on the small and large intestine associated lymphoid cells in mice. G. PERIDGÓN, M. RACHID, M. V. DE BUDEGUER and J. C. VALDEZ	553
Short communications	
Comparative study of the iron-binding strengths of equine, bovine and human lactoferrins. K.-I. SHIMAZAKI, K. OOTA, K. NITTA and Y. KE	563
Influence of α -hydroxycholecalciferol on calcium and phosphorus concentration in camel milk. F. RIAD, M. BEN GOUMI, M.-J. DAVICCO, SAFWATE and J.-P. BARLET	567
Chromatographic profiling of aminopeptidolytic activities in lactobacilli as a tool for strain identification. Y. ARDÖ and L. JÖNSSON	573
Effect of crude extract of <i>Lactobacillus</i> in increasing the amino N and acetaldehyde levels in yogurt. L. GROZEVA, B. TCHORBANOV and B. GYOSHEVA	581
Partial identification of peptides from the water-insoluble fraction of cheddar cheese. L. H. MCSWEENEY, S. POCHET, P. F. FOX and Á. HEALY	587

DIRECTIONS TO CONTRIBUTORS

NOTE

Full Directions to Contributors, of which this is a summary, appear in the first (February) issue of each volume.

GENERAL

The Journal of Dairy Research publishes reports on all aspects of dairy science from any country. Material for publication should be sent to the Editor: Dr B. A. Rolls, Institute of Food Research, Earley Gate, Whiteknights Road, Reading RG6 2EF, UK. Receipt of all material will be acknowledged. Submission of a paper will be taken to imply that it reports original unpublished work, that it is not under consideration elsewhere, and that if accepted by the *Journal* it will not be published elsewhere in any language without the consent of the Editors. Authors of accepted articles will be asked to assign their copyright, under certain conditions, to the *Journal*.

FORM OF PAPERS

Papers should be written in English using the spelling of the *Concise Oxford Dictionary* and should as far as possible be comprehensible to the non-specialist reader. They should be concise, but without omitting necessary material, and contain sufficient detail to allow repetition of the work.

Papers should be typed with wide margins on one side of A4 or quarto paper, double spaced throughout, including References, Figure legends and Table headings and footnotes. Submit a top copy and two good copies packed flat. A single copy will be accepted from outside Europe.

Authors should consult a recent issue of the *Journal of Dairy Research* to familiarize themselves with Journal conventions and layout. Attention to these and other details will speed publication.

LAYOUT OF PAPERS

The paper should generally be divided as follows. (a) *Cover sheet* with the title of the article, names of the authors each with one forename, together with their affiliations, a shortened version of the title suitable as a heading, and the name and address for correspondence. (b) A brief *Summary*, should encapsulate the whole paper, showing clearly the new knowledge acquired. (c) The introduction, without heading, should not contain a full literature review, but should indicate why the subject of enquiry is interesting or important, and why the authors have chosen the approach described. (d) The *Experimental or Materials and Methods* section should contain adequate descriptions of procedures or appropriate references; sources of all materials (including address, with post code) and sources or strains of animals, microorganisms and so on should be indicated. (e) *Results* should be as concise as possible, without repetition or inclusion of irrelevant material. Tables and illustrations should be used efficiently. (f) The *Discussion* should not repeat the results but discuss their significance. Acknowledgements are given in a separate paragraph without heading. It is the responsibility of the authors to ensure that individuals or organizations acknowledged as providing materials or otherwise are willing to be identified. (g) *References*. Note. For some types of paper, other divisions may be preferable.

REFERENCES

References should be given in the text as Brown & Jones (1987) or (Schmidt, 1985; Nakamura *et al.* 1989); the first author with *et al.* is used for papers with three or more

authors. Where necessary, papers are distinguished as Lenoir (1988*a*), (Litov *et al.* 1990*a, b*). When several references appear together in the text, cite them in chronological order, and alphabetically within years. The Reference list at the end of the paper, which should begin on a fresh page, is given in strict alphabetical order. Authors should refer to a recent issue for the format of references.

TABLES

Tables should be numbered and carry headings enabling them to be understood without reference to the text. Each Table should be typed on a separate sheet, but their approximate position in the text should be indicated. Symbols for footnotes should be in the order: †, ‡, §, ||, ¶, ††, etc. The use of *, **, etc, should be limited to indicating levels of significance.

ILLUSTRATIONS

Line drawings and photographs, which must be originals, should be numbered as Figures in Arabic numerals. Drawings should each be on a separate sheet, not larger overall than those on which the paper is typed, and packed flat. Curves or lines should not extend beyond the experimental points, which should be indicated, symbols used being, in order: ○, ●, △, ▲, □, ■, ×, +. Final lettering is done at the Press, so *there must be no letters or numerals on the drawing or photograph itself*. Their positions should be indicated either on a copy of the Figure, or on a translucent flyleaf firmly attached to the Figure. Each Figure should be provided with a legend such that with the Figure it is comprehensible without reference to the text. Figure legends should be typed on a separate sheet or sheets.

Photographs should be glossy black and white prints accompanied by a legend as above. Scale bars on the photograph should be used, not magnifications in the legend. Only one copy of each illustration is required, but authors should ensure that photocopies provided with the other copies of the paper are of adequate quality to allow referees to judge their value.

STATISTICAL TREATMENT

Individual results should not normally be given. The methods of statistical analysis should be clearly described; a suitable reference is adequate. Authors should make it clear whether they are quoting (e.g.) SD or SE. Any statement that two groups of values are different should be supported by the level of significance involved, as a single or range of *P* value: ($P = 0.008$) or ($P < 0.01$). Differences should not be claimed or implied if $P > 0.05$.

ETHICS OF EXPERIMENTS

Authors are expected to adhere to the relevant codes covering human subjects and the use of animals.

PROOFS

Authors will be advised when to expect proofs, which should be returned without delay to Mrs B. Gillian Day, Institute of Food Research, Earley Gate, Whiteknights Road, Reading RG6 2EF, UK. Proofs are sent for the correction of any printer's or editorial errors, not for addition of new material or revision of the text. Excessive alteration may have to be disallowed or made at the authors' expense, and may delay publication. Order forms for offprints are sent with proofs and should be returned directly to The University Press, Cambridge.

Continued from back cover

Short communications

- Comparative study of the iron-binding strengths of equine, bovine and human lactoferrins
K.-I. SHIMAZAKI, K. OOTA, K. NITTA and Y. KE 563–566
- Influence of 1α -hydroxycholecalciferol on calcium and phosphorus concentration in camel milk
F. RIAD, M. BEN GOUMI, M.-J. DAVICCO, A. SAFWATE and J.-P. BARLET 567–571
- Chromatographic profiling of aminopeptidolytic activities in lactobacilli as a tool for strain identification
Y. ARDÓ AND L. JÖNSSON 573–579
- Effect of crude extract of *Lactobacillus* in increasing the amino N and acetaldehyde levels in yogurt
L. GROZEVA, B. TCHORBANOV and B. GYOSHEVA 581–585
- Partial identification of peptides from the water-insoluble fraction of Cheddar cheese
P. L. H. McSWEENEY, S. POCHET, P. F. FOX and Á. HEALY 587–590

JOURNAL OF DAIRY RESEARCH

Volume 61 Number 4 November 1994

CONTENTS

Original articles	Pages
Once daily milking of dairy cows: relationship between yield loss and cisternal milk storage C. H. KNIGHT and R. J. DEWHURST	441-449
Effect of milking interval on secretion rate and composition of camel milk in late lactation M. A. ALSHAIKH and M. S. SALAH	451-456
Machine milking of dairy goats during lactation: udder anatomy, milking characteristics, and blood concentrations of oxytocin and prolactin R. M. BRUCKMAIER, C. RITTER, D. SCHAMS and J. W. BLUM	457-466
Evaluation of the use of an artificial teat to measure the forces applied by a milking machine teatcup liner N. J. D. ADLEY and M. C. BUTLER	467-472
Rennet coagulation of milk in the presence of sucrose M.-H. FAMELART	473-483
Disulphide arrangement in bovine caseins: localization of intrachain disulphide bridges in monomers of κ - and α_{s2} -casein from bovine milk L. K. RASMUSSEN, P. HØJRUP and T. E. PETERSEN	485-493
Secondary structures in β -casein peptide 1-42: a two dimensional nuclear magnetic resonance study N. M. WAHLGREN, P. DEJMEK and T. DRAKENBERG	495-506
Heat stability of homogenized milk: role of interfacial protein C. H. McCRAE, D. HIRST, A. J. R. LAW and D. D. MUIR	507-516
Quantitation of <i>trans</i> fatty acids in milk fat using spectroscopic and chromatographic methods F. ULBERTH and M. HENNINGER	517-527
Identification of <i>Bacillus</i> strains isolated from milk and cream with classical and nucleic acid hybridization methods R. TATZEL, W. LUDWIG, K. H. SCHLEIFER and P. R. WALLNÖFER	529-535
Response to phage infection of immobilized lactococci during continuous acidification and inoculation of skim milk F. M. L. PASSOS, T. R. KLAENHAMMER and H. E. SWAISGOOD	537-544
Inhibitory effect of dairy products on the mutagenicities of chemicals and dietary mutagens P. CASSAND, H. ABDELALI, C. BOULEY, G. DENARIAZ and J. F. NARBONNE	545-552
Effect of yogurt feeding on the small and large intestine associated lymphoid cells in mice G. PERDIGÓN, M. RACHID, M. V. DE BUDEGUER and J. C. VALDEZ	553-562

Continued inside back cover

© Proprietors of *Journal of Dairy Research* 1994
Printed in Great Britain by the University Press, Cambridge

CAMBRIDGE
UNIVERSITY PRESS



0022-0299(199411)61:4;1-2