The Journal of Laryngology and Otology

EDITED BY

WALTER HOWARTH

ASSISTANT EDITOR
R. SCOTT STEVENSON

WITH THE COLLABORATION OF G. H. BATEMAN V. E. NEGUS R. G. MACBETH

Contents

THE RESTORATION OF FUNCTION AFTER LARGE UPERA- TIONS ABOUT THE FACE AND JAWS	Frank Coffin
Some Diagnostic and Ætiological Aspects of Aural Cholesteatoma	J. A. HARPMAN
Bucco-Pharyngeal Ulcerations of Undetermined Ætiology	KENNETH HARRISON
Conservative Treatment of Cancer of the Larynx	I. SIMSON HALL
CLINICAL RECORDS—	
SYNDROME OF THE SINUS OF MORGAGNI, CASE REPORT	Рипле Меукіск
Cut Throat Injury in a Child's Laryny .	STEPHEN SUGGIT
HEARING AFTER FENESTRATION	G. A. Fraser
Two Cases of Lymphosarcoma of the Ethmold	D, F. N. HARRISON
CLINICAL NOTE—	Aximum Paner repe
Post-Laryngectomy Tracheal Cast	ANTHONY RADCLIFFE
General Notes	

London

Headley Brothers Ltd

109 Kingsway W C2

Annual Subscription £3/3/0 net, U.S.A. \$10

Monthly, 7/6 net post free

The Journal of Laryngology and Otology

(Founded in 1887 by Morell Mackenzie and Norris Wolfenden)

EDITED BY WALTER HOWARTH

ASSISTANT EDITOR R. SCOTT STEVENSON

V. E. NEGUS R. G. MACBETH

1. Original Articles are accepted on the condition that they have

2. Manuscripts should be typewritten, on one side only of the

paper, and well spaced.

The Harvard system of recording references should be used, e.g.

- GREEN, C., and Brown, D. (1951) J. Laryng., 65, 33.

 It is most important that authors should verify personally the accuracy of every reference before submitting a paper for publication.

 3. Galley proofs and engraver's proofs of illustrations are sent to the author. Corrections, which should be kept to a minimum, must be clearly marked, and no extra matter added.
- 4. Authors will be expected to pay for the cost of illustration blocks. An estimate of the cost will be provided.

5. Orders for reprints should be sent when returning galley proofs,

and for this purpose special forms are supplied.

- 6. Authors of original communications on Oto-Laryngology in other journals are invited to send a copy, or two reprints, to the Journal of Laryngology. If they are willing, at the same time, to submit their own abstract (in English, French, Italian, or German) it will be
- 7. Editorial communications may be addressed to THE EDITOR Journal of Laryngology, c/o HEADLEY BROTHERS LTD, 109 Kingsway London WC2,

8. The annual subscription is three guineas sterling (U.S.A. \$10,)

post free, and is payable in advance.

9. Single copies will be on sale at 7s. 6d. each; copies of parts

up to Vol. LXIII may be purchased at 4s. each.

10. All subscriptions, advertising and business communications should be sent to the publishers, Headley Brothers Ltd, 109 Kingsway

United States of America

Orders for this Journal may be sent either through a local bookseller, or to Messrs G. E. Stechert & Co., 31-33 East 10th Street, New York, or they may be sent direct to the publishers, Headley Brothers Ltd, 109 Kingsway London WC2, England.

AMPLIVOX MODEL 61 THE CLINICAL AUDIOMETER OF INTERNATIONAL REPUTE

"Messrs. Amplivox were among the first firms to produce an audiometer in this country, and their larger model is one of the best instruments of the kind now made in the world at a competitive price."—The LANCET, 23-12-50.

- Eleven exact test frequencies 125-12,000 c.p.s.
- Simplified hearing loss dial. The same set of figures is read for both bone and air conduction at all frequencies, and for speech.
- Bone conduction tests can be made from 125-4,000 c.p.s.
- Masking Tone calibrated in decibels, permitting accurate control of masking.
- Double Air receivers enable test tones to be switched instantly from ear to ear.
- Speech test circuit monitors speech level, permitting accurate measurement of hearing loss for speech.
- Loudness Balance Control establishes presence of recruitment in monaural deafness.
- Automatic voltage compensator.

Recruitment Test Set accessory establishes presence of recruitment by amplitude modulation, enabling each ear to be tested independently.

Speech Turntable and Englishmade Harvard Spondee records also available.

Full details are available from the manufacturers who will gladly arrange demonstrations if required.



The Basic Instrument of Modern Otology

ACCURATE • COMPLETE • SIMPLE TO OPERATE

AMPLIVOX LTD., 2 BENTINCK ST., LONDON, W.I (Welbeck 2591)

POST-TONSILLECTOMY COMFORT

Immediate pain relief-Speedier Convalescence

The pain of traumatized tissues following tonsillectomy, demands its own relief—and points the need for analgesia that quickly reaches the irritated area.

ASPERGUM provides 'salivary analgesia' through the simple act of chewing—it brings pain-relieving acctylsalicylic acid into intimate and prolonged contact with the tonsillar

region, seldom reached even intermittently by gargling. The rhythmic stimulation of muscular action also aids in relieving local spasticity & stiffness: more rapid tissue repair is promoted. Each pleasantly flavoured chewing gum tablet provides 3½ grains acetylsalicylic acid, permitting frequent use. Particularly suitable for children.

Aspergum

for more than two decades a dependable and welcome aid to patient-comfort

Ethically promoted in packages of 16 tables and moisture proof bottles of 36 and 250 WHITE LABORATORIES LTD., 428, SOUTHCROFT ROAD, LONDON, S.W.16

THE LARYNGOSCOPE

A Monthly Journal devoted to the Diseases of the EAR, NOSE AND THROAT

Official organ for the American Laryngological, Rhinological and Otological Society

Price \$14.00 per year

Canada \$13.00 per year

MAX A. GOLDSTEIN, M.D. FOUNDER

THEODORE E. WALSH, M.D. EDITOR


640 SOUTH KINGSHIGHWAY SAINT LOUIS 10, MO.

THE ARDENTE "Phoenix"

AURAL AID



The Microphone is ON TOP



This is not desirable, as a good hearing aid should be able to pick up sound equally well from all directions. In the Ardente 'Phoenix' the microphone is placed on top of the instrument in such a way that sounds arriving from all directions in front of the body are received equally well. Furthermore, 'clothes-rubbing' and all unwanted background noises are suppressed, and the position of the microphone allows the aid itself to be completely concealed in a pocket with the face of the microphone grille barely visible.

For further particulars of the Ardente 'Phoenix' and of our well-known "7-Days Home Trial" scheme, please apply to:

The Secretary, The Ardente Hearing Rehabilitation Unit Ardente House, 309 Oxford Street, London, W.1 MAYfair 7917

CONTENTS

	PAGE
THE RESTORATION OF FUNCTION AFTER LARGE OPERATIONS ABOUT THE FACE AND JAWS. Frank Coffin (London)	177 /
Some Diagnostic and Ætiological Aspects of Aural Cholesteatoma. J. A. Harpman (Warwick)	189 /
Bucco-Pharyngeal Ulcerations of Undetermined Ætiology. Kenneth Harrison (Manchester)	197
Conservative Treatment of Cancer of the Larynn. I. Simson Hall (Edinburgh)	203 🗸
Clinical Records—	
Syndrome of the Sinus of Morgagni. Case Report. Philip Meyrick (Pietermaritzburg, Natal)	215
Cut Throat Injury in a Child's Larynx. Stephen Suggit (Brisbane)	220 /
Hearing after Fenestration. G. A. Fraser (Hove)	224
Two Cases of Lymphosarcoma of the Ethmoid. D. F. N. Harrison (Newport)	₂₂₅ ✓
CLINICAL NOTE—	
Post-Laryngectomy Tracheal Cast. Anthony Radcliffe (London)	229 V
GENERAL NOTES	231

UNIVERSITY OF LONDON

Applications are invited for the Geoffrey E. Duveen Travelling Studentship for 1953-54, value £650, for research in any aspect of Oto-Rhino-Laryngology. Further particulars and forms of application (to be received by 30 April, 1953) may be obtained from the Academic Registrar, University of London, Senate House, W.C.1.