

MATHEMATICAL PROCEEDINGS

(formerly *Proceedings*)

*of the
Cambridge Philosophical Society*

VOLUME 118



CAMBRIDGE
UNIVERSITY PRESS

Published by the Press Syndicate of the University of Cambridge

The Pitt Building, Trumpington Street, Cambridge CB2 1RP
40 West 20th Street, New York, NY 10011-4211, USA
10 Stamford Road, Oakleigh, Melbourne 3166, Australia

© Cambridge Philosophical Society 1995

Printed in Great Britain by the University Press, Cambridge

INDEX FOR VOLUME 118

	PAGE
Arason, J. & Magnus, R. The universal multiplicity theory for analytic operator-valued functions	315
Austin, D. M. & Braam, P. J. Equivariant homology	125
Bak, A. & Vavilov, N. Normality for elementary subgroup functors	35
Barrett, J. W. & Westbury, B. W. The equality of 3-manifold invariants	503
Benson, D. J., Carlson, J. F. & Rickard, J. Complexity and varieties for infinitely generated modules	223
Blache, R. An example concerning Alexeev's boundedness results on log surfaces	65
Braam, P. J. & Austin, D. M. Equivariant homology	125
Bruce, J. W. Lines, circles, focal and symmetry sets	411
Bruns, W. & Herzog, J. On multigraded resolutions	245
Burns, D. On arithmetically realisable classes	383
Carlson, J. F., Rickard, J. & Benson, D. J. Complexity and varieties for infinitely generated modules	223
Casasayas, J., Llibre, J. & Nunes, A. Periodic orbits of transversal maps	161
Csörgö, S. & Viharos, L. On the asymptotic normality of Hill's estimator	375
Cutler, C. D. Strong and weak duality principles for fractal dimension in Euclidean space	393
Dodds, P. G., Dodds, T. K., Dowling, P. N., Lennard, C. J. & Sukochev, F. A. A uniform Kadec–Klee property for symmetric operator spaces	487
Dodds, T. K., Dowling, P. N., Lennard, C. J., Sukochev, F. A. & Dodds, P. G. A uniform Kadec–Klee property for symmetric operator spaces	487
Dowling, P. N., Lennard, C. J., Sukochev, F. A., Dodds, P. G. & Dodds, T. K. A uniform Kadec–Klee property for symmetric operator spaces	487
Duffield, N. G. & O'Connell, N. Large deviations and overflow probabilities for the general single-server queue, with applications	363
Elvira-Donazar, C. & Hernandez-Paricio, L.-J. Closed model categories for the n -type of spaces and simplicial sets	93
Grandis, M. Homotopical algebra and triangulated categories	259
Harman, G. Numbers badly approximable by fractions with prime denominator	1
Hernandez-Paricio, L.-J. & Elvira-Donazar, C. Closed model categories for the n -type of spaces and simplicial sets	93
Herzog, J. & Bruns, W. On multigraded resolutions	245
Hofmann, K. H., Morris, S. A., Oates-Williams, S. & Obraztsov, V. N. Locally compact groups with closed subgroups open and p -adic	303
Kooij, R. E. Cubic systems with four real line invariants	7
Kratz, W. An oscillation theorem for self-adjoint differential systems and an index result for corresponding Riccati matrix differential equations	351
Kuijlaars, A. B. J. & Saff, E. B. Asymptotic distribution of the zeros of Faber polynomials	437
Lehrer, G. I. A toral configuration space and regular semisimple conjugacy classes	105
Lennard, C. J., Sukochev, F. A., Dodds, P. G., Dodds, T. K. & Dowling, P. N. A uniform Kadec–Klee property for symmetric operator spaces	487
Letherman, S. D. & Wood, R. M. W. A note on the Julia set of a rational function	477
Leung, D. H. Some stability properties of C_0 -saturated spaces	287
Li, G.-S. Oriented bordism groups of immersions	467

Lichtman, A. I. Algebraic elements in matrix ring over division algebras	215
Llibre, J., Nunes, A. & Casasayas, J. Periodic orbits of transversal maps	161
Lyzzaik, A. Covering properties of open continuous mappings having two valences between Riemann surfaces	321
Magnus, R. & Arason, J. The universal multiplicity theory for analytic operator-valued functions	315
Menth, M. A family of Fitting classes of supersoluble groups	49
Merkulov, S. A. Moduli spaces of compact complex submanifolds of complex fibered manifolds	71
Merriman, J. R. & Smart, N. P. Curves of genus 2 with good reduction away from 2 with a rational Weierstrass point (Corrigenda)	189
Montgomery, H. L., Vaughan, R. C. & Wooley, T. D. Some remarks on Gauss sums associated with k th powers	21
Morris, S. A., Oates-Williams, S., Obraztsov, V. N. & Hofmann, K. H. Locally compact groups with closed subgroups open and p -adic	303
Müller, E. F. Differential fields and differentiable functions of algebraic numbers	341
Nunes, A., Casasayas, J. & Llibre, J. Periodic orbits of transversal maps	161
O'Connell, N. & Duffield, N. G. Large deviations and overflow probabilities for the general single-server queue, with applications	363
Oates-Williams, S., Obraztsov, V. N., Hofmann, K. H. & Morris, S. A. Locally compact groups with closed subgroups open and p -adic	303
Obraztsov, V. N., Hofmann, K. H., Morris, S. A. & Oates-Williams, S. Locally compact groups with closed subgroups open and p -adic	303
Offord, A. C. The distribution of the values of an entire function whose coefficients are independent random variables (II)	527
Popov, I. Yu. The operator extension theory, semitransparent surface and short range potential	555
Rendall, A. D. Global properties of locally spatially homogeneous cosmological models with matter	511
Rickard, J., Benson, D. J. & Carlson, J. F. Complexity and varieties for infinitely generated modules	223
Robinson, P. L. Fermionic Gaussians	543
Saff, E. B. & Kuijlaars, A. B. J. Asymptotic distribution of the zeros of Faber polynomials	437
Seeger, A., Wainger, S. & Wright, J. Pointwise convergence of spherical means	115
Shirvani, M. The finite inner automorphism groups of division rings	207
Smart, N. P. & Merriman, J. R. Curves of genus 2 with good reduction away from 2 with a rational Weierstrass point (Corrigenda)	189
Soma, T. A rigidity theorem for Haken manifolds	141
Stöhr, R. Symmetric powers, metabelian Lie powers and torsion in groups	449
Sukochev, F. A., Dodds, P. G., Dodds, T. K., Dowling, P. N. & Lennard, C. J. A uniform Kadec–Klee property for symmetric operator spaces	487
Trofimov, V. I. & Weiss, R. M. Graphs with a locally linear group of automorphisms	191
Vaughan, R. C., Wooley, T. D. & Montgomery, H. L. Some remarks on Gauss sums associated with k th powers	21
Vavilov, N. & Bak, A. Normality for elementary subgroup functors	35
Viharos, L. & Csörgő, S. On the asymptotic normality of Hill's estimator	375
Wainger, S., Wright, J. & Seeger, A. Pointwise convergence of spherical means	115
Weiss, R. M. & Trofimov, V. I. Graphs with a locally linear group of automorphisms	191
Westbury, B. W. & Barrett, J. W. The equality of 3-manifold invariants	503
Wood, R. M. W. & Letherman, S. D. A note on the Julia set of a rational function.	477

Index

v

Wooley, T. D., Montgomery, H. L. & Vaughan, R. C. Some remarks on Gauss sums associated with kth powers	21
Wright, J., Seeger, A. & Wainger, S. Pointwise convergence of spherical means	115
Xu, L. On a conjecture of Smith's	59
Zhang, Q. A remark on elementary contractions	183

THE PREPARATION OF MANUSCRIPTS

The attention of authors is particularly directed to the following requests.

1. Papers should be typed, double-spaced, on one side of white paper (of which A4, 210 by 297 mm, is a suitable size). The pages must be numbered. Margins of 30 mm should be left at the side, top and bottom of each page. Two clear copies should be sent.

A cover page should give the title, the author's name and institution, with the address to which mail should be sent.

The title, while brief, must be informative (e.g. *A new proof of the prime-number theorem*, whereas *Some applications of a theorem of G. H. Hardy* would be useless).

The first paragraph or two should form a summary of the main theme of the paper, providing an abstract intelligible to mathematicians.

For a typescript to be accepted for publication, it must accord with the standard requirements of publishers, and be presented in a form in which the author's intentions regarding symbols etc. are clear to a printer (who is not a mathematician).

The following notes are intended to help the author in preparing the typescript. New authors may well enlist the help of senior colleagues, both as to the substance of their work and the details of setting it out correctly and attractively.

2. Notation

Notation should be chosen carefully so that mathematical operations are expressed with all possible neatness, to lighten the task of the compositor and to reduce the chance of error.

For instance n_k (n sub k) is common usage, but avoid if possible using c sub n sub k . Fractions are generally best expressed by a solidus. Complicated exponentials like

$$\exp\{z^2 \sin \theta/(1 + y^2)\}$$

should be shown in this and no other way.

In the manuscript, italics, small capitals and capitals are specified by single, double and triple underlinings. Bold faced type is shown by wavy underlining; wavy will be printed wavy.

It helps if displayed equations or statements which will be quoted later are numbered in order on the right of their line. They can then be referred to by, for example, 'from (7)'.

The author must enable the printer (if necessary by pencilled notes in the margin) to distinguish between similar symbols such as o , O , \circ , \bullet , 0 ; x , X , \times ; ϕ , Φ , \emptyset ; l , 1 ; ε , \in ; κ , k .

Greek letters can be denoted by Gk in the margin.

If an author wishes to mark the end of the proof of a theorem, the sign **I** may be used.

Footnotes should be avoided.

3. Diagrams

It is extremely helpful if diagrams are drawn in Indian ink on white card, faintly blue or green-lined graph paper, or tracing cloth or paper. *Symbols, legends and captions should be given on a transparent overlay*. Each text figure must be numbered as Figure 1, Figure 2, ... and its intended position clearly indicated in the manuscript:

Figure 1 here

The author's name in pencil must be on all separate sheets of diagrams.

A figure is expensive to reproduce and should be included only when the subject matter demands it, or when it greatly clarifies the exposition.

The Society recognizes that some authors do not have the facilities for producing drawings of a sufficiently high standard to be reproduced directly and it is therefore willing to have such diagrams redrawn, provided that they are clear.

4. Tables

Tables should be numbered (above the table) and set out on separate sheets. Indicate the position of each in the text as for figures:

Table 3 here

5. References

References should be collected at the end of the paper numbered in alphabetical order of the authors' names. Titles of journals should be abbreviated as in *Mathematical Reviews*. The following examples show the preferred style for references to a paper in a journal, a paper in a proceedings volume, a book and an unpublished dissertation:

- [1] J. F. ADAMS. On the non-existence of elements of Hopf invariant one. *Ann. of Math.* (2) **72** (1960), 20–104.
- [2] M. P. FOURMAN and D. S. SCOTT. Sheaves and logic. In *Applications of Sheaves*, Lecture Notes in Math. vol. 753 (Springer-Verlag, 1979), pp. 302–401.
- [3] P. T. JOHNSTONE. *Stone Spaces*. Cambridge Studies in Advanced Math. no. 3 (Cambridge University Press, 1982).
- [4] F. W. LAWVERE. Functorial semantics of algebraic theories. Ph.D. thesis. Columbia University (1963).

*Mathematical Proceedings of
the Cambridge Philosophical Society*

MPCPCO 118 (Pt 3) 383–571 (1995) 0305-0041 November 1995


CONTENTS

	PAGE
BURNS, D. On arithmetically realizable classes	383
CUTLER, C. D. Strong and weak duality principles for fractal dimension in Euclidean space	393
BRUCE, J. W. Lines, circles, focal and symmetry sets	411
KUIJLAARS, A. B. J. & SAFF, E. B. Asymptotic distribution of the zeros of Faber polynomials	437
STRÖHR, R. Symmetric powers, metabelian Lie powers and torsion in groups	449
LI, G.-S. Oriented bordism groups of immersions	467
LETHERMAN, S. D. & WOOD, R. M. W. A note on the Julia set of a rational function	477
DODDS, P. G., DODDS, T. K., DOWLING, P. N., LENNARD, C. J. & SUKOCHEV, F. A. A uniform Kadec–Klee property for symmetric operator spaces	487
BARRETT, J. W. & WESTBURY, B. W. The equality of 3-manifold invariants	503
RENDALL, A. D. Global properties of locally spatially homogeneous cosmological models with matter	511
OFFORD, A. C. The distribution of the values of an entire function whose coefficients are independent random variables (II)	527
ROBINSON, P. L. Fermionic Gaussians	543
POPOV, I. YU. The operator extension theory, semitransparent surface and short range potential	555
PROCEEDINGS OF MEETINGS	565

© The Cambridge Philosophical Society 1995

Printed in Great Britain by the University Press, Cambridge

CAMBRIDGE
UNIVERSITY PRESS



0305-0041(199511)118:3;1-B