

Index of Subjects

Abomasal emptying

The relation between food intake and abomasal emptying and small intestinal transit time in sheep. 53, 373, 1985

N-Acetylneuraminic acid

Plasma concentrations of *N*-acetylneuraminic acid in severe malnutrition. 53, 11, 1985

Adipocyte volume

The effects of dietary restriction and exercise on the volume of adipocytes in two intra-orbital depots in the guinea-pig. 53, 207, 1985

Adolescent diet

What sort of teenager has low intakes of energy nutrients? 53, 241, 1985

Alanine

Effects of meal consumption on whole body leucine and alanine kinetics in young adult men. 53, 31, 1985

Amino acid availability

Nutritional availability of methionine, lysine and tryptophan in fish meals, as assessed with biological, microbiological and dye-binding assay procedures. 53, 575, 1985

Amino acid losses

Stability of tryptophan during food processing and storage. 1. Comparative losses of tryptophan, lysine and methionine in different model systems. 53, 281, 1985

Amino acids

Reactions of proteins with oxidizing lipids. 1. Analytical measurements of lipid oxidation and of amino acid losses in a whey protein-methyl linolenate model system. 53, 61, 1985

Reactions of proteins with oxidizing lipids. 2. Influence on protein quality and on the bioavailability of lysine, methionine, cyst(e)ine and tryptophan as measured in rat assays. 53, 75, 1985

Amylomaize starch

Increase in the ileal absorption rate of sodium taurocholate in germ-free or conventional rats given an amylomaize-starch diet. 53, 307, 1985

Analytical tests

Stability of tryptophan during food processing and storage. 2. A comparison of methods used for the measurement of tryptophan losses in processed foods. 53, 293, 1985

Anthropometric measurements

Prediction of body density from skinfold measurements in lactating women 53, 485, 1985

Apolipoproteins

Modifications in plasma cholesterol and apolipoproteins of hypercholesterolaemic rats induced by ethanol-soluble factors of *Vicia faba*. 53, 223, 1985

Bile acid absorption

Increase in the ileal absorption rate of sodium taurocholate in germ-free or conventional rats given an amylomaize-starch diet. 53, 307, 1985

Bioavailability

Reactions of proteins with oxidizing lipids. 2. Influence on protein quality and on the bioavailability of lysine, methionine, cyst(e)ine and tryptophan as measured in rat assays. 53, 75, 1985

Body density

Prediction of body density from skinfold measurements in lactating women 53, 485, 1985

Bread

Iron availability from peas (*Pisum sativum*) and bread containing added pea testa in rats. 53, 193, 1985

Breast milk

Breast-milk production and energy exchange in human lactation. 53, 459, 1985

Brown adipose tissue

Effect of riboflavin deficiency on lipid metabolism of liver and brown adipose tissue of sucking rat pups. 53, 107, 1985

Caecum

Gluconeogenesis from caecal propionate in the horse. 53, 55, 1985

Urea turnover and transfer to the digestive tract in the rabbit. 53, 183, 1985

Carbohydrate metabolism

The effect of dietary guar gum on the activities of some key enzymes of carbohydrate and lipid metabolism in mouse liver. 53, 215, 1985

Cereal proteins

The effect of amino-acid-supplemented wheat gluten on cholesterol metabolism in the rat. 53, 25, 1985

Relation of antigenic structure of cereal proteins to their toxicity in coeliac patients. 53, 39, 1985

Chewing behaviour

Influences of cold exposure on digestion of organic matter, rates of passage of digesta in the gastrointestinal tract, and feeding and rumination behaviour in sheep given four forage diets in the chopped, or ground and pelleted form. 53, 159, 1985

Cholesterol

The effect of amino-acid-supplemented wheat gluten on cholesterol metabolism in the rat. 53, 25, 1985

Modifications in plasma cholesterol and apolipoproteins of hypercholesterolaemic rats induced by ethanol-soluble factors of *Vicia faba*. 53, 223, 1985

The hypocholesterolaemic effects of pectins in rats. 53, 409, 1985

Chromium-labelled markers

Retention time of chromium-labelled feed particles and of water in the gut of sheep given hay and concentrate at maintenance.

53, 559, 1985

Coeliac disease

Relation of antigenic structure of cereal proteins to their toxicity in coeliac patients.

53, 39, 1985

Cold exposure

Influences of cold exposure on digestion of organic matter, rates of passage of digesta in the gastrointestinal tract, and feeding and rumination behaviour in sheep given four forage diets in the chopped, or ground and pelleted form.

53, 159, 1985

Effect of dietary protein concentration and ambient temperature on the energy, protein and water metabolism of the rat.

53, 363, 1985

Colonic motility

The effect of indigestible particles on digestive transit time and colonic motility in dogs and pigs.

53, 549, 1985

Copper bio-availability

A new bioassay for assessment of copper availability and its application in a study of the effect of molybdenum on the distribution of available Cu in ruminant digesta.

53, 323, 1985

Copper deficiency

The effect of iron substrate on mitochondrial haem synthesis in copper deficiency.

53, 131, 1985

Corticosterone

The effect of catabolic doses of corticosterone on heat production in the growing rat.

53, 491, 1985

Diabetes

Abnormal essential fatty acid composition of tissue lipids in genetically diabetic mice is partially corrected by dietary linoleic and γ -linolenic acids.

53, 449, 1985

Dietary fibre

Effect of in vitro fermentation using human faecal inoculum on the water-holding capacity of dietary fibre.

53, 17, 1985

Reduction of the phytate content of bran by leavening in bread and its effect on zinc absorption in man.

53, 47, 1985

Dietary supplementation

Dietary supplementation increases milk output in the rat.

53, 1, 1985

Dietary survey

What sort of teenager has low intakes of energy nutrients?

53, 241, 1985

Digesta flow

A multicompartamental model to describe marker excretion patterns in ruminant faeces.

53, 663, 1985

Digestion

Influences of cold exposure on digestion of organic matter, rates of passage of digesta in the gastrointestinal tract, and feeding and rumination behaviour in sheep given four forage diets in the chopped, or ground and pelleted form.

53, 159, 1985

Digestive tract

Urea turnover and transfer to the digestive tract in the rabbit.

53, 183, 1985

Energy conservation

Mitochondrial uncoupling and the isodynamic equivalents of protein, fat and carbohydrate at the level of biochemical energy provision.

53, 381, 1985

Energy exchange

Breast-milk production and energy exchange in human lactation.

53, 459, 1985

Energy metabolism

Studies on the energy metabolism of the pregnant sow. 1. Uterus and mammary tissue development.

53, 251, 1985

Studies on the energy metabolism of the pregnant sow. 2. The partition and utilization of metabolizable energy intake in pregnant and non-pregnant animals.

53, 267, 1985

Energy utilization

Feeding frequency for lactating cows: effects on digestion, milk production and energy utilization.

53, 117, 1985

Environmental temperature

Resting heat production in *Bos indicus* and their F₁ crosses with exotic breeds at a thermoneutral environment.

53, 301, 1985

Effect of dietary protein concentration and ambient temperature on the energy, protein and water metabolism of the rat.

53, 363, 1985

Essential fatty acids

Essential fatty acids in the liver and adipose tissue of genetically obese mice: effect of supplemental linoleic and γ -linolenic acids.

53, 441, 1985

Abnormal essential fatty acid composition of tissue lipids in genetically diabetic mice is partially corrected by dietary linoleic and γ -linolenic acids.

53, 449, 1985

Exercise

The effects of dietary restriction and exercise on the volume of adipocytes in two intra-orbital depots in the guinea-pig.

53, 207, 1985

Effects of undernutrition and exercise during late pregnancy on uterine, fetal and uteroplacental metabolism in the ewe.

53, 625, 1985

Factors influencing diet

What sort of teenager has low intakes of energy nutrients?

53, 241, 1985

Feeding frequency

Feeding frequency for lactating cows: effects on digestion, milk production and energy utilization.

53, 117, 1985

Fermentation

Effect of in vitro fermentation using human faecal inoculum on the water-holding capacity of dietary fibre.

53, 17, 1985

Fibre

The hypocholesterolaemic effects of pectins in rats.

53, 409, 1985

Fibre digestion

The digestion of fibre by pigs. 1. The effects of amount and type of fibre on apparent digestibility, nitrogen balance and rate of passage.

53, 513, 1985

- The digestion of fibre by pigs. 2. Volatile fatty acid concentrations in large intestine digesta. 53, 531, 1985
- The digestion of fibre by pigs. 3. Effects of the amount and type of fibre on physical characteristics of segments of the gastrointestinal tract. 53, 537, 1985
- Fishmeal**
- Performance of dairy cows offered isonitrogenous diets containing urea or fishmeal in early and in mid-lactation. 53, 337, 1985
- Nutritional availability of methionine, lysine and tryptophan in fish meals, as assessed with biological, microbiological and dye-binding assay procedures. 53, 575, 1985
- Folic acid**
- The threshold growth response of *Lactobacillus casei* to 5-methyl-tetrahydrofolic acid: implications for folate assays. 53, 569, 1985
- Food energy**
- Mitochondrial uncoupling and the isodynamic equivalents of protein, fat and carbohydrate at the level of biochemical energy provision. 53, 381, 1985
- Food intake**
- Effects of meal consumption on whole body leucine and alanine kinetics in young adult men. 53, 31, 1985
- The relation between food intake and abomasal emptying and small intestinal transit time in sheep. 53, 373, 1985
- Influence of feed intake and starvation on the magnitude of Na^+ , K^+ -ATPase (*EC* 3. 6. 1. 3)-dependent respiration in duodenal mucosa of sheep. 53, 605, 1985
- Utilization of low-quality roughage by *Bos taurus* and *Bos indicus* cattle. 2. The effect of rumen-degradable nitrogen and sulphur on voluntary food intake and rumen characteristics. 649, 1985
- The digestion by heifers of silage-containing diets fed at two dry matter intakes. 1. Digestion of organic matter and nitrogen. 53, 691, 1985
- Food restriction**
- The effects of dietary restriction and exercise on the volume of adipocytes in two intra-orbital depots in the guinea-pig. 53, 207, 1985
- Gangliosides and glycoproteins**
- Plasma concentrations of *N*-acetylneuraminic acid in severe malnutrition. 53, 11, 1985
- Gastric inhibitory polypeptide**
- The effect of guar gum on carbohydrate-, fat- and protein-stimulated gut hormone secretion: modification of postprandial gastric inhibitory polypeptide and gastrin responses. 53, 467, 1985
- Gastrin**
- The effect of guar gum on carbohydrate-, fat- and protein-stimulated gut hormone secretion: modification of postprandial gastric inhibitory polypeptide and gastrin responses. 53, 467, 1985
- Gastrointestinal tract**
- The digestion of fibre by pigs. 3. Effects of the amount and type of fibre on physical characteristics of segments of the gastrointestinal tract. 53, 537, 1985
- Germ-free rat**
- Increase in the ileal absorption rate of sodium taurocholate in germ-free or conventional rats given an amylo maize-starch diet. 53, 307, 1985
- Gliadin**
- Relation of antigenic structure of cereal proteins to their toxicity in coeliac patients. 53, 39, 1985
- Gluconeogenesis**
- Gluconeogenesis from caecal propionate in the horse. 53, 55, 1985
- Gluten**
- The effect of amino-acid-supplemented wheat gluten on cholesterol metabolism in the rat. 53, 25, 1985
- Growth**
- Effect of dietary protein concentration and ambient temperature on the energy, protein and water metabolism of the rat. 53, 363, 1985
- The effect of catabolic doses of corticosterone on heat production in the growing rat. 53, 491, 1985
- Guar gum**
- The effect of dietary guar gum on the activities of some key enzymes of carbohydrate and lipid metabolism in mouse liver. 53, 215, 1985
- The effect of guar gum on carbohydrate-, fat- and protein-stimulated gut hormone secretion: modification of postprandial gastric inhibitory polypeptide and gastrin responses. 53, 467, 1985
- Haem synthesis**
- The effect of iron substrate on mitochondrial haem synthesis in copper deficiency. 53, 131, 1985
- Heat loss**
- Studies on the energy metabolism of the pregnant sow. 2. The partition and utilization of metabolizable energy intake in pregnant and non-pregnant animals. 53, 267, 1985
- Heat production**
- Resting heat production in *Bos indicus* and their F_1 crosses with exotic breeds at a thermoneutral environment. 53, 301, 1985
- The effect of catabolic doses of corticosterone on heat production in the growing rat. 53, 491, 1985
- Hypercholesterolaemia**
- Modifications in plasma cholesterol and apolipoproteins of hypercholesterolaemic rats induced by ethanol-soluble factors of *Vicia faba*. 53, 223, 1985
- Hypocholesterolaemia**
- The hypocholesterolaemic effects of pectins in rats. 53, 409, 1985
- Intestinal growth**
- Intestinal cellular proliferation and protein synthesis in zinc-deficient rats. 53, 595, 1985
- Intestinal transit time**
- The relation between food intake and abomasal emptying and small intestinal transit time in sheep. 53, 373, 1985
- The effect of indigestible particles on digestive transit time and colonic motility in dogs and pigs. 53, 549, 1985
- Iron availability**
- Iron availability from peas (*Pisum sativum*) and bread containing added pea testa in rats. 53, 193, 1985

Iron retention

The retention of ^{59}Fe and ^{65}Zn by preruminant lambs given milk-substitutes based on either casein or soya-bean-protein isolate. 53, 587, 1985

Iron utilization

The effect of iron substrate on mitochondrial haem synthesis in copper deficiency. 53, 131, 1985

Kitten

The nitrogen requirement of the weanling kitten. 53, 501, 1985

Laboratory diet

Differences in intestinal protein synthesis and cellular proliferation in well-nourished rats consuming conventional laboratory diets. 53, 87, 1985

Lactation

Dietary supplementation increases milk output in the rat. 53, 1, 1985

Feeding frequency for lactating cows: effects on digestion, milk production and energy utilization. 53, 117, 1985

Performance of dairy cows offered isonitrogenous diets containing urea or fishmeal in early and in mid-lactation. 53, 337, 1985

Zinc, copper and iron concentrations in the plasma and diets of lactating Nigerian women. 53, 427, 1985

Breast-milk production and energy exchange in human lactation. 53, 459, 1985

Prediction of body density from skinfold measurements in lactating women. 53, 485, 1985

Lactobacillus casei

The threshold growth response of *Lactobacillus casei* to 5-methyl-tetrahydrofolic acid: implications for folate assays. 53, 569, 1985

Lactovegetarians

Selenium status in vegans and lactovegetarians. 53, 199, 1985

Large intestine

The digestion of fibre by pigs. 2. Volatile fatty acid concentrations in large intestine digesta. 53, 531, 1985

Letters to the Editors

53 191, 1985

Leucine

Effects of meal consumption on whole body leucine and alanine kinetics in young adult men. 53, 31, 1985

Lipid metabolism

Effect of riboflavin deficiency on lipid metabolism of liver and brown adipose tissue of sucking rat pups. 53, 107, 1985

Lipogenic enzymes

The effect of dietary guar gum on the activities of some key enzymes of carbohydrate and lipid metabolism in mouse liver. 53, 215, 1985

Lysine

An evaluation of total and digestible lysine as a predictor of lysine availability in protein concentrates for young pigs. 53, 615, 1985

Malnutrition

Thiamin status in normal and malnourished children in Jamaica. 53, 477, 1985

Markers

The effect of indigestible particles on digestive transit time and colonic motility in dogs and pigs. 53, 549, 1985

Retention time of chromium-labelled feed particles and of water in the gut of sheep given hay and concentrate at maintenance. 53, 559, 1985

A multicompartmental model to describe marker excretion patterns in ruminant faeces. 53, 663, 1985

Methionine

The utilization by pigs of methionine from five protein concentrates compared with synthetic methionine. 53, 391, 1985

Plasma amino acids and tissue methionine levels in fruit bats (*Rousettus aegyptiacus*) with nitrous oxide-induced vitamin B₁₂ deficiency. 53, 657, 1985

Methionine utilization

The digestion of protein in young pigs and the utilization of dietary methionine. 53, 137, 1985

5-Methyl-tetrahydrofolic acid

The threshold growth response of *Lactobacillus casei* to 5-methyl-tetrahydrofolic acid: implications for folate assays. 53, 569, 1985

Microbial markers

Removal of digesta components from the rumen of steers determined by sieving techniques and fluid, particulate and microbial markers. 53, 347, 1985

Milk output

Dietary supplementation increases milk output in the rat. 53, 1, 1985

Milk substitute

The retention of ^{59}Fe and ^{65}Zn by preruminant lambs given milk-substitutes based on either casein or soya-bean-protein isolate. 53, 587, 1985

Digestion, absorption and utilization of single-cell protein by the preruminant calf. Abomasal outflow and its composition from calves given milk substitute diets containing varying amounts of either bacterial or yeast protein. 53, 673, 1985

Mitochondrial uncoupling

Mitochondrial uncoupling and the isodynamic equivalents of protein, fat and carbohydrate at the level of biochemical energy provision. 53, 381, 1985

Molybdenum-copper interaction

A new bioassay for assessment of copper availability and its application in a study of the effect of molybdenum on the distribution of available Cu in ruminant digesta. 53, 323, 1985

Multicompartmental model

A multicompartmental model to describe marker excretion patterns in ruminant faeces. 53, 663, 1985

Na⁺, K⁺-ATPase (EC 3.6.1.3)

Influence of feed intake and starvation on the magnitude of Na⁺, K⁺-ATPase (EC 3.6.1.3)-dependent respiration in duodenal mucosa of sheep. 53, 605, 1985

Nitrogen balance

The digestion of fibre by pigs. 1. The effects of amount and type of fibre on apparent digestibility, nitrogen balance and rate of passage. 53, 513, 1985

Nitrogen digestion

The digestion by heifers of silage-containing diets fed at two dry matter intakes. 1. Digestion of organic matter and nitrogen. 53, 691, 1985

Nitrogen requirement

The nitrogen requirement of the weanling kitten. 53, 501, 1985

Nitrous oxide

Plasma amino acids and tissue methionine levels in fruit bats (*Rousettus aegyptiacus*) with nitrous oxide-induced vitamin B₁₂ deficiency. 53, 657, 1985

Obesity

Essential fatty acids in the liver and adipose tissue of genetically obese mice: effect of supplemental linoleic and γ -linolenic acids. 53, 441, 1985

Omasal laminae

The effect of lumen conditions on oxygen uptake in perfused omasal laminae. 53, 311, 1985

Overfeeding

The effect of overfeeding newborn rabbits on the rate of skeletal maturation, as determined using a radiographic technique. 53, 233, 1985

Oxidizing lipids

Reactions of proteins with oxidizing lipids. 1. Analytical measurements of lipid oxidation and of amino acid losses in a whey protein-methyl linolenate model system. 53, 61, 1985

Reactions of proteins with oxidizing lipids. 2. Influence on protein quality and on the bioavailability of lysine, methionine, cyst(e)ine and tryptophan as measured in rat assays. 53, 75, 1985

Oxygen uptake

The effect of lumen conditions on oxygen uptake in perfused omasal laminae. 53, 311, 1985

Particulate material

Removal of digesta components from the rumen of steers determined by sieving techniques and fluid, particulate and microbial markers. 53, 347, 1985

Pea (*Pisum sativum*) flour

Iron availability from peas (*Pisum sativum*) and bread containing added pea testa in rats. 53, 193, 1985

Pectins

The hypocholesterolaemic effects of pectins in rats. 53, 409, 1985

Phytic acid

Reduction of the phytate content of bran by leavening in bread and its effect on zinc absorption in man. 53, 47, 1985

Pregnancy

Studies on the energy metabolism of the pregnant sow. 1. Uterus and mammary tissue development. 53, 251, 1985

Studies on the energy metabolism of the pregnant sow. 2. The partition and utilization of metabolizable energy intake in pregnant and non-pregnant animals. 53, 267, 1985

Effects of undernutrition and exercise during late pregnancy on uterine, fetal and uteroplacental metabolism in the ewe. 53, 625, 1985

Preruminant calf

Digestion, absorption and utilization of single-cell protein by the preruminant calf. Abomasal outflow and its composition from calves given milk substitute diets containing varying amounts of either bacterial or yeast protein. 53, 673, 1985

Preruminant lamb

The retention of ⁵⁹Fe and ⁶⁵Zn by preruminant lambs given milk-substitutes based on either casein or soya-bean-protein isolate. 53, 587, 1985

Processed foods

Stability of tryptophan during food processing and storage. 1. Comparative losses of tryptophan, lysine and methionine in different model systems. 53, 281, 1985

Stability of tryptophan during food processing and storage. 2. A comparison of methods used for the measurement of tryptophan losses in processed foods. 53, 293, 1985

Propionate

Gluconeogenesis from caecal propionate in the horse. 53, 55, 1985

Protein

Reactions of proteins with oxidizing lipids. 1. Analytical measurements of lipid oxidation and of amino acid losses in a whey protein-methyl linolenate model system. 53, 61, 1985

Reactions of proteins with oxidizing lipids. 2. Influence on protein quality and on the bioavailability of lysine, methionine, cyst(e)ine and tryptophan as measured in rat assays. 53, 75, 1985

Effect of dietary protein concentration and ambient temperature on the energy, protein and water metabolism of the rat. 53, 363, 1985

Protein adsorption

Adsorption of soluble proteins to rumen bacteria and the role of adsorption in proteolysis. 53, 399, 1985

Protein concentrates

The utilization by pigs of methionine from five protein concentrates compared with synthetic methionine. 53, 391, 1985

An evaluation of total and digestible lysine as a predictor of lysine availability in protein concentrates for young pigs. 53, 615, 1985

Protein deficiency

Evidence suggesting that the elevated plasma triiodothyronine concentration of rats fed on protein-deficient diets is physiologically active. 53, 175, 1985

Protein digestion

The digestion of protein in young pigs and the utilization of dietary methionine. 53, 137, 1985

Protein synthesis

Differences in intestinal protein synthesis and cellular proliferation in well-nourished rats consuming conventional laboratory diets. 53, 87, 1985

Protein-energy malnutrition

Plasma concentrations of *N*-acetylneuraminic acid in severe malnutrition. 53, 11, 1985

Rainbow trout (*Salmo gairdneri*)

Some effects of vitamin E and selenium deprivation on tissue enzyme levels and indices of tissue peroxidation in rainbow trout (*Salmo gairdneri*). 53, 149, 1985

Reproduction

Effect of riboflavin deficiency on reproductive performance and on biochemical indices of riboflavin status in the rat. 53, 97, 1985

Reproductive development

Studies on the energy metabolism of the pregnant sow. 1. Uterus and mammary tissue development. 53, 251, 1985

Retention time

Retention time of chromium-labelled feed particles and of water in the gut of sheep given hay and concentrate at maintenance. 53, 559, 1985

Riboflavin deficiency

Effect of riboflavin deficiency on reproductive performance and on biochemical indices of riboflavin status in the rat. 53, 97, 1985

Effect of riboflavin deficiency on lipid metabolism of liver and brown adipose tissue of sucking rat pups. 53, 107, 1985

Roughage

Utilization of low-quality roughage by *Bos taurus* and *Bos indicus* cattle. 1. Rumen digestion. 53, 637, 1985

Utilization of low-quality roughage by *Bos taurus* and *Bos indicus* cattle. 2. The effect of rumen-degradable nitrogen and sulphur on voluntary food intake and rumen characteristics. 53,

Rumen bacteria

Adsorption of soluble proteins to rumen bacteria and the role of adsorption in proteolysis. 53, 399, 1985

Rumen digestion

Utilization of low-quality roughage by *Bos taurus* and *Bos indicus* cattle. 1. Rumen digestion. 53, 637, 1985

Rumen kinetics

Removal of digesta components from the rumen of steers determined by sieving techniques and fluid, particulate and microbial markers. 53, 347, 1985

Ruminant forestomach

The effect of lumen conditions on oxygen uptake in perfused omasal laminae. 53, 311, 1985

Selenium

Some effects of vitamin E and selenium deprivation on tissue enzyme levels and indices of tissue peroxidation in rainbow trout (*Salmo gairdneri*). 53, 149, 1985

Selenium status

Selenium status in vegans and lactovegetarians. 53, 199, 1985

Silage diet

The digestion by heifers of silage-containing diets fed at two dry matter intakes. 1. Digestion of organic matter and nitrogen. 53, 691, 1985

Single-cell protein

Digestion, absorption and utilization of single-cell protein by the preruminant calf. Abomasal outflow and its composition from calves given milk substitute diets containing varying amounts of either bacterial or yeast protein. 53, 673, 1985

Skeletal maturation

The effect of overfeeding newborn rabbits on the rate of skeletal maturation, as determined using a radiographic technique. 53, 233, 1985

Skinfold thickness

Prediction of body density from skinfold measurements in lactating women 53, 485, 1985

Small intestine

Differences in intestinal protein synthesis and cellular proliferation in well-nourished rats consuming conventional laboratory diets. 53, 87, 1985

Intestinal cellular proliferation and protein synthesis in zinc-deficient rats. 53, 595, 1985

Starvation

Influence of feed intake and starvation on the magnitude of Na⁺, K⁺-ATPase (EC 3.6.1.3)-dependent respiration in duodenal mucosa of sheep. 53, 605, 1985

Thermogenesis

Evidence suggesting that the elevated plasma triiodothyronine concentration of rats fed on protein-deficient diets is physiologically active. 53, 175, 1985

Thiamin

Thiamin status in normal and malnourished children in Jamaica. 53, 477, 1985

Trace elements

Zinc, copper and iron concentrations in the plasma and diets of lactating Nigerian women. 53, 427, 1985

Triiodothyronine

Evidence suggesting that the elevated plasma triiodothyronine concentration of rats fed on protein-deficient diets is physiologically active. 53, 175, 1985

Tryptophan stability

Stability of tryptophan during food processing and storage. 1. Comparative losses of tryptophan, lysine and methionine in different model systems. 53, 281, 1985

Stability of tryptophan during food processing and storage. 2. A comparison of methods used for the measurement of tryptophan losses in processed foods. 53, 293, 1985

Undernutrition

Effects of undernutrition and exercise during late pregnancy on uterine, fetal and uteroplacental metabolism in the ewe. 53, 625, 1985

Urea

Urea turnover and transfer to the digestive tract in the rabbit. 53, 183, 1985

Performance of dairy cows offered isonitrogenous diets containing urea or fishmeal in early and in mid-lactation. 53, 337, 1985

Vegans

Selenium status in vegans and lactovegetarians. 53, 199, 1985

Vitamin B₁₂ deficiency

Plasma amino acids and tissue methionine levels in fruit bats (*Rousettus aegyptiacus*) with nitrous oxide-induced vitamin B₁₂ deficiency. 53, 657, 1985

Vitamin E

Some effects of vitamin E and selenium deprivation on tissue enzyme levels and indices of tissue peroxidation in rainbow trout (*Salmo gairdneri*). 53, 149, 1985

Volatile fatty acids

The digestion of fibre by pigs. 2. Volatile fatty acid concentrations in large intestine digesta. 53, 531, 1985

Water-holding capacity

Effect of in vitro fermentation using human faecal inoculum on the water-holding capacity of dietary fibre. 53, 17, 1985

Zinc

Zinc, copper and iron concentrations in the plasma and diets of lactating Nigerian women. 53, 427, 1985

Zinc absorption

Reduction of the phytate content of bran by leavening in bread and its effect on zinc absorption in man. 53, 47, 1985

Zinc deficiency

Intestinal cellular proliferation and protein synthesis in zinc-deficient rats. 53, 595, 1985

Zinc retention

The retention of ^{59}Fe and ^{65}Zn by preruminant lambs given milk-substitutes based on either casein or soya-bean-protein isolate. 53, 587, 1985