Symbols and abbreviations. Authors should consult the notes prepared for guidance. Levels of statistical significance must be clearly indicated.

Illustrations. The same material should not normally be presented in tables and figures. Legends should be typed on a separate sheet.

- (a) Diagrams should be drawn in Indian ink, about twice the size of the finished block, on Bristol board, stout tracing paper or plastic film. Photographed diagrams are also accepted. Lettering inside the framework of the diagram should be avoided as far as possible but if unavoidable it should be included on a fly-leaf. Marginal lettering should be inserted lightly in pencil on the original diagram or on a fly-leaf.
- (b) Photographs intended for half-tone reproduction should be on glossy paper. They will be accepted only if found necessary by the Editors.
- (c) Colour plates are unlikely to be accepted unless authors bear the cost.

Tables should be as simple and as few as possible. Each table should be typed on a separate sheet.

Abstract. Every paper should have a short abstract (not more than 250 words for a paper and 120 words for a note) complete in itself and understandable without reference to the paper. The abstract will be printed at the beginning of the paper.

Keywords. Up to a maximum of five keywords selected from the CAB Thescuvus (1988) or from an equivalent reference volume should be listed at the end of the Abstract.

References. Only papers closely related to the author's work should be referred to; exhaustive lists should be avoided. The arrangement of references should be as in recent papers in *Animal Production*; details are given in the notes for guidance.

*Proofs* are supplied once and must be returned corrected to the Editors within 3 days. Only essential corrections should be made.

Reprints. Twenty-five reprints of each paper will be supplied free to authors on request. Further copies may be purchased if the order is sent at the proof-stage. Reprints are not supplied for notes.

Animal Production is published six times a year in two volumes. Annual subscription is £82.00 (or \$160.00 in the USA and Canada) and the price for a single part is £15.00 (or \$28.00) net.

Proceedings of the British Society of Animal Production (New Series) ceased publication in 1975 and the material is now published as a separate section in the June issue of Animal Production.

Correspondence regarding subscriptions and sales (current and back numbers of the Journal and the Proceedings), should be addressed to: Scottish Academic Press Ltd, 33 Montgomery Street, Edinburgh, Scotland EH7 5JX.

Other enquiries, including those concerning copyright, should be addressed to: Durrant Periodicals, Winton Lea, Pencaitland, East Lothian, Scotland EH34 5AY.

## Senior Editor

T. L. J. Lawrence, University of Liverpool

## **Editors**

- R. C. Campling, Wye College, University of London
- W. Haresign, University of Nottingham
- C. L. Johnson, University of Leeds
- I. J. Lean, Wye College, University of London
- A. G. Low, AFRC Institute for Grassland and Animal Production, Reading
- J. C. McCarthy, University College Dublin
- E. Owen, University of Reading
- R. Thompson, AFRC Institute of Animal Physiology and Genetics Research, Edinburgh
- A. J. F. Webster, University of Bristol
- J. D. Wood, AFRC Institute of Food Research, Bristol.

## Technical Editors

Hilary Davies

Marie C. Pitkethly

CONTENTS	PAGE
----------	------

Invited paper
KEMPSTER, A. J. Carcass and meat quality research to meet market needs 483
Papers
NATH, K., AGRAWAL, D. K., HASAN, Q. Z., DANIEL, S. J. and SASTRY, V. R. B. Water-washed neem (Azadirachta indica) seed kernel cake in the feeding of milch cows
MCLEOD, M. N. and SMITH, B. R. Eating and ruminating behaviour in cattle given forage differing in fibre content
BROSH, A., HOLZER, Z. and LEVY, D. Cottonseed for protein and energy supplementation of high-roughage diets for beef cattle
Nolan, T. and Connolly, J. Mixed v. mono-grazing by steers and sheep
Bodin, L. and Elsen, J. M. Variability of litter size of French sheep breeds following
natural or induced ovulation
NAKASHIMA, Y. and Ørskov, E. R. Rumen degradation of straw. 7. Effects of chemical
pre-treatment and addition of propionic acid on degradation characteristics of
botanical fractions of barley straw treated with a cellulase preparation 543
ADEBOWALE, E. A., ØRSKOV, E. R. and HOTTEN, P. M. Rumen degradation of straw.
8. Effect of alkaline hydrogen peroxide on degradation of straw using either sodium hydroxide or gaseous ammonia as source of alkali
Hutson, G. D. Operant tests of access to earth as a reinforcement for weaner piglets
Geers, R., Dellaert, B., Goedseels, V., Hoogerbrugge, A., Vranken, E., Maes, F.
and Berckmans, D. An assessment of optimal air temperatures in pig houses
by the quantification of behavioural and health-related problems 571
REVELL, S. G. and GLOSSOP, C. E. A long-life ambient temperature diluent for boar semen 579
SILLENCE, M. N. and ETHERTON, T. D. Effects of the adrenal steroidogenesis inhibitor
trilostane on serum cortisol concentrations and growth in pigs
JACOBSON, L. D., CORNELIUS, S. G. and JORDAN, K. A. Environmental modifications in a pig growth model for early-weaned piglets
a pig growth model for early-weaned piglets
Notes ,
FIEMS, L. O., DECUYPERE, E. and BOUCQUE, CH. V. A note on the effect of feeding
cimaterol on some endocrinological parameters and growth in different types of
finishing beef bulls
Awassi ewes
method of inclusion of sodium bicarbonate and diet composition on the intake
of diets based on silage by dairy cows 611
Titles and Abstracts of Papers for Presentation at the 98th Meeting of the British
Society of Animal Production, Scarborough, 13 to 15 March 1989 617

COPYRIGHT o 1989 British society of animal production Printed in Great Britain by D. & J. Croal Limited, Haddington, East Lothian

ISSN 0003-3561