

The Journal of Laryngology and Otology

EDITED BY
G. H. BATEMAN

ASSISTANT EDITOR
LIONEL TAYLOR

Contents

✓EMOTION AS A PRECIPITATING FACTOR IN MENIÈRE'S DISEASE	R. HINCHCLIFFE ✓
PERSONALITY PROFILE IN MENIÈRE'S DISEASE	R. HINCHCLIFFE
THE LARYNGOCELE	IBRAHIM MOSALLAM
COMBINED SYNCHRONOUS PHARYNGO-LARYNGO-OESOPHAGECTOMY WITH COLONIC REPLACEMENT.	NEIL G. MCGUIRE
LARYNGEAL HAEMATOMAS DUE TO COAGULOPATHIES	U. K. KIVIRANTA
CLOSURE OF THE NOSTRILS IN ATROPHIC RHINITIS	A. YOUNG ✓
EXPERIMENTAL STAPEDECTOMY WITHOUT OVAL WINDOW COVER	GARY K. THOMAS and JUNG-CHING LIU
MANAGEMENT OF ACID INTOXICATION	K. J. CHO and J. E. G. KINNMAN
CLINICAL RECORDS—	
UNILATERAL ATROPHIC RHINITIS	J. F. NEIL ✓
POLYOSTOTIC FIBROUS DYSPLASIA	V. A. DESAI and G. K. HIRANANDANI
GRANULAR CELL MYOBLASTOMA OF THE LARYNX	G. A. SEDEE
UNUSUAL CASE OF BEZOLD'S ABSCESS	DINKAR TEMBE
BILATERAL CARCINOMA OF THE EAR	P. H. SCHMIDT and G. J. VERDONK

GENERAL NOTES

London
Headley Brothers
109 Kingsway WC2

Annual Subscription £5/5/0 net, U.S.A. \$15

Monthly, 12/6 net post free

ADVERTISEMENTS

The Journal of Laryngology and Otology

(FOUNDED in 1887 by MORELL MACKENZIE and NORRIS WOLFENDEN)

EDITED BY

G. H. BATEMAN

ASSISTANT EDITOR
LIONEL TAYLOR

1. Original articles which have not been published elsewhere are invited and should be sent to the Editor. They are considered for publication on the understanding that they are contributed to this *Journal* solely. Reproduction elsewhere, in whole or in part, is not permitted without the previous written consent of the Author and Editor and the customary acknowledgment must be made.

2. Manuscripts should be typewritten, on one side only of the paper, and well spaced. Captions to illustrations should be typed on a separate sheet and sent at the same time as original photographs, etc.

The Harvard system of recording references should be used, e.g. GREEN, C., and BROWN, D. (1951) *J. Laryng.*, 65, 33. Abbreviations of Journals should follow the style recommended in *World Medical Periodicals*, published by World Health Organization, 1952.

It is most important that authors should verify *personally* the accuracy of every reference before submitting a paper for publication.

3. Galley proofs and engraver's proofs of illustrations are sent to the author. Corrections, which should be kept to a minimum, must be clearly marked, and no extra matter added. Proofs should be returned within 5 days.

4. Illustration blocks will normally be held by the Printers for three years, after which they will be destroyed. Any author is entitled to have these returned to him, but a request for this must be sent within three years of the appearance of the article, to HEADLEY BROTHERS, 109 Kingsway, London, WC2. Coloured illustrations will be charged to authors, unless a special grant is authorized by the Editor.

5. Orders for reprints must be sent when returning galley proofs, and for this purpose special forms are supplied.

6. Authors of original communications on Oto-Laryngology in other journals are invited to send a copy, or two reprints, to the *Journal of Laryngology*. If they are willing, at the same time, to submit their own abstract (in English, French, Italian, or German) it will be welcomed.

7. Editorial communications may be addressed to THE EDITOR, *Journal of Laryngology*, c/o HEADLEY BROTHERS, 109 Kingsway, London, WC2.

8. The annual subscription is five guineas sterling (U.S.A. \$15) post free, and payable in advance.

9. Single copies will be on sale at 12s. 6d. each; copies of parts up to Vol. LXIII which are available may be purchased at 7s. 6d. each.

10. All subscriptions, advertising and business communications should be sent to the publishers, HEADLEY BROTHERS, 109 KINGSWAY, LONDON, WC2.

United States of America

Orders for this *Journal* may be sent through local booksellers, or to STECHERT-HAFNER, INC., 31-33 East 10th Street, New York, or direct to the publishers, HEADLEY BROTHERS, 109 KINGSWAY, LONDON, WC2, England.

© *Journal of Laryngology and Otology*, 1967

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

CONTENTS

	PAGE
EMOTION AS A PRECIPITATING FACTOR IN MENIÈRE'S DISEASE. R. Hinchcliffe (London)	471
PERSONALITY PROFILE IN MENIÈRE'S DISEASE. R. Hinchcliffe (London)	477
THE LARYNGOCELE. Ibrahim Mosallam (Cairo, U.A.R.)	483
COMBINED SYNCHRONOUS PHARYNGO-LARYNGO-OESOPHAGECTOMY WITH COLONIC REPLACEMENT. Neil G. McGuire (Cardiff)	495
LARYNGEAL HAEMATOMAS DUE TO COAGULOPATHIES. U. K. Kiviranta (Helsinki, Finland)	503
CLOSURE OF THE NOSTRILS IN ATROPHIC RHINITIS. A. Young (Sheffield)	515
EXPERIMENTAL STAPEDECTOMY WITHOUT OVAL WINDOW COVER. Gary K. Thomas and Jung-Ching Liu (Philadelphia)	525
MANAGEMENT OF ACID INTOXICATION. K. J. Cho and J. E. G. Kinnman (Seoul, Korea)	533
 CLINICAL RECORDS—	
UNILATERAL ATROPHIC RHINITIS. J. F. Neil (Nottingham)	551
POLYOSTOTIC FIBROUS DYSPLASIA. V. A. Desai and G. K. Hiranandani (Bombay)	553
GRANULAR CELL MYOBLASTOMA OF THE LARYNX. G. A. Sedee (Utrecht)	557
UNUSUAL CASE OF BEZOLD'S ABSCESS. Dinkar Tembe (Wigan)	561
BILATERAL CARCINOMA OF THE EAR. P. H. Schmidt and G. J. Verdonk (The Hague, The Netherlands)	567
 GENERAL NOTES	 571



Instrumentation for Audiology and Psychoacoustics

U.K. Distributors of the World's leading makes

Our Range includes :

- Portable Audiometers
- Clinical Audiometers
- Eekes Audiometers
- Speech Audiometers
- Acoustic Impedance Meters
- Sound Level Meters
- Zwislocki Bridge
- Psychogalvanometer
- Auditory Trainers
- Group Hearing Aids
- Individual Hearing Aids for School use
- Silicon Based Aural Impression Materials
- Audiometric Examination Rooms and many other items




GRASON-STADLER



Please let us know your needs

**G. C. Johnson, Leyton Instrument Company Limited,
54 Albert Road, Caversham, Reading, Berks Reading 72293**

ZEISS Operation Microscope II with Zoom focusing and Zoom optical system



A revolutionary step in the design of surgical microscopes, giving complete foot-button control of—

- a Motorised height adjustment of the rollable stand.
- b Motorised fine focussing upwards and downwards
- c Motorised pancratic zoom system giving continuous magnification range 5x to 25x (with the zoom objective 200 mm and 12.5x oculars)

Accessories include Observation Tubes, Camera Attachments and Oculars for spectacle wearers.

Full details from Carl Zeiss at
Degenhardt & Co. Ltd.,
20/22 Mortimer Street,
London, W.1
Museum 8050 (15 lines)

Scottish Enquiries to
Degenhardt & Co. (Scotland) Ltd.,
22 Burnbank Gardens,
Glasgow, N.W. Douglas 0520


ZEISS



West
Germany

Degenhardt

Please mention *The Journal of Laryngology and Otolology* when replying to advertisements



THE DROP THAT SOOTHES THE INFECTED EAR

'Otosporin' rapidly destroys virtually *all* bacteria commonly found in ear infections, reduces irritation, inflammation and pain. 'Otosporin' brand Drops contain polymyxin B sulphate, neomycin sulphate and hydrocortisone in a bland suspension designed to facilitate penetration. Issued in bottles of 5 ml.

'OTOSPORIN'



Burroughs Wellcome & Co. London
(The Wellcome Foundation Ltd.)

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

**When the patient
needs a hearing aid-**

**Whom do you
recommend ?**

**INGRAMS, of course,
the firm with the different
makes to choose from.**

**The usual trial
periods are available
for all patients.**

INGRAMS

2 Shepherd Street, London, W.1. Tel: HYDe Park 9041.

BRANCHES AT

Aberdeen—461 Union Street. Tel: Aberdeen 29632

Birmingham—Five Ways Shopping Centre. Tel: Midland 4314

Brighton—5 Duke Street. Tel: Brighton 28699

Croydon—11 Essex House, George Street. Tel: Croydon 4663

Edinburgh—17 Stafford Street. Tel: Caledonian 1942

Glasgow—38 Bath Street. Tel: Douglas 7710

Manchester—Peter House, St. Peter Square, Oxford St.

Tel: Central 5711

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

***WHEN A HEARING AID
IS RECOMMENDED
ONLY AMPLIVOX
OFFERS THIS
HEARING AID SERVICE***

The design and manufacture of a complete range with individual fitting facilities.

Best of other makes in addition to Amplivox aids—Amplivox hearing aids are ONLY available from Amplivox.

Highest degree of training of any hearing aid organisation.

Master Hearing Aid evaluations.

Expert follow-up and rehabilitation advice.

15 branch offices with while-you-wait service.

**FOR YOUR PATIENTS' GREATEST SATISFACTION
SPECIFY AMPLIVOX**

AMPLIVOX

World's most experienced and complete hearing service

**AMPLIVOX HEARING ADVISORY SERVICE
80 NEW BOND STREET
LONDON, W.1**

Please mention *The Journal of Laryngology and Otology* when replying to advertisements



Fabahistin[®]

Mebhydrolin B.P.C.

For HAYFEVER

- ✿ Effective where others fail
- ✿ Less sedating
- ✿ No impairment of reaction time



FBA PHARMACEUTICALS LTD
Haywards Heath • Sussex
U.K. Subsidiary of BAYER GERMANY

® Reg'd Trade Mark of BAYER GERMANY


Please mention *The Journal of Laryngology and Otology* when replying to advertisements

ONLY AMPLIVOX
 provides a
complete audiometric service!



Transistor Audiometers

with air conduction or air and bone conduction with masking, for hospitals, schools, consulting rooms, industrial medical departments, screening programmes, etc.



Clinical Audiometers


with narrow band masking for the highest accuracy and extended resolution.

Audiometer Booths

for ideal testing conditions in hospitals, clinics, factories. Standard and special sizes available.



Industrial Audiometry
 Speech Audiometers
 Speech Training Equipment
 Loop Amplifiers, etc.



PLUS An efficient and speedy **calibration service**

please write for technical literature to meet your needs

AMPLIVOX

HEARING ADVISORY SERVICE LTD.


80 New Bond Street, London, W.1. Tel: HYDe Park 9888

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

KAMPLEX

AUDIOMETRIC EQUIPMENT

AUDIOMETERS



CLINIC AUDIOMETER DA1

SCREENING PORTABLE TA16
DIAGNOSTIC PORTABLE TA15



CLINIC AUDIOMETER DA1
DOUBLE CHANNEL DA2

AUTOMATIC AUDIOMETER
AB1

ACOUSTIC IMPEDANCE
APPARATUS ZA2

PNEUMOMETER ZP1

SKIN RESISTANCE
APPARATUS RA4



SOUND LEVEL METER GA6

VISIBLE SPEECH APPARATUS

AUDITORY TRAINERS

Write for full catalogue and detailed descriptions to:

ALFRED PETERS & SONS LTD
51 GELL STREET, SHEFFIELD 3

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

ORBENIN

and its success in Gram-Positive Infections

Otitis media Otitis externa

Boils
Carbuncles
Infected dermatoses

Pneumonia
Lung abscess
Acute bronchitis

Osteomyelitis
Osteitis

Tonsillitis Pharyngitis

Post-operative wound infections
Burns
Skin graft protection

Septicaemia
Acute endocarditis

Staphylococcal enterocolitis

Staphylococcal urinary tract infections

Staphylococcal meningitis

ORBENIN (cloxacillin sodium B.P.) is a penicillin active against virtually all Gram-positive organisms, including staphylococci, β -haemolytic streptococci and pneumococci, irrespective of their resistance to other antibiotics.

It is encouraging that the widespread use of Orbenin in hospitals has not resulted in the emergence of resistant strains.

More than 300 references in the World Literature testify to the excellent clinical results obtained with Orbenin in a wide variety of Gram-positive infections.

Detailed literature is available on request.

Dosage:

Two capsules (500mg.) or one vial (250mg.) q.i.d.

Availability:



Capsules
(250mg.)



Vials
(250mg.)



Syrup
(125mg./
5ml.)



Orbenin (cloxacillin sodium B.P.) (regd.) is a product of British research at
Beecham Research Laboratories
Brentford, England. Telephone: ISLeworth 4111



For the longest-lasting, gentlest relief of **hay-fever**

Pronounced topical antihistaminic activity combined with a gentle, prolonged decongestant action, provides prompt, sustained relief of nasal congestion in all seasonal and perennial allergies.

Otrivine[®]-Antistin[®]

xylometazoline hydrochloride 0.05% antazoline sulphate 0.5%



New for allergic conjunctivitis Sterile Eye Drops

[conforming to the B.P.C. 1966 specifications]

**for all non-infective
inflammation caused by
occupational hazards
or irritants.**



Nasal spray or drops
Sterile Eye Drops

$\frac{1}{2}$ fl. oz Basic N.H.S. 3s. 8d.
10ml Basic N.H.S. 5s. 0d.

C I B A

OA/3

Please mention *The Journal of Laryngology and Otology* when replying to advertisements


5 drops
to remove
ear wax
easily
rapidly
safely



CERUMOL[®]

Active ingredients per 100 ml.
 p-dichlorobenzene B.P.C. 2 G., Benzocaine B.P. 2.7 G.,
 Chlorbutol B.P. 5 G., Ol. Terebinth 10 ml.

In convenient dropper vial for surgery
 use. Also in 2 oz. Hospital pack.



LABORATORIES FOR APPLIED BIOLOGY LTD

91 Amhurst Park London N 16


Tel: STAmford Hill 2252

Sole distributors in the Irish Republic

MESSRS. SEROVACCINE LTD 25-28, Great Strand Street, Dublin 1, Eire.

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

BÉKÉSY ACCESSORY



For the very first time a fully automatic unit has been made available for a Clinic Audiometer, making the combined units into a true BÉKÉSY Audiometer.

This automatic accessory is being made for the PETERS SPD/5 CLINIC AUDIOMETER, which has a continuous frequency range and continuously variable attenuation. The result is therefore a true Békésy audiometer.

It can be attached to or detached from the audiometer in under one minute so that the two units together offer the facilities of an advanced clinic audiometer or Békésy audiometry at will.

It can be fitted to any existing SPD/5 Audiometer.

Please write for full details and demonstration to :




ALFRED PETERS & SONS LIMITED
51 GELL STREET, SHEFFIELD 3

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

**NEW
FOR OTITIS
EXTERNA
AND CHRONIC
OTITIS MEDIA**

**FOR
INFLAMMATION
AND
INFECTION
IN THE EAR**

**ANTI-
INFLAMMATORY
ANTI-
BACTERIAL
ANTIFUNGAL**



**LOCORTEN-
VIOFORM
EARDROPS**

flumethasone pivalate 0.02%
iodochlorhydroxyquinoline 1%

Basic NHS price 9s. 8d

**LOCORTEN-
VIOFORM
EARDROPS**

7.5 ml, in controlled-drop
dispenser

**LOCORTEN-
VIOFORM
EARDROPS**

C I B A

L.L.S./1

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

- Robust construction—high grade components
- Portable, battery operated
- Modern transistor circuitry
- Versatile with many facilities



LINGO

AUDITORY TRAINING UNIT LINGO MK. 3

- Improved performance
- Treble and Bass tone controls
- Compact and light weight
- Reasonably priced—£52 ex works

For further details please write to:

G. C. Johnson, Leyton Instrument Co. Ltd.,
54 Albert Rd., Caversham, Reading, Berks. Reading 72293

THE LARYNGOSCOPE

A Monthly Journal
devoted to the disease of
EAR, NOSE AND THROAT

*Official organ for the American Laryngological
Rhinological and Otological Society*

Price \$18.00 per year Canada \$19.00 per year
Foreign \$19.00 per year

ESTABLISHED 1896

THEODORE E. WALSH, M.D.
EDITOR

517 SOUTH EUCLID AVENUE
SAINT LOUIS MO. 63110.

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

DOWN

**Fibre Light
SYSTEM**

A COMPLETE ILLUMINATION
SYSTEM FOR USE WITH YOUR
PRESENT ENDOSCOPES


Prov. Patent No. 17924/66



DOWN BROS. AND MAYER & PHELPS LTD
CHURCH PATH, MITCHAM, SURREY, ENGLAND

In Canada
410 Dundas Street West, Toronto, 2B, Canada

Please mention *The Journal of Laryngology and Otology* when replying to advertisements



What makes this antibiotic so valuable in the ENT unit ?

Spectrum ?

Exceptionally broad. It covers most gram-positive organisms—including the penicillin-resistant staphylococci—and many gram-negative organisms.

Action ?

Intensely bactericidal. It gives a rapid kill of bacteria at or near the minimum inhibitory concentration, especially in the case of gram-negative organisms.

Safety ?

Wide clinical usage has confirmed the laboratory evidence that Ceporin has a remarkably low toxicity. It is usually well tolerated by patients allergic to penicillin.

Clinical record ?

The latest analysis of clinical results obtained with Ceporin shows a total of 131 ENT infections treated : 109 (83%) responded satisfactorily. There were 28 cases of tonsillitis, of which 24 responded well. The majority of these infections was caused by beta-haemolytic streptococci, but there were several mixed infections involving streptococci, staphylococci and *Corynebacterium diphtheriae*.

Otitis also responded well. Of the 28 cases treated, 24 responded satisfactorily. Most of these infections were caused by staphylococci but infections involving coliforms, pneumococci, *Streptococcus pyogenes*, proteus and *Haemophilus influenzae* were also represented. Often rapid clinical response was obtained with Ceporin after other antibiotics had failed. Conditions which respond well to Ceporin include : mastoiditis, otitis media, sinusitis, quinsy, pharyngeal abscess, and intracranial infections secondary to infected sinuses and mastoiditis. Because of its three main attributes—broad spectrum, bactericidal action and low toxicity—Ceporin has proved valuable for use in place of more toxic drugs or combinations of antibiotics. **Presentation** Vials containing 250 mg, 500 mg and 1 gram of cephaloridine, packed singly and in boxes of five.

Ceporin is a Glaxo trade mark

Detailed literature is available from
Glaxo Laboratories Limited
Greenford, Middlesex