March 1985

# Bulletin of Entomological Research



Commonwealth Institute of Entomology

#### COMMONWEALTH INSTITUTE OF ENTOMOLOGY

#### **Editor**

#### J. M. B. HARLEY, B.Sc.

Headquarters, Publication Office and Library—56 Queen's Gate, London SW7 5JR, UK. Telephone: 01-584-0067. Telegrams: Entinfo London SW7. Telex: 847964.

Identification Service—c/o British Museum (Natural History), Cromwell Road, London SW7 5BD, UK.

The Commonwealth Institute of Entomology is one of 10 Bureaux and 4 Institutes that together form the Commonwealth Agricultural Bureaux, an organisation sponsored by the Commonwealth governments for the dissemination of information on agricultural research.

The Bulletin of Entomological Research is a quarterly journal prepared by the Institute and published by the Commonwealth Agricultural Bureaux.

#### Annual Subscription Rate 1985

To subscribers in countries that are members of CAB	£60·00
To subscribers in countries that are not members of Ca	<b>AB</b> £80.00

#### Back Numbers

Back volumes of the Bulletin of Entomological Research are available and there are discounts up to a maximum of 20% on orders of more than 10 volumes.

Orders and enquiries concerning subscriptions and back numbers should be sent to

CENTRAL SALES, COMMONWEALTH AGRICULTURAL BUREAUX, FARNHAM ROYAL, SLOUGH SL2 3BN, UK.

[Note: Prices are subject to change without notice.]

© Commonwealth Agricultural Bureaux. 1985. All rights reserved. No part of this publication may be reproduced in any form or by any means, electronically, mechanically, by photo-copying, recording or otherwise, without the prior permission of the copyright owner.

The Executive Council of the Commonwealth Agricultural Bureaux is a signatory to the Fair Copying Declaration, details of which can be obtained from The Royal Society, 6 Carlton House Terrace, London S.W.1.

The Commonwealth Agricultural Bureaux organisation does not accept responsibility for any trade advertisement included in this publication.

#### COMMONWEALTH INSTITUTE OF ENTOMOLOGY

## Leading World Information Service on Insects & Mites of Economic Importance

#### **PUBLICATIONS**

- Review of Applied Entomology: an abstract journal covering the world literature on pests and beneficial arthropods. In two monthly parts: Series A (Agricultural) and Series B (Medical and Veterinary).
- Bulletin of Entomological Research: a quarterly journal of original research papers on arthropods of economic importance.
- Distribution Maps of Pests: giving the world distribution, with supporting references, of individual arthropod pests.
- Books and Monographs: on various subjects. Current list available on request.

#### RETRIEVAL SERVICES

- Computerised Information Retrieval: from the Commonwealth Agricultural Bureaux Abstracts Database, including RAE and all other main CAB abstract journals.
- Annotated Bibliographies: collections of abstracts on particular topics.
   Current list available on request; further bibliographies compiled to order.
- Micrographic Unit: facilities for most types of microform work.
- Library: a major world collection of research literature on arthropods of economic importance. Open to visitors.

#### TAXONOMIC SERVICES

- Identification Service: open to users in all parts of the world. Located in the British Museum (Natural History); over 30 000 insects and mites identified each year.
- International Training Courses: held annually in the applied taxonomy
  of insects and mites.
- Consultancy: advice on specific taxonomic problems and involvement of CIE taxonomists in research projects.

#### Further information from:

#### COMMONWEALTH INSTITUTE OF ENTOMOLOGY, 56 QUEEN'S GATE, LONDON SW7 5JR, UK.

Telephone: 01-584 0067 Telegrams: ENTINFO London SW7

## Review of Applied Entomology

prepared by the Commonwealth Institute of Entomology

A monthly abstracting journal in two parts: Series A (Agricultural) covering the world literature on insects, mites and other arthropods harmful to cultivated plants of every kind including forest trees, and also beneficial arthropods; Series B (Medical and Veterinary) covering the world literature on insects, mites, ticks and other arthropods that transmit diseases to man or livestock or cause any other form of injury to them.

Annual subscriptions: Series A £115, Series B £70 in member countries of the Commonwealth Agricultural Bureaux and £155 and £90 in non-member countries.

Further details and free sample copies from: Central Sales, Commonwealth Agricultural Bureaux, Farnham House, Farnham Royal, Slough SL2 3BN, UK.

# Distribution maps of pests

Issued by the Commonwealth Institute of Entomology, London

Each of these maps (size  $27 \times 17$  cm) gives the world distribution, together with supporting references, of a particular arthropod pest. Those at present being issued (Series A) deal with pests of importance in relation to agriculture or forestry or their products. Eighteen maps are issued each year in two batches of nine each. Up to October 1984, a total of 463 maps has been issued.

Annual Subscription for 18 maps £25.00
Complete set (including revisions and index up to 1981) £88.00
Loose-leaf binder (maps are punched ready for insertion) £9.50
Single maps issued up to 1984 (min. order: UK £2, elsewhere £3) £1.10
Single maps issued 1985 onwards (min. order: UK £2, elsewhere £3) £1.40

#### Central Sales,

Commonwealth Agricultural Bureaux,
Farnham House, Farnham Royal, Slough SL2 3BN, UK.

# BULLETIN OF ENTOMOLOGICAL RESEARCH

VOL. 75

## ISSUED BY THE COMMONWEALTH INSTITUTE OF ENTOMOLOGY

EDITOR: J. M. B. HARLEY



#### LONDON

Commonwealth Institute of Entomology 56, Queen's Gate, SW7 5JR

1985

#### Part 1 March 1985

Original articles	PAGE
Allsopp, R. Wing fray in Glossina morsitans centralis Machado (Diptera: Glossinidae)	1
Lenz, M. Variability of vigour between colonies of <i>Coptotermes acinaciformis</i> (Froggatt) (Isoptera: Rhinotermitidae) and its implications for laboratory experimentation	13
ROBERTS, D. M. & IRVING-BELL, R. J. Circadian flight activity of Simulium spp. (Diptera: Simuliidae) sampled with a vehicle-mounted net in central Nigeria	23
PARKER, W. E. & GATEHOUSE, A. G. The effect of larval rearing conditions on flight performance in females of the African armyworm, Spodoptera exempta (Walker) (Lepidoptera: Noctuidae)	35
PARKER, W. E. & GATEHOUSE, A. G. Genetic factors controlling flight performance and migration in the African armyworm moth, Spodoptera exempta (Walker) (Lepidoptera: Noctuidae)	49
FURK, C. & ROBERTS, H. Baseline responses of United Kingdom field populations of Macrosiphum euphorbiae (Thomas) and Brevicoryne brassicae (L.) (Hemiptera: Aphididae) to demeton-S-methyl	65
Johnson, C. G., Walsh, J. F., Davies, J. B., Clark, S. J. & Perry, J. N. The pattern and speed of displacement of females of <i>Simulium damnosum</i> Theobald s.l. (Diptera: Simuliidae) across the Onchocerciasis Control Programme area of West Africa in 1977 and 1978	73
Perfect, T. J., Cook, A. G., Padgham, D. E. & Crisostomo, J. M. Interpretation of the flight activity of <i>Nilaparvata lugens</i> (Stål) and <i>Sogatella furcifera</i> (Horváth) (Hemiptera: Delphacidae) based on comparative trap catches and field marking with rubidium	93
BOWDEN, J., SHERLOCK, P. L., DIGBY, P. G. N., Fox, J. S. & RHODES, J. A. Studies of elemental composition as a biological marker in insects. II. The elemental composition of apterae of <i>Rhopalosiphum padi</i> (L.) and <i>Metopolophium dirhodum</i> (Walker) (Hemiptera: Aphididae) from different soils and host-	107
plants  LOXDALE, H. D., TARR, I. J., WEBER, C. P., BROOKES, C. P., DIGBY, P. G. N. & CASTAÑERA, P. Electrophoretic study of enzymes from cereal aphid populations. III. Spatial and temporal genetic variation of populations of Sitobion avenae (F.) (Hemiptera: Aphididae)	107 121
DENHOLM, I., SAWICKI, R. M. & FARNHAM, A. W. Factors affecting resistance to insecticides in house-flies, <i>Musca domestica</i> L. (Diptera: Muscidae). IV. The population biology of flies on animal farms in south-eastern England and its implications for the management of resistance	143
McFadyen, R. E. Larval characteristics of <i>Cactoblastis</i> spp. (Lepidoptera: Pyralidae) and the selection of species for biological control of prickly pears ( <i>Opuntia</i> spp.)	159
Daly, J. C. & Gregg, P. Genetic variation in <i>Heliothis</i> in Australia: species identification and gene flow in the two pest species <i>H. armigera</i> (Hübner) and <i>H. punctigera</i> Wallengren (Lepidoptera: Noctuidae)	169

#### Part 2 June 1985

Original articles	PAGE
HII, J. L. K. Genetic investigations of laboratory stocks of the complex of <i>Anopheles balabacensis</i> Baisas (Diptera: Culicidae)	185
LIU, S. S. & CARVER, M. Studies on the biology of <i>Aphidius sonchi</i> Marshall (Hymenoptera: Aphidiidae), a parasite of the sowthistle aphid, <i>Hyperomyzus lactucae</i> (L.) (Hemiptera: Aphididae)	199
VALE, G. A. & HALL, D. R. The role of 1-octen-3-ol, acetone and carbon dioxide in the attraction of tsetse flies, <i>Glossina</i> spp. (Diptera: Glossinidae), to ox odour	209
VALE, G. A. & HALL, D. R. The use of 1-octen-3-ol, acetone and carbon dioxide to improve baits for tsete flies, <i>Glossina</i> spp. (Diptera: Glossinidae)	219
SMITH, P. H. & MORTON, R. Assessment of the field performance of compound chromosome strains compared to laboratory-reared wild-type strains in <i>Lucilia cuprina</i> (Wiedemann) (Diptera: Calliphoridae)	233
FENNAH, R. G. Revisionary notes on the New World genera of cercopid froghoppers (Homoptera: Cercopoidea). III. The genus <i>Isozulia</i>	245
WILLIAMS, D. J. A new species of Ferrisia (Hemiptera: Pseudococcidae) on cassava (Manihot esculenta) from Paraguay and on ragweed (Ambrosia tenuifolia) from Argentina	255
CURTIS, C. F. Theoretical models of the use of insecticide mixtures for the management of resistance	259
BILLANY, D. J., WINTER, T. G. & GAULD, I. D. Olesicampe monticola (Hedwig) (Hymenoptera: Ichneumonidae) redescribed together with notes on its biology as a parasite of Cephalcia lariciphila (Wachtl) (Hymenoptera: Pamphiliidae)	267
OLADUNMADE, M. A., TAKKEN, W., DENGWAT, L. & NDAMS, I. Studies on insecticide-impregnated targets for the control of riverine <i>Glossina</i> spp. (Diptera: Glossinidae) in the sub-humid savanna zone of Nigeria	275
LAURENCE, B. R. & PICKETT, J. A. An oviposition attractant pheromone in <i>Culex quinquefasciatus</i> Say (Diptera: Culicidae)	283
Urbanelli, S., Bullini, L. & Villani, F. Electrophoretic studies on <i>Culex quinquefasciatus</i> Say from Africa: genetic variability and divergence from <i>Culex pipiens</i> L. (Diptera: Culicidae)	291
LATEEF, S. S., REED, W. & LASALLE, J. <i>Tanaostigmodes cajaninae</i> LaSalle sp. n. (Hymenoptera: Tanaostigmatidae), a potential pest of pigeon pea in India	305
VOGT, W. G., WOODBURN, T. L., MORTON, R. & ELLEM, B. A. The influence of weather and time of day on trap catches of males and females of <i>Lucilia cuprina</i> (Wiedemann) (Diptera: Calliphoridae)	315
MILLER, G. W. & ISGER, M. B. Effects of temperature on the development of Liriomyza trifolii (Burgess) (Diptera: Agromyzidae)	321
CRITCHLEY, B. R., CAMPION, D. G., McVEIGH, L. J., McVEIGH, E. M., CAVANAGH, G. G., HOSNY, M. M., NASR, EL-SAYED A., KHIDR, A. A. & NAGUIB, M. Control of pink bollworm, <i>Pectinophora gossypiella</i> (Saunders) (Lepidoptera: Gelechiidae), in Egypt by mating disruption using hollow-fibre, laminate-flake and microencapsulated formulations of synthetic pheromone	329
BOUČEK, Z. & BROUGH, E. J. Bruchophagus muli sp. n. (Hymenoptera: Eurytomidae), a wasp which galls the fruit of lime in Papua New Guinea	347
CANNON, R. J. C. Colony development and alate production in <i>Metopolophium dirhodum</i> (Walker) (Hemiptera: Aphididae) on winter wheat	353

#### Part 3 September 1985

Original articles	PAGE
HOLLOWAY, G. J. & SMITH, R. H. Inheritance of the ability of Sitophilus oryzae (L.) (Coleoptera: Curculionidae) to feed and breed on yellow split-pea (Pisum sativum)	367
Brookes, C. P. & Loxdale, H. D. A device for simultaneously homogenizing numbers of individual small insects for electrophoresis	377
Samways, M. J. Relationship between red scale, <i>Aonidiella aurantii</i> (Maskell) (Hemiptera: Diaspididae), and its natural enemies in the upper and lower parts of citrus trees in South Africa	379
COLLIER, R. H. & FINCH, S. Accumulated temperatures for predicting the time of emergence in the spring of the cabbage root fly, <i>Delia radicum</i> (L.) (Diptera: Anthomyiidae)	395
NYIRENDA, G. K. C. Persistent populations of males of the African armyworm, Spodoptera exempta (Walker) (Lepidoptera: Noctuidae), in Malawi	405
King, A. B. S. Factors affecting infestation by larvae of <i>Phyllophaga</i> spp. (Coleoptera: Scarabaeidae) in Costa Rica	417
GOLDSON, S. L., DYSON, C. B., PROFFITT, J. R., FRAMPTON, E. R. & LOGAN, J. A. The effect of <i>Sitona discoideus</i> Gyllenhal (Coleoptera: Curculionidae) on lucerne yields in New Zealand	429
Kirk-Spriggs, A. H. <i>Meligethes heteropus</i> Gerstaecker (Coleoptera: Nitidulidae), a new pest of bulrush millet in West Africa	443
TORR, S. J. The susceptibility of <i>Glossina pallidipes</i> Austen (Diptera: Glossinidae) to insecticide deposits on targets	451
MARTIN, J. H. The whitefly genus <i>Dialeurolonga</i> (Hemiptera: Aleyrodidae) on citrus, with the redescription of a Malagasian species	459
CHARLWOOD, J. D., DAGORO, H. & PARU, R. Blood-feeding and resting behaviour in the <i>Anopheles punctulatus</i> Dönitz complex (Diptera: Culicidae) from coastal Papua New Guinea	463
Bowden, J., Sherlock, P. L. & Digby, P. G. N. Studies of elemental composition as a biological marker insects. III. Comparison of apterous and alate cereal aphids, especially <i>Rhopalosiphum padi</i> (L.) (Hemiptera: Aphididae), from oats and wheat, and from oats infected with or free from barley yellow dwarf virus	477
STEELE, G. M. & RANDOLPH, S. E. An experimental evaluation of conventional control measures against the sheep tick, <i>Ixodes ricinus</i> (L.) (Acari: Ixodidae).  I. A unimodal seasonal activity pattern	489
RANDOLPH, S. E. & Steele, G. M. An experimental evaluation of conventional control measures against the sheep tick, <i>Ixodes ricinus</i> (L.) (Acari: Ixodidae). II. The dynamics of the tick-host interaction	50:
Warnes, M. L. & Finlayson, L. H. Responses of the stable fly, Stomoxys calcitrans (L.) (Diptera: Muscidae), to carbon dioxide and host odours. I. Activation	519
FLINT, S. A comparison of various traps for Glossina spp. (Glossinidae) and other Diptera	529
Hughes, P. B. & Raftos, D. A. Genetics of an esterase associated with resistance to organophosphorus insecticides in the sheep blowfly, <i>Lucilia cuprina</i> (Wiedemann) (Diptera: Calliphoridae)	533
WILLIAMS, D. J. <i>Pseudococcus mandio</i> sp. n. (Hemiptera: Pseudococcidae) on cassava roots in Paraguay, Bolivia and Brazil	54:

#### Part 4 December 1985

Review article	PAGE
Walsh, J. F. The feeding behaviour of <i>Simulium</i> larvae, and the development, testing and monitoring of the use of larvicides, with special reference to the control of <i>Simulium damnosum</i> Theobald s.l. (Diptera: Simuliidae): a review	549
Original articles	
BIGGER, M. The effect of attack by Amblypelta cocophaga China (Hemiptera: Coreidae) on growth of Eucalyptus deglupta in the Solomon Islands	595
Young, A. S., de Castro, J. J. & Kiza-Auru, P. P. Control of tick (Acari: Ixodidae) infestation by application of ear tags impregnated with acaricides to cattle in Africa	609
WILLIAMS, D. J. Mealybugs of the genus <i>Rhizoecus</i> (Hemiptera: Pseudococcidae) on African violets ( <i>Saintpaulia</i> spp.), with a description of a new species from Thailand	621
VICKERS, R. A., ROTHSCHILD, G. H. L. & JONES, E. L. Control of the oriental fruit moth, Cydia molesta (Busck) (Lepidoptera: Tortricidae), at a district level by mating disruption with synthetic female pheromone	625
KABAYO, J. P., TAHER, M. & VAN DER VLOEDT, A. M. Development of a synthetic diet for Glossina (Diptera: Glossinidae)	635
LEATHER, S. R., WATT, A. D. & BARBOUR, D. A. The effect of host-plant and delayed mating on the fecundity and lifespan of the pine beauty moth, <i>Panolis flammea</i> (Denis & Schiffermüller) (Lepidoptera: Noctuidae): their influence on population dynamics and relevance to pest management	641
WALKER, A. R. & FLETCHER, J. D. Age grades and infection rates of <i>Rhipicephalus appendiculatus</i> Neumann (Acari: Ixodidae) to assess theileriosis challenge in the field	653
LINTHICUM, K. J., BAILEY, C. L., DAVIES, F. G. & KAIRO, A. Observations on the dispersal and survival of a population of <i>Aedes lineatopennis</i> (Ludlow) (Diptera: Culicidae) in Kenya	661
WILLIAMS, D. J. & MILLER, D. R. <i>Phenacoccus avenae</i> Borchsenius (Hemiptera: Pseudococcidae) from the Netherlands and Turkey, intercepted at quarantine on bulbs, corms and rhizomes of ornamental plants	671
SHERLOCK, P. L., BOWDEN, J. & DIGBY, P. G. N. Studies of elemental composition as a biological marker in insects. IV. The influence of soil type and host-plant on elemental composition of <i>Agrotis segetum</i> (Denis & Schiffermüller) (Lepidoptera: Noctuidae)	675
RAWLINGS, P. The genetics of hybrid sterility between subspecies of the complex of Glossina morsitans Westwood (Diptera: Glossinidae)	689
Schaefer, G. W., Bent, G. A. & Allsopp, K. Radar and opto-electronic measurements of the effectiveness of Rothamsted Insect Survey suction traps	701
WARNES, M. L. & FINLAYSON, L. H. Responses of the stable fly, Stomoxys calcitrans (L.) (Diptera: Muscidae), to carbon dioxide and host odours. II. Orientation	717

#### Dates of Publications in Parts

PART 1, pp. 1–184	
Part 2, pp. 185–365	24 May 1985
Part 3, pp. 367–547	
Part 4, pp. 549–741	

#### ERRATA (VOL 75)

p. 19, line 3 in title of Table IV, for Guy et al. read Gay et al.

p. 286, line 2, for (+)–(5R,6S) read (+)–(5S,6R)