

# The Journal of Laryngology and Otology

EDITED BY  
G. H. BATEMAN

ASSISTANT EDITOR  
LIONEL TAYLOR

## Contents

- ✓ TASTE AND THE CHORDA TYMPANI . . . . . T. R. BULL
- ✓ MUCOUS MEMBRANE PEMPHIGUS . . . . . W. J. GRANT
- ✓ SOLITARY PLASMACYTOMA OF THE UPPER AIR PASSAGES . . . . . GARETH THOMAS
- ✓ INDUSTRIAL HAZARDS ON THE NOSE . . . . . HUSSEIN KAMEL ISMAIL
- ✓ THE RELATION OF THE O-ANTISTREPTOLYSIN TITRE  
(ASO) BETWEEN THE TONSILS AND THE  
BLOOD SERUM IN CHRONIC TONSILLITIS . . . . . J. CHRYSSEIKOS, A. COYAS  
and C. MICHAEL
- ✓ MONOSTOTIC FIBROUS DYSPLASIA AFFECTING THE  
SKULL AND FACIAL BONES . . . . . A. SINHA

CLINICAL RECORDS—

- ✓ TUBERCULOSIS OF TONGUE ("PRIMARY TYPE").  
A CASE REPORT . . . . . J. C. GUPTA,  
CHAMANLAL NAGRATH and K. M. SALGIA
- ✓ THE "AVASCULAR" GLOMUS JUGULARE TUMOUR . . . . . G. KILCOYNE, A. YOUNG  
and LIONEL WOLMAN
- ✓ DYSONTOGENETIC DERMOID OF THE EUSTACHIAN  
TUBE . . . . . E. PIRODDA
- ✓ LATERAL SINUS THROMBOSIS FOLLOWING FUR-  
UNCLE OF EXTERNAL AUDITORY CANAL . . . . . L. H. HIRANANDANI
- ✓ A CASE OF KLIPPEL-FEIL SYNDROME WITH  
CONGENITAL SHORT PALATE . . . . . S. K. KACKER and  
K. K. AGARWAL

GENERAL NOTES

London

Headley Brothers

109 Kingsway WC2

# The Journal of Laryngology and Otology

(FOUNDED in 1887 by MORELL MACKENZIE and NORRIS WOLFENDEN)

EDITED BY

G. H. BATEMAN

ASSISTANT EDITOR

LIONEL TAYLOR

1. Original articles which have not been published elsewhere are invited and should be sent to the Editor. They are considered for publication on the understanding that they are contributed to this *Journal* solely. Reproduction elsewhere, in whole or in part, is not permitted without the previous written consent of the Author and Editor and the customary acknowledgment must be made.

2. Manuscripts should be typewritten, on one side only of the paper, and well spaced. Captions to illustrations should be typed on a separate sheet and sent at the same time as original photographs, etc.

The Harvard system of recording references should be used, e.g. GREEN, C., and BROWN, D. (1951) *J. Laryng.*, 65, 33. Abbreviations of Journals should follow the style recommended in *World Medical Periodicals*, published by World Health Organization, 1952.

It is most important that authors should verify *personally* the accuracy of every reference before submitting a paper for publication.

3. Galley proofs and engraver's proofs of illustrations are sent to the author. Corrections, which should be kept to a minimum, must be clearly marked, and no extra matter added. Proofs should be returned within 5 days.

4. Illustration blocks are provided free up to the limit of £10 per article; beyond this authors are expected to pay half the cost. Coloured illustrations will be charged in full to authors.

Blocks will normally be held by the Printers for three years after which they will be destroyed. Any author who has borne a part of the cost of his blocks is entitled to have these returned to him, but a request for this must be sent within three years of the appearance of the article, to HEADLEY BROTHERS, 109 Kingsway, London, WC2.

5. Orders for reprints must be sent when returning galley proofs, and for this purpose special forms are supplied.

6. Authors of original communications on Oto-Laryngology in other journals are invited to send a copy, or two reprints, to the *Journal of Laryngology*. If they are willing, at the same time, to submit their own abstract (in English, French, Italian, or German) it will be welcomed.

7. Editorial communications may be addressed to THE EDITOR, *Journal of Laryngology*, c/o HEADLEY BROTHERS, 109 Kingsway, London, WC2.

8. The annual subscription is five guineas sterling (U.S.A. \$15) post free, and payable in advance.

9. Single copies will be on sale at 12s. 6d. each; copies of parts up to Vol. LXIII which are available may be purchased at 7s. 6d. each.

10. All subscriptions, advertising and business communications should be sent to the publishers, HEADLEY BROTHERS, 109 KINGSWAY, LONDON, WC2.

## United States of America

Orders for this *Journal* may be sent through local booksellers, or to STECHERT-HAFNER, INC., 31-33 East 10th Street, New York, or direct to the publishers, HEADLEY BROTHERS, 109 KINGSWAY, LONDON, WC2, England.

© *Journal of Laryngology and Otology*, 1965

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

## CONTENTS

	PAGE
TASTE AND THE CHORDA TYMPANI. T. R. Bull (London) . . . . .	479
MUCOUS MEMBRANE PEMPHIGUS. W. J. Grant (Manchester) . . . . .	494
SOLITARY PLASMACYTOMA OF THE UPPER AIR PASSAGES. Gareth Thomas (Cardiff) . . . . .	498
INDUSTRIAL HAZARDS ON THE NOSE. Hussein Kamel Ismail (Ismailia, Egypt) . . . . .	511
THE RELATION OF THE O-ANTISTREPTOLYSIN TITRE (ASO) BETWEEN THE TONSILS AND THE BLOOD SERUM IN CHRONIC TONSIL-LITIS. J. Chryssikos, A. Coyas and C. Michael (Athens, Greece) . . . . .	521
MONOSTOTIC FIBROUS DYSPLASIA AFFECTING THE SKULL AND FACIAL BONES. A. Sinha (New Delhi, India) . . . . .	526
CLINICAL RECORDS—	
TUBERCULOSIS OF TONGUE (“PRIMARY TYPE”). A CASE REPORT. J. C. Gupta, Chamanlal Nagrath and K. M. Salgia (Indore, India) . . . . .	534
THE “AVASCULAR” GLOMUS JUGULARE TUMOUR. G. Kilcoyne, A. Young and Lionel Wolman (Sheffield) . . . . .	538
DYSONTOGENETIC DERMOID OF THE EUSTACHIAN TUBE. E. Pirodda (Cagliari, Italy) . . . . .	546
LATERAL SINUS THROMBOSIS FOLLOWING FURUNCLE OF EXTERNAL AUDITORY CANAL. L. H. Hiranandani (Bombay, India) . . . . .	554
A CASE OF KLIPPEL-FEIL SYNDROME WITH CONGENITAL SHORT PALATE. S. K. Kacker and K. K. Agarwal (New Delhi, India) . . . . .	556
GENERAL NOTES . . . . .	560



Staphylococci

cannot live with



**Orbenin**

Orbenin is recommended for the immediate treatment of all Hospital Staphylococcal infections

Orbenin, an oral penicillin stable to penicillinase, is bactericidal to resistant and sensitive staphylococci



Orbenin (regd.) (cloxacillin sodium) is a product of British research at  
**Beecham Research Laboratories**

---

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

***WHEN A HEARING AID  
IS RECOMMENDED  
ONLY AMPLIVOX  
OFFERS THIS  
HEARING AID SERVICE***

The design and manufacture of a complete range with individual fitting facilities.

Best of other makes in addition to Amplivox aids—Amplivox hearing aids are ONLY available from Amplivox.

Highest degree of training of any hearing aid organisation.

Master Hearing Aid evaluations.

Expert follow-up and rehabilitation advice.

15 branch offices with while-you-wait service.

**FOR YOUR PATIENTS' GREATEST SATISFACTION  
SPECIFY AMPLIVOX**

**AMPLIVOX**

World's most experienced and complete hearing service

**AMPLIVOX HEARING ADVISORY SERVICE  
80 NEW BOND STREET  
LONDON, W.1**

Please mention *The Journal of Laryngology and Otology* when replying to advertisements



**5 drops**



**remove  
ear wax**



**easily**



**rapidly**



**safely**



**CERUMOL<sup>®</sup>**

Active ingredients per 100 ml.

P-dichlorobenzene B.P.C. 2 G

Benzocaine B.P. 2.7 G.,

Chlorbutol B.P. 5 G.,

Ol. Terebinth 10 ml.

In convenient dropper vial for surgery  
use. Also in 2 oz. Hospital pack.



**LABORATORIES FOR APPLIED BIOLOGY LTD**

91 Amhurst Park London N16

Tel: STAmford Hill 2252

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

# THE LARYNGOSCOPE

A Monthly Journal  
devoted to the disease of  
EAR, NOSE AND THROAT

*Official organ for the American Laryngological  
Rhinological and Otological Society*

Price \$18.00 per year      Canada \$19.00 per year  
Foreign \$19.00 per year

ESTABLISHED 1896

THEODORE E. WALSH, M.D.  
EDITOR

517 SOUTH EUCLID AVENUE  
SAINT LOUIS MO. 63110.

For advertisement space in this Journal


apply to

**HEADLEY BROTHERS LTD.**

109 Kingsway London WC2

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

# Carl Zeiss Twin Lamp



The twin-lamp provides:  
 a) bright illumination for relatively small areas,  
 b) deep illumination into body cavities,  
 and has many applications for general surgery, ophthalmology, gynaecology, otology, etc., in operating theatres and clinics.

It has many useful features:  
 High luminous intensity from two separate lamps.  
 Simple focusing.  
 Simple adjustment of height and direction.  
 Continuous operation even when changing one bulb.  
 Alternative arm lengths: 700mm or 1200mm.  
 Built-in transformer, giving two voltages for normal and intense operation.  
 Foot switch for on/off, normal/high voltage.  
 Wide range of filters available.

Full details from the sole UK Zeiss Agents:  
 Degenhardt & Co Ltd  
 Carl Zeiss House,  
 20/22 Mortimer Street, London W1  
 Langham 6097 (9 lines)




Western  
Germany



# The greatest name in optics

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

## In hay fever and other pollinoses



# Triominic

Oral Nasal Decongestant **WANDER**

'Triominic' timed-release tablets and orange-flavoured syrup contain antihistamines and a decongestant in balanced proportions to ensure relief from symptoms of nasal allergy for between 6 and 8 hours. The active constituents of 'Triominic'—the original *oral* decongestant—reach the nasal mucosa systemically. This obviates the rebound congestion which may follow the topical use of vasoconstrictors.

**Formula per timed-release tablet.**

Phenylpropanolamine hydrochloride.....50 mg.  
 Mepyramine maleate B.P.....25 mg.  
 Pheniramine maleate.....25 mg.

Part 1 S7

**'Triominic' is also available  
 as an orange-flavoured syrup.**

Basic N.H.S. prices: 50 tablets 5/9½; 2 fl. oz. 2/6

*Literature and sample on request*

M439

**A. WANDER LIMITED** · 42 UPPER GROSVENOR STREET · LONDON W.1.

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

# 14 NEW BOOKS

## in LARYNGOLOGY and OTOTOLOGY

**MANUAL OF SURGICAL TECHNIQUE** by Warner F. Bowers, *New York Med. Coll., New York City*; Thomas H. Hewlett, *Fitzsimons General Hosp., Denver, Colo.*; and George J. Thomas, *Brooke General Hosp., Ft. Sam Houston, Texas*. A step by step how-to-do-it manual with concise descriptive legends for each informative drawing. A section on basic surgical technique includes a chapter in the field of nose and throat surgery. '63, 382 pp. (8½ × 11), 977 il., \$14.00

**BIOPHYSICS OF THE EAR** by F. L. Dittrich, *Univ. of Geneva, Geneva, Switzerland*. The first synthesis in the scientific literature to treat the delicate problems of biophysics of the ear. *Section I* places the subject in its anatomical, physiological, and historical context. *Sections II, III, and IV* cover the biophysics of the cochlear system, biophysics of the vestibular system, and cochleo-vestibular cybernetics. '63, 136 pp., 73 il. (*Amer. Lec. Biochemistry and Biophysics* edited by W. Bladergroen, Jr.), \$6.75

**ROENTGENOGRAPHY AND ROENTGENOLOGY OF THE MIDDLE EAR AND MASTOID PROCESS** by Lewis E. Etter, *Univ. of Pittsburgh*. With the collaboration of Lawrence C. Cross and Merle J. Stuart, both of *Western Psychiatric Institute and Clinic, All of Pittsburgh, Pa.* Stresses the necessity of teamwork between the radiologist and technologist. Illustrates methods that will enable the radiologist to point out exactly what he wants to see, making it possible for the technologist to get it for him with a minimum of effort. '65, 168 pp. (8½ × 11), 157 il., \$9.75

**NEUROLOGICAL ASPECTS OF AUDITORY AND VESTIBULAR DISORDERS.** *Eleventh Annual Scientific Meeting of the Houston Neurological Society. Compiled and edited by William S. Fields, and Bob R. Alford, both of Baylor Univ., Houston, Texas. (With 16 Contributors.)* Presents new and provocative information and techniques for the diagnosis and treatment of the auditory and vestibular mechanisms. Strict criteria for diagnosis before institution of therapy are stressed. '64, 400 pp., 210 il., \$12.50

**EXTERNAL OTITIS: Diagnosis and Treatment** by Edley H. Jones, *Univ. of Mississippi, Jackson, Miss.* The first complete presentation of the micropathology of external otitis. Types of external otitis covered include traumatic, infectious, allergic, seborrheic, neurogenic, non-specific, and complicated. Clinical findings are correlated with pathology and well illustrated with photomicrographs. '65, 264 pp., 89 il. (26 in color), 19 tables, \$9.50

**RHINOSCLEROMA** by Francisco Kerdel-Vegas and Jacinto Convit, both of *Universidad Central de Venezuela, Caracas, Venezuela*; Bernard Gordon, *Univ. of Calif., San Francisco, Calif.*; and Mauricio Gohman, *Vargas Hosp., Caracas, Venezuela*. A critical analysis of various views as to the cause of rhinoscleroma is presented. Considers the history and geographic distribution of the condition of the disease. '63, 128 pp., 58 il. (1 plate in full colour), (*Amer. Lec. Dermatology* edited by Arthur C. Curtis), \$9.75

**AUDIOLOGICAL EVALUATION OF THE PEDIATRIC PATIENT** by Maurice H. Miller and Ira A. Polisar, both of *State Univ. of New York Downstate Medical Center, Brooklyn, N.Y.* Describes the personnel, equipment, and physical plant needed to perform various diagnostic techniques for hearing evaluations. Techniques are then evaluated as to over-all clinical value and related to other aspects of the total evaluation. '64, 132 pp., 8 il. (*Amer. Lec. Speech and Hearing* edited by Robert W. West), \$5.75

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

**THE HUMAN LARYNX** by Mervin C. Myerson, *Cedars of Lebanon Hosp., Los Angeles, Calif.* Covers in concise, comprehensive form all phases of the larynx and its diseases. Presents some unorthodox views on management of contact ulcer and granulomatous polyp and introduces a new feature in the discussion of laryngeal manifestations of systemic disease. The complicated subject of cancer of the larynx is thoroughly covered. '64, 408 pp., 191 il., 17 tables, \$14.50

**EAR, NOSE AND THROAT FOR THE GENERAL PRACTITIONER** by Albert P. Seltzer, *Univ. of Pennsylvania, Philadelphia, Pa.* This book was especially prepared to show by example how diseased conditions in widely different parts of the body do have either their primary origin or a secondary relationship in abnormal conditions in the ear, nose and throat cavities and in their nearby tissues. **A comprehensive text, compactly and concisely presented.** '64, 244 pp., \$7.75

**MENINGIOMAS INVOLVING THE TEMPORAL BONE: Clinical and Pathological Aspects** by George T. Nager, *The Johns Hopkins Univ., Baltimore, Md.* Foreword by A. Earl Walker, *The Johns Hopkins Univ.* This monograph points the way toward early recognition of the condition and better clinical care of such patients. *Presented in three parts*, covering present-day concepts of endocranial meningiomas, seven case histories of meningiomas, aetiology, etc. '64, 192 pp. (6½ × 9½), 129 il., \$11.50

**ILLUSTRATED SPEECH ANATOMY** by William M. Shearer, *Northern Illinois Univ., DeKalb, Ill.* A simple, well-illustrated anatomy text which deals exclusively with the structures involved in *respiration, phonation, articulation, and resonance.* Bone and muscles are presented in a clear and systematic manner to allow for maximum accessibility in study and reference. Exercises are provided at the end of each section as a further guide to visual learning. '63, 96 pp. (6½ × 9½), 48 il., \$4.75

**THE NOSE, PARANASAL SINUSES, AND EARS IN CHILDHOOD** by Donald F. Proctor, *The Johns Hopkins Univ., Baltimore, Md.* Designed to provide the physician with a background of knowledge essential to management of ear and respiratory disease. *Covers such areas as fundamentals of physiology and pathology; general principles underlying diagnostic and therapeutic considerations; specific problems related to the nose and paranasal sinuses, the ears and temporal bones,* etc. '63, 200 pp. (8½ × 11), 183 il. (*Pediatric Surgical Monograph Series* edited by Mark M. Ravitch), \$12.50

**ABSORBABLE GELATIN (GELFOAM) SPONGE: An Annotated Bibliography, 1945-1965** by Harold A. Tucker, *The Upjohn Company, Kalamazoo, Mich.* All abstracts included in this volume involve articles which cover new and original applications of gelatin sponge in diverse areas of medicine and surgery . . . in such fields as otolaryngology, dental surgery, the study of skin and oral mucosa, otologic surgery, etc. '65, 140 pp., \$4.50

**THE TEMPOROMANDIBULAR JOINT** (2nd Ed.) edited by Bernard G. Sarnat, *Cedars of Lebanon and Mount Sinai Hospitals, Los Angeles, Calif.* (With 9 Contributors.) "The presentation of each subject has been scholarly, clearly, and concisely achieved . . . all physicians or dentists who may have occasion to treat any injury to, or disease of, the temporomandibular joint or adjacent structure . . . will find this book of value . . ." *Journal of the American Medical Association.* '64, 282 pp. (6½ × 9½), 249 il., \$12.50

**CHARLES C THOMAS  
PUBLISHER**

301-327 East Lawrence Avenue  
Springfield . Illinois . U.S.A.

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

# The references speak volumes for PENBRITIN

Summary of Clinical Papers

Infections	Number of Papers	Indications	Infecting Organisms	Dosage Scheme		Number of Patients	Results Reported				
				Daily Dose (range)	Duration (days)		Cured or much improved	Improved	Failure	Relapse (where appropriate)	
Respiratory	17	Chronic Bronchitis (Routine dosage)	H. influenzae, pneumococci, Gram-positive and negative.	250-500mg. q.i.d.	5-20	221	122	74	25	16	
	3	Chronic Bronchitis (High dosage)		1g. q.i.d. (Special high dosage)	7	44	29		15	14	
	21	Pneumonia, Acute Bronchitis and others.		250mg.-1g. q.i.d.	3-30	451	342	60	36	2	
Urinary	26	Chronic and Post-operative.	Gram-positive and negative.	1-6g.	5-88	453	220	82	137	47	
	12	Acute.		1-3g.	3-42	202	156	13	31		
Gastro-intestinal	28	Typhoid and Paratyphoid fever.	S. typhi and S. paratyphi. Shigella, Balantidium coli. Mainly Salmonella and Shigella.	250mg.-2g. q.i.d.	3-90	237	130	30	30	53	
	3	Dysentery.		250mg.-1g. q.i.d.	5-16	38	37	1		5	
	22	Enteritis, Diarrhoea Cholangitis & Cholecystitis, Colitis & carriers.		250mg.-2g. q.i.d.	4-28	251	193	21	34	13	
Skin and Soft Tissue	9	Abscesses and wound infections.	Gram-positive and negative. Mainly Gram-positive.	500mg.-1g. q.i.d.	4-15	25	13	7	5		
	5	Otitis Media.		250-500mg. q.i.d.	3-8	18	16		2		
	17	Boils, Carbuncles, Whitlows, etc.		250mg.-1g. q.i.d.	3-19 (one up to 30)	230	191		7		
Venereal Disease	7	Gonorrhoea.	Gonorrhoea, Gram-positive and negative.	2g.	Single or double dose	124	102	1	17	5	
	4	Non-specific Urethritis.		2g.	10-30	168	148	8	14		
Miscellaneous	1	Syphilis.	Spirchaetes, Streptococci, Gram-positive and negative.	8-96mg. q.i.d. parenterally	4-21	75	58	12	5		
	8	Meningitis.		250mg.-1.5g. q.i.d.	4-56 (one up to 96)	37	22	5	10	1	
	14	Osteomyelitis, Septicaemia & Bacteraemia, Endocarditis, Super-infection of Arthritis or virus infections.		Mainly Gram-positive.	250-500mg. q.i.d.	5-20 (one up to 58)	46	42	4		
						3,300	2,308	348	420	214	

*Treated 3300 cured or improved 86%*

Over 400 publications from 29 countries endorse Penbritin (Ampicillin) as a broad-spectrum antibiotic. Its outstanding success rate in respiratory diseases, infections of the urinary and gastro-intestinal tracts, skin and soft tissues, venereal diseases and typhoid may be attributed to its high activity and bactericidal action.



**Availability:** capsules, paediatric tablets, syrup and vials for injection.

**Usual Dosage:** 250mg. to 500mg. q.i.d. In severe cases and in certain conditions the dosage should be increased.

The black and red capsule contains 250mg. ampicillin B.P.



**PENBRITIN** (reg'd.) a product of British research  
**Beecham Research Laboratories**

# ONLY **AMPLIVOX** provides a complete audiometric service!



## Transistor Audiometers

with air conduction or air and bone conduction with masking, for hospitals, schools, consulting rooms, industrial medical departments, screening programmes, etc.




## Clinical Audiometers


with narrow band masking for the highest accuracy and extended resolution.

## Audiometer Booths

for ideal testing conditions in hospitals, clinics, factories. Standard and special sizes available.



Industrial Audiometry  
Speech Audiometers  
Speech Training Equipment  
Loop Amplifiers, etc.



**PLUS** An efficient and speedy **calibration service**


*please write for technical literature to meet your needs*

**AMPLIVOX**

HEARING ADVISORY SERVICE LTD.

80 New Bond Street, London, W.1. Tel: HYDe Park 9888

Please mention *The Journal of Laryngology and Otology* when replying to advertisements



# 'OTOSPORIN'

The modern method of treatment in otitis externa, chronic suppurative otitis media, and infected mastoid cavities, is 'Otosporin' Drops. 'Otosporin' is an aqueous suspension containing neomycin and polymyxin B which are together effective against practically all the bacteria found in ear infections. In addition, it contains hydrocortisone to reduce inflammation and swelling, thereby providing easier access for the antibiotics.

**'OTOSPORIN'** BRAND **Drops** ISSUED IN BOTTLES OF 5 ml.



BURROUGHS WELLCOME & CO. (THE WELLCOME FOUNDATION LTD.) LONDON

---

Please mention *The Journal of Laryngology and Otology* when replying to advertisements