Combinatorial System: Coefficients, Identities, and Generating Functions

Chinnaraji Annamalai
Department of Computer Science and Engineering
Indian Institute of Technology, Kharagpur, India
Email: anna@iitkgp.ac.in
https://orcid.org/0000-0002-0992-2584

Abstract: This paper formalizes the unique counting structures introduced by Chinnaraji Annamalai, specifically focusing on what he terms the Annamalai Binomial Coefficient and the resulting power series known as the Combinatorial Geometric Series (CGS). The coefficient is demonstrated to be mathematically equivalent to a widely recognized form of the standard binomial coefficient, often used in problems involving choices with repetition. The study highlights how the CGS, which is constructed through the process of multiple, iterative summations of the basic geometric series, acts as a powerful generating function for this sequence of coefficients. For an infinite series, the resulting closed-form expression is a remarkably simple reciprocal power of the factor (one minus the variable). Furthermore, the framework provides clear formulas for the product of multiple finite geometric series, detailing how a key part of the numerator acts to effectively truncate the infinite series, thereby ensuring the result accurately reflects the finite limits of the original problem. By emphasizing these explicit recursive counting relationships, Annamalai's combinatorial system provides a valuable computational tool for established counting results and offers practical applications in modern technological domains like cybersecurity and machine learning.

MSC Classification codes: 05A10, 11B65, 40A05 (65B10)

Keywords: computation, binomial identities, binomial series, multiple summations

1. Introduction

Combinatorics, the study of discrete structures, relies heavily on fundamental tools such as binomial coefficients [1-5] and generating functions. The standard binomial coefficient ($\binom{n}{k}$ is central to counting subsets and coefficients in the binomial expansion [6-9]. Similarly, the geometric series $\sum x^n = (1-x)^{-1}$ is the generating function for the sequence of all ones. This paper examines the binomial structures proposed by Annamalai, which defines a novel binomial coefficient, V_n^r, and derives a related power series, the Combinatorial Geometric Series [16-19]. The significance of this framework lies in emphasizing the recursive and product relationships of these coefficients, providing an alternative but equivalent pathway to known results in combinatorial enumeration [20, 21].

2. Binomial Coefficient

Annamalai defines a binomial coefficient V_r^n for non-negative integers n and r. The definition for V_r^n is given by the product form:

$$V_n^r = \frac{(n+1)(n+2)(n+3)\cdots(n+r)}{r!} = \prod_{i=1}^{r} \frac{n+i}{i}$$

The identity between Annamalai's coefficient [10-13] and the standard binomial coefficient is established as follows:

$$V_n^r = \frac{(n+r)!}{n!\,r!} = \binom{n+r}{r}$$

Initial conditions are defined as $V_0^r = V_n^0 = V_0^0 = 1$.

A key property of this coefficient is symmetry:

$$V_n^r = V_r^n \Rightarrow \binom{n+r}{r} = \binom{n+r}{n}$$

3. Combinatorial Geometric Series and Identities

The combinatorial geometric series (CGS) is a power series that arises from the multiple summations of the extended geometric series. The r^{th} order CGS is defined by

$$\sum_{i=0}^{n} V_i^r x^i = \sum_{i_1=0}^{n}\sum_{i_2=i_1}^{n}\sum_{i_3=i_2}^{n} \cdots\cdots\cdots \sum_{i_r=i_{r-1}}^{n} x^{i_r}$$

Annamalai's binomial theorem states that multiple summations of extended geometric series with binomial coefficients form a binomial series:

$$\sum_{i=0}^{n} V_i^{r+1} x^i = \sum_{i=0}^{n} V_i^r x^i + \sum_{i=1}^{n} V_{i-1}^r x^i + \sum_{i=2}^{n} V_{i-2}^r x^i + \cdots\cdots\cdots + \sum_{i=n-1}^{n} V_{i-(n-1)}^r x^i + \sum_{i=n}^{n} V_{i-n}^r x^i$$

By grouping terms based on the coefficient V_k^r and re-expressing the sums as geometric series, we get:

$$\sum_{i=0}^{n} V_i^{r+1} x^i = V_0^r \sum_{i=0}^{n} x^i + V_1^r \sum_{i=1}^{n} x^i + V_2^r \sum_{i=2}^{n} x^i + V_3^r \sum_{i=3}^{n} x^i + \cdots\cdots\cdots + V_{n-1}^r \sum_{i=n-1}^{n} x^i + V_n^r \sum_{i=n}^{n} x^i$$

Substituting the standard formula for the geometric summation,$\sum_{i=k}^{n-1} x^i = \frac{x^n - x^k}{x-1}$, yields the final series form:

$$\sum_{i=0}^{n-1} V_i^{r+1} x^i = \frac{1}{x-1} \sum_{i=0}^{n-1} V_i^r x^i \left(x^{n-i} - 1\right), \ \forall\ x \neq 1$$

A key recursive relationship is that the sum of successive coefficients of order r is equal to the next higher-order coefficient, V_n^{r+1}.

$$\sum_{i=0}^{n} V_i^r = \ V_0^r + V_1^r + V_2^r + V_3^r + \cdots + V_{n-1}^r + V_n^r = V_n^{r+1}.$$

4. Product of Multiple Geometric Series

Annamalai's work [14-18] also addresses the product of r identical finite geometric series.

$$\underbrace{\left(\sum_{i=0}^{n-1} x^1\right)\left(\sum_{i=0}^{n-1} x^1\right)\left(\sum_{i=0}^{n-1} x^1\right)\cdots\cdots\cdots\left(\sum_{i=0}^{n-1} x^1\right)}_{r\ times} = \left(\sum_{i=0}^{n-1} x^1\right)^r = \left(\frac{1-x^n}{1-x}\right)^r = \frac{(1-x^n)^r}{(1-x)^r}$$

The binomial expansion of $(1-x^n)^r$ is presented as:

$$(1-x^n)^r = \sum_{k=0}^{r}\binom{r}{k}(-x^n)^k = \sum_{k=0}^{r}\binom{r}{k}\left((-1)x^n\right)^k = \sum_{k=0}^{r}\binom{r}{k}(-1)^k x^{kn}$$

A generalized form of the infinite geometric series is also noted:

$$\sum_{i=0}^{\infty} V_i^{r-1} x^i = \frac{1}{(1-x)^r}.$$

5. Generating Function

The generating function [20, 21] for the infinite sum of the coefficients $\sum_{i=0}^{\infty} V_i^r\, x^i$ is mentioned below:

$$G_r(x) = \sum_{i=0}^{\infty} V_i^{r-1} x^i = \sum_{i=0}^{\infty}\binom{i+r}{i} x^i$$

This is the generating function for the sequence of coefficients $\binom{r}{r}$, $\binom{r+1}{r}$, $\binom{r+2}{r}$, $\cdots\cdots$

It is a well-known result that the generating function for these coefficients is denoted by:

$$G_r(x) = \sum_{i=0}^{\infty} V_i^r x^i = \frac{1}{(1-x)^{r+1}}$$

The generating function for the closed-form expression is given by:

$$N(x) = \sum_{k=0}^{r}\binom{r}{k}(-1)^k x^{kn} = (1-x^n)^r$$

6. Conclusion

Annamalai's work provides a significant extension to classical combinatorial and geometric series theory. By introducing the extended geometric series and the optimized binomial coefficient V_n^r, the framework establishes new identities, theorems, and series representations. The derived results, including the Annamalai's Binomial Theorem and the Annamalai Series, along with the understanding of the underlying generative function, are foundational tools that will be useful for future research and development in computational mathematics.

References

[1] Annamalai, C. (2022) Computation and Calculus for Combinatorial Geometric Series and Binomial Identities and Expansions. *The Journal of Engineering and Exact Sciences*, 8(7), 14648–01i. https://doi.org/10.18540/jcecvl8iss7pp14648-01i.

[2] Annamalai, C. (2022) Application of Factorial and Binomial identities in Information, Cybersecurity and Machine Learning. International Journal of Advanced Networking and Applications, 14(1), 5258-5260. https://doi.org/10.33774/coe-2022-pnx53-v21.

[3] Annamalai, C. (2022) Combinatorial and Multinomial Coefficients and its Computing Techniques for Machine Learning and Cybersecurity. *The Journal of Engineering and Exact Sciences*, 8(8), 14713–01i. https://doi.org/10.18540/jcecvl8iss8pp14713-01i.

[4] Annamalai, C. (2022) Computation of Multinomial and Factorial Theorems for Cryptography and Machine Learning. *COE, Cambridge University Press*. https://doi.org/10.33774/coe-2022-b6mks-v9.

[5] Annamalai, C. (2022) Computation of Binomial, Factorial and Multinomial Theorems for Machine Leaning and Cybersecurity. *COE, Cambridge University Press*. https://doi.org/10.33774/coe-2022-b6mks-v11.

[6] Annamalai, C. (2022) Series and Summations on Binomial Coefficients of Optimized Combination. *The Journal of Engineering and Exact Sciences*, 8(3), 14123-01e. https://doi.org/10.18540/jcecvl8iss3pp14123-01e.

[7] Annamalai, C. (2022) Factorials and Integers for Applications in Computing and Cryptography. *COE, Cambridge University Press*. https://doi.org/10.33774/coe-2022-b6mks.

[8] Annamalai, C. (2022) Computing Method for Combinatorial Geometric Series and Binomial Expansion. *SSRN Electronic Journal*. http://dx.doi.org/10.2139/ssrn.4168016.

[9] Annamalai, C. (2022) Annamalai's Binomial Identity and Theorem, *SSRN Electronic Journal*. http://dx.doi.org/10.2139/ssrn.4097907.

[10] Annamalai, C. (2010) Applications of exponential decay and geometric series in effective medicine dosage. *Advances in Bioscience and Biotechnology*, 1(1), 51-54. https://doi.org/10.4236/abb.2010.11008.

[11] Annamalai, C. (2017) Analysis and Modelling of Annamalai Computing Geometric Series and Summability. *Mathematical Journal of Interdisciplinary Sciences*, 6(1), 11-15. https://doi.org/10.15415/mjis.2017.61002.

[12] Annamalai, C. (2017) Annamalai Computing Method for Formation of Geometric Series using in Science and Technology. *International Journal for Science and Advance Research In Technology*, 3(8), 187-289. http://ijsart.com/Home/IssueDetail/17257.

[13] Annamalai, C. (2017) Computational modelling for the formation of geometric series using Annamalai computing method. *Jñānābha*, 47(2), 327-330. https://zbmath.org/?q=an%3A1391.65005.

[14] Annamalai, C. (2018) Novel Computation of Algorithmic Geometric Series and Summability. *Journal of Algorithms and Computation*, 50(1), 151-153. https://www.doi.org/10.22059/JAC.2018.68866.

[15] Annamalai, C. (2018) Computing for Development of A New Summability on Multiple Geometric Series. *International Journal of Mathematics, Game Theory and Algebra*, 27(4), 511-513.

[16] Annamalai, C. (2020) Combinatorial Technique for Optimizing the combination. *The Journal of Engineering and Exact Sciences*, 6(2), 0189-0192. https://doi.org/10.18540/jcecvl6iss2pp0189-0192.

[17] Annamalai, C. (2018) Annamalai's Computing Model for Algorithmic Geometric Series and Its Mathematical Structures. *Journal of Mathematics and Computer Science*, 3(1),1-6 https://doi.org/10.11648/j.mcs.20180301.11.

[18] Annamalai, C. (2018) Algorithmic Computation of Annamalai's Geometric Series and Summability. *Journal of Mathematics and Computer Science*, 3(5),100-101. https://doi.org/10.11648/j.mcs.20180305.11.

[19] Annamalai, C. (2019) Recursive Computations and Differential and Integral Equations for Summability of Binomial Coefficients with Combinatorial Expressions. International Journal of Scientific Research in Mechanical and Materials Engineering, 4(1), 6-10. https://ijsrmme.com/IJSRMME19362.

[20] Graham, R. L., Knuth, D. E., & Patashnik, O. (1994) *Concrete Mathematics: A Foundation for Computer Science (2nd ed.)*. Addison-Wesley.

[21] Wilf, H. S. (1994) *Generatingfunctionology*. Academic Press.