

Acknowledgements

Grateful acknowledgement is made to the following sources:

Figures

Cover image: An artist's impression of the 'hot Jupiter' exoplanet HD 189733 b transiting across the face of its star (ESA, C. Carreau);

Figure 1: © Lynette R. Cook;

Figure 1.1: NASA Ames Research Center (NASA-ARC); Figures 1.2 and 1.3: Richard Powell, www.atlasoftheuniverse.com, used under a Creative Commons Attribution-ShareAlike 2.5 License; Figure 1.4: generated by the author from RECONs data; Figure 1.5a: adapted from a European Space Agency image; Figure 1.5b: The International Astronomical Union/Martin Kornmesser; Figure 1.5c: Lunar and Planetary Institute/NASA; Figures 1.6a & b and 1.7: NASA Jet Propulsion Laboratory (NASA-JPL); Figure 1.6c: NASA/Goddard Space Center; Figures 1.8 & 8.12: adapted from Kaltenegger, L. (2008) 'Assembling the Puzzle — Evolution of an Earth-Like Planet', Harvard-Smithsonian Center for Astrophysics; Figure 1.9: ESA; Figure 1.10: NASA/ESA, P. Kalas & J. Graham (UC Berkeley), M. Clampin (NASA/GSFC); Figure 1.11: Marois, C. et al. (2008) 'Direct imaging of multiple planets orbiting the star HR8799', *Science*, **322**, 1348, American Association for the Advancement of Science; Figure 1.14: adapted from Beaugé, C., Ferraz-Mello, S. and Michtchenko, T. A. in *Extrasolar Planets: Formation, Detection and Dynamics*, Dvorak (ed.), Wiley, (2008); Figure 1.15: adapted from Bailey, J. et al. (2009) 'A Jupiter-like planet orbiting the nearby M dwarf GJ 832', *The Astrophysical Journal*, **690**, 743, The American Astronomical Society; Figures 1.16 & 1.17: adapted from Mayor, M. et al. (2004) 'The CORALIE survey for southern-solar planets', *Astronomy and Astrophysics*, **415**, 391, EDP Sciences; Figure 1.18: Photos by David Cortner; Figures 1.19 & 1.20: adapted from Sackett, P. D. (1998) 'Searching for unseen planets via occultation and microlensing', Mariotti, J. and Alloin, D. M. (eds.), 'Planets outside the solar system: theory and observations' (NATO Science series C). Springer; Figure 1.21: Atlas Image obtained as part of the Two Micron All Sky Survey (2MASS), a joint project of the University of Massachusetts and the Infrared Processing and Analysis Center/CalTech, funded by the National Aeronautics and Space Administration and the National Science Foundation, annotations due to K. D. Horne and C. A. Haswell;

Figure 2.1: © University Corporation for Atmospheric Research; Figure 2.2a: Observatoire de Haute Provence; Figure 2.2b: Gdgourou, used under a Creative Commons Attribution-ShareAlike 3.0 Licence; Figure 2.3: adapted from Mazeh, T. et al. (2000), 'The Spectroscopic Orbit of the Planetary Companion transiting HD209458', *The Astrophysical Journal*, **532**, 55, The American Astronomical Society; Figure 2.4: adapted from Charbonneau, D., et al. (2000), 'Detection of planetary transits across a sun-like star', *The Astrophysical Journal*, **529**, 45, The American Astronomical Society; Figure 2.6: © François du Toit; Figure 2.7 adapted from Charbonneau, D., Brown, T. M., Latham, D. W. and Mayor, M. (2000) *The Astrophysical Journal Letters*, **529**, L45; Figure 2.9(a): NASA Jet Propulsion Laboratory (NASA-JPL); Figures 2.10 & 2.11: The SuperWASP Consortium; Figure 2.12(a) adapted from SuperWASP archive by A. J. Norton; Figures 2.12b & 2.20: adapted from Pollacco, D. L., et al. (2006), 'The WASP

Project and the SuperWASP Cameras’, *Publications of the Astronomical Society of the Pacific*, **118**, 1407, Astronomical Society of the Pacific; Figure 2.14: adapted from SuperWASP archive by the author; Figure 2.15 adapted from a WASP consortium powerpoint; Figure 2.16: adapted from Collier-Cameron, A., et al. (2007), ‘Efficient identification of exoplanetary transit candidates from SuperWASP light curves’, *Monthly Notices of the Royal Astronomical Society*, **380**, 1230, The Royal Astronomical Society; Figure 2.17: produced using software written by Rob Hynes; Figure 2.18: adapted from Exoplanet Encyclopedia data by A. J. Norton, A. Dackombe and the author; Figure 2.19: Parley, N. R., (2008) *Serendipitous Asteroid Survey Using SuperWASP*, PhD thesis, The Open University;

Figures 3.1, 3.5 & 3.17: adapted from Brown, T. M. et al. (2001), ‘Hubble Space Telescope Time-Series Photometry of the Transiting Planet of HD209458’, *The Astrophysical Journal*, **552**, 699, The American Astronomical Society; Figure 3.3: adapted from Sackett, P. D. arXiv:astro-ph/9811269; Figure 3.6: SOHO/ESA/NASA; Figure 3.9a: adapted from Van Hamme, W. (1993), ‘New Limb-Darkening Coefficients for modelling Binary Star Light Curves’, *The Astronomical Journal*, **106**, Number 5, 2096, The American Astronomical Society; Figure 3.9b: adapted from Morrill J. S. and Korendyke C. M., (2008), ‘High-Resolution Center-to-limb variation of the quiet solar spectrum near MgII’, *The Astrophysical Journal*, **687**, 646, The American Astronomical Society; Figures 3.10 & 3.11: adapted from Knutson H. A. et al. (2007), ‘Using Stellar Limb-Darkening to Refine the Properties of HD 209458 b’, *The Astrophysical Journal*, **655**, 564, The American Astronomical Society; Figures 3.16 & 3.18: adapted from Charbonneau, D. et al. (2000), ‘Detection of Planetary Transits across a Sun-like Star’, *The Astrophysical Journal*, **529**, 45, The American Astronomical Society;

Figures 4.1 & 4.10: adapted from Udry, S. (2008) Extrasolar planets: XVI Canary Islands Winter School of Astrophysics, CUP; Figure 4.2: CNES; Figures 4.3, 4.4, 4.5, 4.6, 4.7 & 4.9: adapted from Exoplanet Encyclopedia data by A. J. Norton, A. Dackombe and the author; Figures 4.8b & c: adapted from Johnson, J. A. (2009), Draft version of submission *International Year of Astronomy Invited Review on Exoplanets*, © John Asher Johnson; Figure 4.11: adapted from Leger, A. et al. (2009), ‘Transiting exoplanets from the CoRoT space mission: VIII. CoRoT-7b: the first super-Earth with measured radius’, *Astronomy and Astrophysics*, **506**, 287, ESO; Figures 4.12, 4.13 & 4.15: adapted from Guillot, T. (2005) ‘The Interiors of Giant Planets: Models and Outstanding Questions’, *Annual Review of Earth and Planetary Sciences*, **33**, 493, © Annual Reviews; Figures 4.14 & 4.17: adapted from Liu, X., Burrows, A. and Igbui, L. (2008) ‘Theoretical Radii of Extrasolar Giant Planets: the cases of TrES-4, XO-3b and HAT-P-1b’, *The Astrophysical Journal*, **687**, 1191, The American Astronomical Society; Figure 4.16: adapted from Arras, P. and Bildsten, L., (2006), ‘Thermal Structure and Radius Evolution of Irradiated Gas Giant Planets’, *The Astrophysical Journal*, **650**, 394, The American Astronomical Society; Figure 4.19: adapted from Sasselov, D. (2008) ‘Astronomy: Extrasolar Planets’, *Nature*, **451**, 29; Figure 4.20: adapted from Charbonneau, D. et al. (2006), ‘When Extrasolar Planets Transit Their Parent Stars’ review chapter in *Protostars and Planets V* (Space Science Series), Jewitt, D. and Reipurth, B. (eds.) University of Arizona Press; Figure 4.21: adapted from Southworth, J. (2008), ‘Homogeneous

studies of transiting extrasolar planets - I. Light-curve analyses', *Monthly Notices of the Royal Astronomical Society*, **386**, 1644, The Royal Astronomical Society;

Figure 5.1: adapted from a drawing of Frances Bagenal, University of Colorado;

Figure 5.2: adapted from Brown, T. M. (2001) 'Transmission spectra as diagnostics of extrasolar giant planet atmospheres', *The Astrophysical Journal*, **553**, 1006, The American Astronomical Society; Figure 5.4: adapted from Marley, M. S. (2009) 'The atmospheres of extrasolar planets', *Physics and Astrophysics of Planetary Systems*, EDP Sciences; Figure 5.5a: © 2009 Astro.bio.net; Figures 5.5b & c and 5.6: adapted from Charbonneau, D. et al. (2002) 'Detection of an extrasolar planet atmosphere', *The Astrophysical Journal*, **568**, 377, The American Astronomical Society; Figure 5.7: adapted from Vidal-Madjar, A. et al. (2003) 'An extended upper atmosphere around the extrasolar planet HD209458b', *Nature*, **422**, 143, Nature Publishing Group; Figure 5.8: adapted from Charbonneau, D. (2003) 'Atmosphere out of that world', *Nature*, **422**, 124, Nature Publishing Group; Figures 5.9 & 5.10a: adapted from Vidal-Madjar, A. et al. (2004) 'Detection of oxygen and carbon in the hydrodynamically escaping atmosphere of the extrasolar planet HD 209458 B', *The Astrophysical Journal*, **604**, 69, The American Astronomical Society; Figure 5.10b: NASA/MSSTA; Figure 5.11: adapted from Sing, D. K. et al. (2009) 'Transit spectrophotometry of the exoplanet HD189733 b. I. Searching for water but finding haze with HST NICMOS', *Astronomy & Astrophysics*, **505**, 819, European Southern Observatory; Figure 5.12: adapted from Désert, J. et al. (2009) 'Search for carbon monoxide in the atmosphere of the transiting exoplanet HD 189733b', *The Astrophysical Journal*, **699**, 478, The American Astronomical Society; Figure 5.13: adapted from Redfield, S. et al. (2008) 'Sodium Absorption from the exoplanetary atmosphere of HD 189733 B detected in the optical transmission spectrum', *The Astrophysical Journal*, **673**, 87, The American Astronomical Society; Figure 5.14: adapted from Scott Gaudi, B. and Winn, J. N. (2007) 'Prospects for the characterization and confirmation of transiting exoplanets via the Rossiter–McLaughlin effect', *The Astrophysical Journal*, **655**, 550, American Astronomical Society; Figures 5.15 & 5.16: adapted from Winn, J. N. (2007) 'Exoplanets and the Rossiter–McLaughlin Effect', *Transiting Extrasolar Planets Workshop*, ASP Conference Series, **336**, 170, Astronomical Society of the Pacific; Figures 5.19a & b: adapted from Triaud, A. H. M. J. et al. (2009) 'The Rossiter–McLaughlin Effect of CoRoT-3b & HD 189733b', *Astronomy and Astrophysics*, **506**, 377, European Space Operations Centre ESOC; Figure 5.19c: adapted from Bouchy, F. et al. (2008) 'Transiting exoplanets from the CoRoT space mission III. The spectroscopic transit of CoRoT-Exo-2b', *Astronomy and Astrophysics*, **482**, 25, European Space Operations Centre; Figures 5.19d & e: adapted from Narita, N. et al. (2009) 'Improved Measurement of the Rossiter–McLaughlin effect in the Exoplanetary System HD 17156', *Publications of the Astronomical Society of Japan*, **61**, 991, Astronomical Society of Japan; Figure 5.19f: adapted from Hébrard, G. et al. (2009) 'Misaligned spin-orbit in the XO-3 planetary system?', *Astronomy and Astrophysics*, **488**, 763, European Southern Observatory; Figure 5.20: adapted from Fabrycky, D. C. and Winn, J. N. (2009) 'Exoplanetary Spin-Orbit Alignment: results from the ensemble of Rossiter–McLaughlin observations', *The Astrophysical Journal*, **696**, 1230, The American Astronomical Society;

Figure 6.1 adapted from Seager, S., Deming, D. and Valenti, J. A. (2008) in *Astrophysics in the Next Decade: The James Webb Space Telescope and Concurrent Facilities*, Thronson, H. A., Stiavelli, M., Tielens, A. (eds.); Figure 6.3: NASA/JPL-Caltech/R. Hurt (SSC); Figure 6.4: adapted from NASA/JPL-Caltech/D. Charbonneau (Harvard-Smithsonian CfA) and NASA/JPL-Caltech/D. Deming (Goddard Space Flight Center); Figure 6.5: adapted from Deming, D. et al. (2006) ‘Strong infrared emission from the extrasolar planet HD 189733b’, *The Astrophysical Journal*, **644**, 560, The American Astronomical Society; Figure 6.6: adapted from Borucki, W. J. et al. (2009) ‘Kepler’s optical phase curve of the exoplanet HAT-P-7b’, *Science*, **325**, 709, American Association for the Advancement of Science; Figure 6.7: adapted from Charbonneau, D. et al. (2008) ‘The broadband infrared emission spectrum of the exoplanet HD 189733b’, *The Astrophysical Journal*, **686**, 1341, American Association for the Advancement of Science; Figure 6.8a: adapted from Showman, A. P. et al. (2009) ‘Atmospheric circulation of hot jupiters: coupled radiative-dynamical general circulation model simulations of HD189733b and HD209458b’, *The Astrophysical Journal*, **699**, 564, The American Astronomical Society; Figure 6.8b: adapted from Knutson, H. A. et al. (2008) ‘The 3.6–8.0 μm Broadband Emission Spectrum of HD 209458 b: Evidence for an Atmospheric Temperature Inversion’ *The Astrophysical Journal*, **673**, 526, IOP Publishing; Figure 6.8c: adapted from Machalek, P. et al. (2008) ‘Thermal emission of exoplanet XO-1b’, *The Astrophysical Journal*, **684**, 1427, The American Astronomical Society; Figure 6.8d: adapted from Knutson, H. A. et al. (2009) ‘Detection of a temperature inversion in the broadband infrared emission spectrum of TrES-4’, *The Astrophysical Journal*, **691**, 866, The American Astronomical Society; Figures 6.8e & 6.9: adapted from Machalek, P. et al. (2008) ‘Detection of thermal emission of XO-2b: evidence for a weak temperature inversion’, *The Astrophysical Journal*, **701**, 514, The American Astronomical Society; Figure 6.10: adapted from Deming, D. (2008) ‘Emergent exoplanet flux: review of the Spitzer results’, *Transiting Planets — Proceedings of the IAU Symposium*, **253**, 197, International Astronomical Union; Figures 6.11 & 6.12: adapted from Harrington, J. et al. (2006) ‘The phase-dependent infrared brightness of the extrasolar planet ν Andromedae b’, *Science*, **314**, 623, American Association for the Advancement of Science; Figures 6.13 & 6.14: adapted from Knutson, H. A. et al. (2007) ‘A map of the day-night contrast of the extrasolar planet HD 189733b’, *Nature*, **447**, 183, Nature Publishing Group;

Figure 7.1: adapted by A. J. Norton from Exoplanet Encyclopaedia; Figure 7.3: adapted from Jones, B. W., Sleep, P. N. and Underwood, D. R. (2006) ‘Which exoplanetary systems could harbour habitable planets?’, *International Journal of Astrobiology*, **5**(3), 251, CUP; Figure 7.5: NASA/JPL-Caltech/T. Pyle (SSC); Figure 7.6: adapted from Agol, E. et al. (2005) ‘On detecting terrestrial planets with timing of giant planet transits’, *Monthly Notices of the Royal Astronomical Society*, **359**, 567, The Royal Astronomical Society;

Figure 8.2: adapted from ESA/SRE (2009) PLATO-Next Generation Planet Finder-Assessment Study Report 4, December 2009. ESA; Figure 8.3: MEarth Project; Figure 8.4: adapted from Palte E. et al. (2009) ‘Earth’s Transmission spectrum from lunar eclipse observations’, *Nature*, **459**, 814, Nature Publishing Group; Figures 8.5 & 8.6: adapted from Miller-Ricci, E. and Fortney, J. J. (2010) ‘The Nature of the Atmosphere of the Transiting Super-Earth GJ 1214b’, *The*

Astrophysical Journal Letters, **716**, L74, The American Astronomical Society; Figure 8.7: adapted from Seager, S., Deming, D. and Valenti, J. A. (2008) 'Transiting exoplanets with JWST', Thronson, H. A., Tielens, A., Stiavelli, M., (eds.) *Astrophysics in the Next Decade: JWST and Concurrent Facilities*, 123, Astrophysics & Space Science Library. Springer; Figure 8.8: Lahav, N. (1999) *Biogenesis*, courtesy of Noam Lahav; Figure 8.10: Woods Hole Oceanographic Institute, Deep Submergence Operations Group, Dan Fornari.

Every effort has been made to contact copyright holders. If any have been inadvertently overlooked the publishers will be pleased to make the necessary arrangements at the first opportunity.