## PROCEEDINGS OF THE NUTRITION SOCIETY

## DIRECTIONS TO CONTRIBUTORS

The Nutrition Society will publish in its *Proceedings* papers presented by invitation at symposia of the Society and abstracts of original communications presented at other meetings.

Invitations to read papers at symposia are issued on the understanding that the persons invited send their papers for publication in the *Proceedings of The Nutrition Society* in the way outlined in the letter of invitation, at least a fortnight before the meeting, and that the papers will not be offered in that form for prior publication in any other journal.

Original communications presented at other meetings of the Society will be recorded in the *Proceedings* by means of an abstract not exceeding 400 words or the equivalent space in print. These abstracts should be submitted as stated in notices calling such meetings.

General. Contributors who reside outside Great Britain are requested to nominate somebody in Great Britain willing to correct their proofs. Papers from such contributors should be accompanied by a statement of the number of reprints required.

Authors' names should be given without titles or degrees. Women are requested to give one Christian name in full to avoid confusion. The name and address of the laboratory or institution from which the paper is published should be given. Any necessary descriptive material about the author should appear in parentheses after the author's name, or at the end of the paper, and not in the form of a footnote. Typescripts should carry the name and address of the person to whom the proof of the paper is to be sent.

Form of Papers Submitted for Publication. The onus of preparing a paper in a form suitable for sending to press lies in the first place with the author. Authors should consult a current issue in order to make themselves familiar with the practice of the *Proceedings of The Nutrition Society* as to typographical and other conventions, use of cross-headings, lay-out of tables, etc.

Papers should be in double-spaced typing on one side of sheets of uniform size with large margins. They should be written in English, the spelling being that of the Oxford English Dictionary.

References. References should be given in the text thus: Barnett & Robinson (1942), (Culbertson & Thomas, 1933); where a paper to be cited has more than two authors, the names of all the authors should be given when reference is first made, e.g. (Osborne, Mendel & Ferry, 1919); subsequent citations should appear thus (Osborne et al. 1919). Where more than one paper by the same authors has appeared in one year the reference should be given as follows: Osborne & Mendel (1914a); Osborne & Mendel (1914b); or Osborne & Mendel (1914a,b); (Osborne & Mendel, 1914a, 1916; Barnett & Robinson, 1942). At the end of the paper references should be given in alphabetical order according to the name of the first author of the publication quoted, names with prefixes being entered under the prefix, and should include the author's initials; the title of the paper should not be included. Titles of journals should be abbreviated as in the World List of Scientific Periodicals (1952: 3rd ed. Oxford University Press). Examples of such abbreviations will be found in the current numbers of the Proceedings of The Nutrition Society and useful lists have recently been published in the Journal of Physiology (1952, 116, 1), by the Biological Council (A List of Abbreviations of the Titles of Biological Journals, obtainable from H. K. Lewis & Co. Ltd., 136 Gower Street, London, W.C.1, 2s. 6d.) and by the Royal Society (A List of British Scientific Publications, 1950: Cambridge University Press, 2s. 6d.). References to books and monographs should include the town of publication and the name of the publisher, as well as the date of publication and the number of the edition to which reference is made. Thus:

Barnett, J. W. & Robinson, F. A. (1942). Biochem. J. 36, 364.

Culbertson, C. C. & Thomas, B. H. (1934). Rep. Ia agric. Exp. Sta. 1933-4, p. 51.

Doisy, E. A., Somogyi, M. & Shaffer, P.A. (1923). J. biol. Chem. 55, xxxi.

Fairey, N. H. (1938). Nature, Lond., 142, 1156.

Hennessy, D. J. (1941). Industr. Engng Chem. (Anal.), 13, 216.

King, H. (1941). J. chem. Soc. p. 338.

Osborne, T. B. & Mendel, L. B. (1914a). J. biol. Chem. 17, 325.

Osborne, T. B. & Mendel, L. B. (1914b). J. biol. Chem. 18, 1.

Osborne, T. B. & Mendel, L. B. (1916). *Biochem. J.* 10, 534.

Osborne, T. B., Mendel, L. B. & Ferry, E. L. (1919). J. biol. Chem. 37, 233.

Starling, E. H. (1915). Principles of Human Physiology, 2nd ed. London: J. and A. Churchill.

Statistical Treatment of Results. In general it is not necessary to publish all the individual results of replicated tests. A statement of the number, their mean value and some appropriate measure of their variability is usually sufficient.

The methods of analysis followed should be indicated, but statistical details, such as tables of analysis of variance, should be given only if they are relevant to the discussion. A statement that the difference between the mean values of two groups of data is statistically significant should include an indication of the level of significance attained.

Illustrations. Illustrations, which should be approximately twice the size of the finished block, should each be on a separate sheet, packed flat and bearing the author's name. Diagrams should be in indian ink and should be drawn on plain white paper, Bristol board or faintly bluelined paper. Curves based on experimental results should carry clear indications of the experimentally determined points. Letters, numbers, etc., should be written lightly in pencil. On the back of each figure should be written the author's name and the title of the paper. Legends should be typed separately from the illustrations, each on a separate sheet, and numbered correspondingly with the relevant illustration. Figures should be comprehensible without reference to the text. For photographs glossy prints are required; clips should not be used and care should be taken to avoid heavy pressure when writing on the backs.

Tables. Tables should carry headings describing their content and should be comprehensible without reference to the text. The dimensions of the data, e.g. g/100 ml., should be given at the top of each column and not repeated on each line of the table. Tables should not normally be included in the body of the text, but should be typed on separate sheets. Their approximate position in the text should be indicated.

Chemical Formulas. These should be written as far as possible on a single horizontal line. With inorganic substances, formulas may be used, particularly in the experimental portion, at the discretion of the editors. With salts it must be stated whether or not the anhydrous material is used, e.g. anhydrous CuSO<sub>4</sub>, or which of the different crystalline forms is indicated, e.g. CuSO<sub>4</sub>.5H<sub>2</sub>O, CuSO<sub>4</sub>.H<sub>2</sub>O.

Description of Solutions. Solutions of common acids, bases and salts are preferably defined in terms of normality (N) or molarity (M), e.g. N-HCl; 0.1 M-NaH<sub>4</sub>PO<sub>4</sub>. The term '%' must be used in its correct sense, i.e. g/100 g of solution. 10% HCl means 10 g of hydrogen chloride in 100 g of aqueous solution, and should never be used to indicate a tenfold dilution of laboratory concentrated hydrochloric acid. For 'per cent by volume', i.e. ml./100 ml., the term '% (v/v)' may be employed. To indicate that a given weight of substance is contained in 100 ml. of solution, the term '% (w/v)' may be used.

Nomenclature of Vitamins. The following names have been adopted by the Commission for the Reform of Nomenclature in Biological Chemistry of the International Union of Pure and Applied Chemistry and have been accepted by the Editors of the *Proceedings of The Nutrition Society*:

Vitamin D<sub>2</sub> or calciferol

Vitamin D<sub>2</sub> or calciferol

Vitamin D<sub>3</sub>

Vitamin E

Vitamin B<sub>1</sub>, aneurin or

thiamine

Name adopted

Ergocalciferol\*

α-, β- and γ-tocopherol

Thiamine

\* This name has the advantage of permitting other D vitamins, derived from 7-dehydrosterols, to be named by analogy through the use of the appropriate prefix.

Vitamin B<sub>2</sub> or riboflavin Vitamin PP, niacinamide or

nicotinamide
Vitamin B<sub>12</sub>
Vitamin B<sub>12b</sub>
Vitamin B<sub>12c</sub>
Vitamin C=ascorbic acid

Riboflavin

Nicotinamide†
Cyanocobalamin‡
Hydroxocobalamin‡
Nitritocobalamin‡
Ascorbic acid

The Editors of the *Proceedings of The Nutrition Society* wish to retain the old more comprehensive names of vitamin D, vitamin E, vitamin  $B_1$ , vitamin  $B_{12}$  and vitamin C to cover the biological activity where more than one active substance is or may be concerned.

The names vitamin A  $(A_1, A_2)$ , pantothenic acid, biotin, p-aminobenzoic acid and choline remain unchanged.

The names for vitamin K, the pyridoxin group, inositol and the folic-acid group have not yet been settled.

Nomenclature of Micro-organisms. Scientific names of bacteria should be binomials, the generic name only with a capital, and should be underlined once (for italic) in the typescript. Names for new species or genera, or new combinations of generic and specific names, should be formed in accordance with the International Bacteriological Code published in J. Bact. 1948, 55, 287, and (in 1949) in Int. Congr. Microbiol. IV (1948), Copenhagen, p. 587. Wherever possible the names of recognized species should be those used in Topley & Wilson's Principles of Bacteriology and Immunity (1946: 3rd ed. London: Edward Arnold and Co.) and in M.R.C. Memor. no. 21, 1948 (List of Species Maintained in the National Collection of Type Cultures). However, where authors wish for good reasons to use some other name (e.g. one used in Bergey's Manual of Determinative Bacteriology, 1948: 6th ed. London: Baillière, Tindall and Cox), the Topley & Wilson name should be inserted in parentheses at the first citation thus: Serratia marcescens (Chromobacterium prodigiosum).

A name must be given in full at the first mention in a paper; in subsequent mention the generic name may be abbreviated, but the abbreviations must be unambiguous. Single letter abbreviations should, in general, be avoided (thus: Staph. aureus, Strep. pyogenes, not S. aureus, S. pyogenes). When the generic name is used to define a group it should have a capital but should not be italicized; trivial names, or generic names used as adjectives, should not have capitals or be italicized. Examples of 'trivial names' are: staphylococci, streptococci, and meningococci or meningococcus (generic name is Neisseria). Staphylococcus and Streptococcus are generic names and the following passage illustrates the correct usage. 'This investigation is concerned with Salmonella enteritidis, because this Salmonella is important as a cause of disease in man and, because of experimental salmonella infections in the mouse, it is the most easily controlled.

- † In addition, the Editors of the *Proceedings of The Nutrition Society* propose always to use nicotinic acid and not niacin.
- ‡ This name is recommended for adoption because it conforms to Werner's nomenclature for cobalt coordination complexes, and because it provides a system of terminology which may be extended, by analogy, to many modified cobalamins.

Tests with staphylococci, including *Staph. aureus*, have not contributed to the understanding of susceptibility to staphylococcal infection.'

Microfungi should be designated as in Ainsworth & Bisby's A Dictionary of the Fungi (1945: 2nd ed. Kew: Imperial Mycological Institute).

Other Nomenclature, Symbols and Abbreviations. Authors should follow current numbers of the Proceedings of The Nutrition Society in this connexion. The chemical nomenclature adopted is that followed by the Chemical Society (see J. chem. Soc. 1936, p. 1067 and Mitchell, A. D., 1948, British Chemical Nomenclature, London: Edward Arnold and Co.). For the nomenclature of amino-acids Brit. J. Nutr. 1953, 7, 1, should be consulted. With a few exceptions the symbols and abbreviations are those adopted by the Symbols Committee of the Royal Society in 1951 (Symbols, Signs and Abbreviations Recommended for British Scientific Publications, obtainable from the Chemical Society, Burlington House, London, W.1). Of the exceptions, one of the most important is that the Proceedings of The Nutrition Society continues to use Cal. for the kilogram-calorie (instead of kcal). B.M.R. may be used for basal metabolic rate or basal metabolism.

Spectrophotometric terms and symbols are those proposed by the Society of Public Analysts and other Analytical Chemists (see *The Analyst*, 1942, 67, 164). For mathematical notation and numerals the rules laid

down in *Proc. roy. Soc.* A, 1909, **82**, 14, should be followed. The attention of authors is particularly drawn to the following symbols:  $m(=milli)=10^{-3}$  and  $\mu(=micro)=10^{-6}$ . Note also that ml. (millilitres) should be used instead of c.c., and  $\mu g$  (micrograms) instead of  $\gamma$ .

**Proofs.** Proofs are sent to authors in order that they may make sure that the paper has been correctly set up in type, and not that they may add new material. Otherwise increased printing charges are inevitable. Excessive alteration may have to be disallowed. The symbols used to indicate corrections should be those laid down in *British Standard* 1219: 1945 (2s. 6d.); a shortened version is also published (B.S. 1219C: 1945, 6d.).

Reprints. Twenty-five reprints are supplied free of cost. Additional reprints may be purchased if the Printers are notified on the appropriate form immediately the proof of the paper is received.

For reprints of abstracts of communications see below.

Abstracts of Communications. Authors who wish to have summaries of papers read by them before The Nutrition Society recorded in the *Proceedings* must submit them in a final form as no proofs will be sent out. Reprints should be ordered direct from Lamport Gilbert & Co. Ltd., 3 & 4 Gun Street, Reading, Berks. No free reprints are given.