### **CHAPTER ONE**

# Introduction

# 1.1 What Is Virtual Reality?

Virtual reality (VR) technology is evolving rapidly, making it undesirable to define VR in terms of specific devices that may fall out of favor in a year or two. In this book, we are concerned with fundamental principles that are less sensitive to particular technologies and therefore survive the test of time. Our first challenge is to consider what VR actually means in a way that captures the most crucial aspects in spite of rapidly changing technology. The concept must also be general enough to encompass what VR is considered today and what we envision for its future.


We start with two thought-provoking examples: (1) A human having an experience of flying over virtual San Francisco by flapping his own wings (Figure 1.1); (2) a gerbil running on a freely rotating ball while exploring a virtual maze that appears on a projection screen around the gerbil (Figure 1.2). We want our definition of VR to be broad enough to include these examples and many more, which are coming in Section 1.2. This motivates the following.

**<u>Definition of VR:</u>** Inducing targeted behavior in an organism by using artificial sensory stimulation, while the organism has little or no awareness of the interference.

Four key components appear in the definition:

- 1. *Targeted behavior*: The organism is having an "experience" that was designed by the creator. Examples include flying, walking, exploring, watching a movie, and socializing with other organisms.
- 2. *Organism:* This could be you, someone else, or even another life form such as a fruit fly, cockroach, fish, rodent, or monkey. (Scientists have used VR technology on all of these!)
- 3. Artificial sensory stimulation: Through the power of engineering, one or more senses of the organism become co-opted, at least partially, and their ordinary inputs are replaced or enhanced by artificial stimulation.
- 4. Awareness: While having the experience, the organism seems unaware of the interference, thereby being "fooled" into feeling immersed in a virtual world. This unawareness may lead to a sense of *presence* in an altered or alternative world. It is accepted as being natural.





**Figure 1.1** In the Birdly experience from the Zurich University of the Arts, the user, wearing a VR headset, flaps his wings while flying over virtual San Francisco. A motion platform and fan provide additional sensory stimulation. The figure on the right shows the stimulus presented to each eye.

You have probably seen optical illusions before. A VR system causes a *perceptual illusion* to be maintained for the organism. For this reason, human physiology and perception represent a large part of this book.

### **Testing the Boundaries**


The examples shown in Figures 1.1 and 1.2 clearly fit the definition. Anyone donning a modern VR headset and enjoying a session should also be included. How far does our VR definition allow one to stray from the most common examples? Perhaps listening to music through headphones should be included. What about watching a movie at a theater? Clearly, technology has been used in the form of movie projectors and audio systems to provide artificial sensory stimulation. Continuing further, what about a portrait or painting on the wall? The technology in this case involves paints and a canvass. Finally, we might even want reading a novel to be considered as VR. The technologies are writing and printing. The stimulation is visual but does not seem as direct as a movie screen and audio system. In this book, we do not worry too much about the precise boundary of our VR definition. Good arguments could be made either way about some of these borderline cases, but it is more important to understand the key ideas for the core of VR. The boundary cases also serve as a good point of reference for historical perspective, which is presented in Section 1.3.

#### Who Is the Fool?


Returning to the VR definition, the idea of "fooling" an organism might seem fluffy or meaningless; however, this can be made surprisingly concrete using research from neurobiology. When an animal explores its environment, neural structures composed of *place cells* are formed that encode spatial information about its surroundings [239, 243]; see Figure 1.3(a). Each place cell is activated precisely when the organism

<sup>&</sup>lt;sup>1</sup> This is also referred to as a *head-mounted display* or *HMD*.

#### 1.1 WHAT IS VIRTUAL REALITY?



**Figure 1.2** (a) An experimental setup used by neurobiologists at LMU Munich to present visual stimuli to a gerbil while it runs on a spherical ball that acts as a treadmill [330]. (b) The gerbil appears to be in a panoramic movie theater.



**Figure 1.3** (a) We animals have neurons assigned as *place cells*, which fire when we return to specific locations. This figure depicts the spatial firing patterns of eight place cells in a rat's brain as it runs back and forth along a winding track (figure by Stuart Layton). (b) We even have *grid cells*, which fire in uniformly, spatially distributed patterns, apparently encoding location coordinates.

returns to a particular location that is covered by it. Although less understood, *grid cells* even encode locations in a manner similar to Cartesian coordinates [227] (Figure 1.3(b)). It has been shown that these neural structures may form in an organism even when having a VR experience [2, 44, 114]. In other words, our brains may form place cells for places that are not real! This is a clear indication that VR is fooling our brains, at least partially. At this point, you may wonder whether reading a novel that meticulously describes an environment that does not exist will cause place cells to be generated.

We also cannot help wondering whether we are always being fooled and some greater reality has yet to reveal itself to us. This problem has intrigued the greatest philosophers over many centuries. One of the oldest instances is the *Allegory of the Cave*, presented by Plato in *Republic*. In this, Socrates describes the perspective of




Figure 1.4 A VR thought experiment: the brain in a vat, by Gilbert Harman in 1973.

people who have spent their whole lives chained to a cave wall. They face a blank wall and only see shadows projected onto the walls as people pass by. He explains that the philosopher is like one of the cave people being finally freed from the cave to see the true nature of reality rather than being only observed through projections. This idea has been repeated and popularized throughout history, and also connects deeply with spirituality and religion. In 1641, René Descartes hypothesized the idea of an *evil demon* who has directed his entire effort at deceiving humans with the illusion of the external physical world. In 1973, Gilbert Harman introduced the idea of a *brain in a vat* (Figure 1.4), which is a thought experiment that suggests how such an evil demon might operate. This is the basis of the 1999 movie *The Matrix*. In that story, machines have fooled the entire human race by connecting their brains to a convincing simulated world, while harvesting their real bodies. The lead character, Neo, must decide whether to face the new reality or take a memory-erasing pill that will allow him to comfortably live in the simulation without awareness of the ruse.

### Terminology Regarding Various "Realities"

The term *virtual reality* dates back to eighteenth-century philosopher Immanuel Kant [342], although its use did not involve technology. Kant introduced the term to refer to the "reality" that exists in someone's mind, as differentiated from the external physical world, which is also a reality. The modern use of the VR term was popularized by Jaron Lanier in the 1980s. Unfortunately, the name *virtual reality* itself seems to be self-contradictory, which is a philosophical problem rectified in [34] by proposing the alternative term *virtuality*. While acknowledging this issue, we will nevertheless continue with the term *virtual reality*. The following distinction, however, will become important: the *real world* refers to the physical world that contains the user at the time of the experience, and the *virtual world* refers to the perceived world as part of the targeted VR experience.

Although the term VR is already quite encompassing, several competing terms related to VR are in common use at present. The term *virtual environments* predates widespread usage of VR and is preferred by most university researchers [109]. It

#### 1.1 WHAT IS VIRTUAL REALITY?

is typically considered to be synonymous with VR; however, we emphasize in this book that the perceived environment could be a photographically captured "real" world just as well as a completely synthetic world. Thus, the perceived environment presented in VR need not seem "virtual." Augmented reality (AR) refers to systems in which most of the visual stimuli are propagated directly through glass or cameras to the eyes, and some additional structures, such as text and graphics, appear to be superimposed onto the user's world. The term mixed reality (MR) is sometimes used to refer to an entire spectrum that encompasses VR, AR, and ordinary reality [216]. People have realized that these decades-old terms and distinctions have eroded away in recent years, especially as unifying technologies have rapidly advanced. Therefore, attempts have been made to hastily unify them back together again under the headings XR, extended reality, VR/AR, AR/VR, VR/AR/MR, and so on.

The related notion of *telepresence* refers to systems that enable users to feel like they are somewhere else in the real world; if they are able to control anything, such as a flying drone, then *teleoperation* is an appropriate term. For our purposes, virtual environments, augmented reality, mixed reality, telepresence, and teleoperation will all be considered as perfect examples of VR.


The most important idea of VR is that the user's perception of reality has been altered through engineering, rather than whether the environment they believe they are in seems more "real" or "virtual." A perceptual illusion has been engineered. Thus, another reasonable term for this area, especially if considered as an academic discipline, could be *perception engineering*, whereby engineering methods are being used to design, develop, and deliver perceptual illusions to the user. Figure 1.5 illustrates the ingredients of perception engineering, which also motivates the topics of book, and are a mixture of engineering and human psysiology and perception.

# Interactivity

Most VR experiences involve another crucial component: *interaction*. Does the presented experience depend on actions taken by the organism? If the answer is "no," then the VR system is called *open-loop*; otherwise, it is *closed-loop*. In the case of closed-loop VR, the organism has partial control over the presented experience, which could vary as a result of body motions, including eyes, head, hands, or legs. Other possibilities include voice commands, heart rate, body temperature, and skin conductance (indicates whether the user is sweating).

### First- versus Third-Person

Some readers of this book might want to develop VR systems or experiences. In this case, pay close attention to this next point! When a scientist designs an experiment for an organism, as shown in Figure 1.2, then the separation is clear: the laboratory subject (organism) has a *first-person* experience, while the scientist is a *third-person* observer. The scientist carefully designs the VR system as part of an experiment that will help to resolve a scientific hypothesis. For example, would turning off a few neurons in a rat's brain affect its navigation ability? On the other hand, when engineers or developers construct a VR system or experience, they are usually targeting themselves and people like them. They feel perfectly comfortable moving back and forth between being the "scientist" and the "lab subject" while evaluating and refining



**Figure 1.5** When considering a VR system, it is tempting to focus only on the traditional engineering parts: hardware and software. However, it is equally important, if not more important, to understand and exploit the characteristics of human physiology and perception. Because we did not design ourselves, these fields can be considered as reverse engineering. All of these parts tightly fit together to form *perception engineering*.

their work. As you will learn throughout this book, this is a bad idea! The creators of the experience are heavily biased by their desire for it to succeed without having to redo their work. They also know what the experience is supposed to mean or accomplish, which provides a strong bias in comparison to a fresh tester. To complicate matters further, the creator's body will physically and mentally adapt to whatever flaws are present so that they may soon become invisible. You have probably seen these kinds of things before. For example, it is hard to predict how others will react to your own writing. Also, it is usually harder to proofread your own writing in comparison to that of others. In the case of VR, these effects are much stronger and yet elusive to the point that you must force yourself to pay attention to them. Take great care when co-opting the senses that you have trusted all of your life. This will most likely be uncharted territory for you.

### More Real Than Reality?

How "real" should the VR experience be? It is tempting to try to make it match our physical world as closely as possible. This is referred to in Section 10.1 as the *universal simulation principle*: Any interaction mechanism in the real world can be simulated in VR. Our brains are most familiar with these settings, thereby making them seem most appropriate. This philosophy has dominated the video game industry at times, for example, in the development of highly realistic first-person shooter (FPS) games that are beautifully rendered on increasingly advanced graphics cards. In spite of this, understand that extremely simple, cartoon-like environments can also be effective and even preferable. Examples appear throughout history, as discussed in Section 1.3.

If you are a creator of VR experiences, think carefully about the task, goals, or desired effect you want to have on the user. You have the opportunity to make the experience *better than reality*. What will they be doing? Taking a math course?

#### 1.1 WHAT IS VIRTUAL REALITY?

Experiencing a live theatrical performance? Writing software? Designing a house? Maintaining a long-distance relationship? Playing a game? Having a meditation and relaxation session? Traveling to another place on Earth, or in the universe? For each of these, think about how the realism requirements might vary. For example, consider writing software in VR. We currently write software by typing into windows that appear on a large screen. Note that even though this is a familiar experience for many people, it was not even possible in the physical world of the 1950s. In VR, we could simulate the modern software development environment by convincing the programmer that she is sitting in front of a screen; however, this misses the point that we can create almost anything in VR. Perhaps a completely new interface will emerge that does not appear to be a screen sitting on a desk in an office. For example, the windows could be floating above a secluded beach or forest. Furthermore, imagine how a debugger could show the program execution trace. In all of these examples, it will be important to determine the perception-based criteria that need to be satisfied for the perceptual illusions to be convincingly and comfortably maintained for the particular VR experience of interest.

### Synthetic versus Captured

Two extremes exist when constructing a virtual world as part of a VR experience. At one end, we may program a *synthetic* world, which is completely invented from geometric primitives and simulated physics. This is common in video games and such virtual environments were assumed to be the main way to experience VR in earlier decades. At the other end, the world may be captured using modern imaging techniques. For viewing on a screen, the video camera has served this purpose for over a century. Capturing panoramic images and videos and then seeing them from any viewpoint in a VR system is a natural extension. In many settings, however, too much information is lost when projecting the real world onto the camera sensor. What happens when the user changes her head position and viewpoint? More information should be captured in this case. Using depth sensors and SLAM (Simultaneous Localization And Mapping) techniques, a 3D representation of the surrounding world can be captured and maintained over time as it changes. It is often difficult, however, to construct an accurate and reliable representation, unless the environment is explicitly engineered for such capture (for example, a motion capture studio).

As humans interact, it becomes important to track their motions, which is an important form of capture. What are their facial expressions while wearing a VR headset? Do we need to know their hand gestures? What can we infer about their emotional state? Are their eyes focused on me? Synthetic representations of ourselves called *avatars* enable us to interact and provide a level of anonymity, if desired in some contexts. The attentiveness or emotional state can be generated synthetically. We can also enhance our avatars by tracking the motions and other attributes of our actual bodies. A well-known problem is the *uncanny valley*, in which a high degree of realism has been achieved in an avatar, but its appearance makes people feel uneasy. It seems almost right, but the small differences are disturbing. There is currently no easy way to make ourselves appear to others in a VR experience exactly as we do in the real world, and in most cases, we might not want to.

### **Health and Safety**

Although the degree of required realism may vary based on the tasks, one requirement remains invariant: the health and safety of the users. Unlike simpler media such as radio or television, VR has the power to overwhelm the senses and the brain, leading to fatigue or sickness. This phenomenon has been studied under the heading of *simulator sickness* for decades; in this book we will refer to adverse symptoms from VR usage as *VR sickness*. Sometimes the discomfort is due to problems in the VR hardware and low-level software; however, in many cases, it is caused by a careless developer who misunderstands or disregards the side effects of the experience on the user. This is one reason why human physiology and perceptual psychology are large components of this book. To engineer comfortable VR experiences, one must understand how these factor in. In many cases, fatigue arises because the brain appears to work harder to integrate the unusual stimuli being presented to the senses. In some cases, inconsistencies with prior expectations, and outputs from other senses, even lead to dizziness and nausea.

Another factor that leads to fatigue is an interface that requires large amounts of muscular effort. For example, it might be tempting to move objects around in a sand-box game by moving your arms around in space. This quickly leads to fatigue and an avoidable phenomenon called *gorilla arms*, in which people feel that the weight of their extended arms is unbearable. However, by following the principle of the computer mouse, it may be possible to execute large, effective motions in the virtual world by small, comfortable motions of a controller. Over long periods of time, the brain will associate the motions well enough for it to seem realistic while also greatly reducing fatigue. This will be revisited in Section 10.1.


# 1.2 Modern VR Experiences

The current generation of VR systems was brought about by advances in display, sensing, and computing technology from the smartphone industry. From Palmer Luckey's 2012 Oculus Rift design to building a viewing case for smart phones [123, 244, 312], the world has quickly changed as VR headsets are mass produced and placed onto the heads of millions of people. This trend is similar in many ways to the home computer and web browser revolutions; as a wider variety of people have access to the technology, the set of things they do with it substantially broadens.

This section provides a quick overview of what people are doing with VR systems, and provides a starting point for searching for similar experiences on the Internet. Here, we can only describe the experiences in words and pictures, which is a long way from the appreciation gained by experiencing them yourself. This printed medium (a book) is woefully inadequate for fully conveying the medium of VR. Perhaps this is how it was in the 1890s to explain in a newspaper what a movie theater was like! If possible, it is strongly recommended that you try many VR experiences yourself to form first-hand opinions and spark your imagination to do something better.

#### **Video Games**

People have dreamed of entering their video game worlds for decades. By 1982, this concept was already popularized by the Disney movie Tron. Figure 1.6 shows several video game experiences in VR. Most gamers currently want to explore large,



**Figure 1.6** (a) Valve's Portal 2 demo, which shipped with The Lab for the HTC Vive headset, is a puzzle-solving experience in a virtual world. (b) The Virtuix Omni treadmill for walking through first-person shooter games. (c) Lucky's Tale for the Oculus Rift maintains a third-person perspective as the player floats above her character. (d) In the Dumpy game from DePaul University, the player appears to have a large elephant trunk. The purpose of the game is to enjoy this unusual embodiment by knocking things down with a swinging trunk.

realistic worlds through an avatar. Figure 1.6(a) shows Valve's Portal 2 for the HTC Vive headset. Figure 1.6(b) shows an omnidirectional treadmill peripheral that gives users the sense of walking while they slide their feet in a dish on the floor. These two examples give the user a *first-person* perspective of his character. By contrast, Figure 1.6(c) shows Lucky's Tale, which instead yields a comfortable *third-person* perspective as the user seems to float above the character that she controls. Figure 1.6(d) shows a game that contrasts with all the others in that it was designed to specifically exploit the unique opportunities of VR.

#### **Immersive Cinema**

Hollywood movies continue to offer increasing degrees of realism. Why not make the viewers feel like they are part of the scene? Figure 1.7 shows an immersive short story. Movie directors are entering a fascinating new era of film. The tricks of the trade that were learned across the twentieth century need to be reinvestigated because they are based on the assumption that the cinematographer controls the camera viewpoint. In VR, viewers can look in any direction, and perhaps even walk through the scene. What should they be allowed to do? How do you make sure they do not miss part of the story? Should the story be linear, or should it adapt to the viewer's actions? Should the viewer be a first-person character in the film, or a third-person observer who is invisible to the other characters? How can a group of friends experience a VR film together? When are animations more appropriate versus the capture of real scenes?



**Figure 1.7** In 2015, Oculus Story Studio produced Emmy-winning *Henry*, an immersive short story about an unloved hedgehog who hopes to make a new friend, the viewer.



Figure 1.8 The Virtual Movie Theater. Viewers can choose their seats in the theater and watch various movies.

It will take many years to resolve these questions and countless more that will arise. In the meantime, VR can also be used as a kind of "wrapper" around existing movies. Figure 1.8 shows the Virtual Movie Theater application, which allows the user to choose any seat in a virtual movie theater. Whatever standard movies or videos that are on the user's hard drive can be streamed to the screen in the theater. These could be 2D or 3D movies. A projector in the back emits flickering lights




**Figure 1.9** An important component for achieving telepresence is to capture a panoramic view. (a) A car with cameras and depth sensors on top, used by Google to make Street View. (b) The Insta360 Pro 2 captures and streams omnidirectional videos.

and the audio is adjusted to mimic the acoustics of a real theater. This provides an immediate way to leverage all content that was developed for viewing on a screen, and bring it into VR. Many simple extensions can be made without modifying the films. For example, in a movie about zombies, a few virtual zombies could enter the theater and start to chase you. In a movie about tornadoes, perhaps the theater rips apart. You can also have a social experience. Imagine having "movie night" with your friends from around the world, while you sit together in the virtual movie theater. You can even have the thrill of misbehaving in the theater without getting thrown out.

### **Telepresence**

The first step toward feeling like we are somewhere else is capturing a panoramic view of the remote environment (Figure 1.9). Google's Street View and Earth apps already rely on the captured panoramic images from millions of locations around the world. Simple VR apps that query the Street View server directly enable the user to feel like he is standing in each of these locations, while easily being able to transition between nearby locations (Figure 1.10). Panoramic video capture is even more compelling. Figure 1.11 shows a frame from an immersive rock concert experience. Even better is to provide *live* panoramic video interfaces, through which people can attend sporting events and concerts. Through a live interface, interaction is possible. People can take video conferencing to the next level by feeling present at the remote location. By connecting panoramic cameras to robots, the user is even allowed to move around in the remote environment (Figure 1.12). Current VR technology allows us to virtually visit faraway places and interact in most of the ways that were previously possible only while physically present. This leads to improved opportunities for telecommuting to work. This could ultimately help reverse the urbanization trend





**Figure 1.10** A simple VR experience that presents Google Street View images through a VR headset. (a) A familiar scene in Paris. (b) Left- and right-eye views are created inside the headset, while also taking into account the user's looking direction.

sparked by the nineteenth-century Industrial Revolution, leading to *deurbanization* as we distribute more uniformly around the Earth.

### **Virtual Societies**

Whereas telepresence makes us feel like we are in another part of the physical world, VR also allows us to form entire societies that remind us of the physical world but are synthetic worlds that contain avatars connected to real people. Figure 1.13 shows a Second Life scene in which people interact in a fantasy world through avatars; such experiences were originally designed to view on a screen but can now be experienced through VR. Groups of people could spend time together in these spaces for a variety of reasons, including common special interests, educational goals, or simply an escape from ordinary life.

### **Empathy**

The first-person perspective provided by VR is a powerful tool for causing people to feel *empathy* for someone else's situation. The world continues to struggle with acceptance and equality for others of different race, religion, age, gender, sexuality, social status, and education, while the greatest barrier to progress is that most people cannot fathom what it is like to have a different identity. Figure 1.14 shows a VR project sponsored by the United Nations to yield feelings of empathy for those caught up in the Syrian crisis of 2015. Some of us may have compassion for the plight of others, but it is a much stronger feeling to understand their struggle because you have been there before. Figure 1.15 shows a VR system that allows men and women





Figure 1.11 A panoramic camera on a stage provides a VR experience where users feel like they were on stage with rock stars (in this case, the band Queen).





**Figure 1.12** Examples of robotic avatars. (a) The DORA robot from the University of Pennsylvania mimics the user's head motions, allowing him to look around in a remote world while maintaining a stereo view. (Panoramas are monoscopic.) (b) The PlexiDrone, a flying robot that is designed for streaming panoramic video.

to swap bodies. Through virtual societies, many more possibilities can be explored. What if you were 10 cm shorter than everyone else? What if you teach your course with a different gender? What if you were the victim of racial discrimination by the police? Using VR, we can imagine many "games of life" where you might not get as far without being in the "proper" group.

### **Education**

In addition to teaching empathy, the first-person perspective could revolutionize many areas of education. In engineering, mathematics, and the sciences, VR offers the chance to visualize geometric relationships for difficult concepts or data that are hard to interpret. Furthermore, VR is naturally suited for practical training because skills developed in a realistic virtual environment should transfer naturally to the real environment. The motivation is particularly high if the real environment is costly to provide or poses health risks. One of the earliest and most common examples of training in VR is *flight simulation* (Figure 1.16). Other examples include




**Figure 1.13** Virtual societies develop through interacting avatars that meet in virtual worlds that are maintained on a common server. A snapshot from Second Life is shown here.



**Figure 1.14** In *Clouds Over Sidra*, 2015, film producer Chris Milk offered a first-person perspective on the suffering of Syrian refugees.

firefighting, nuclear power plant safety, search-and-rescue, military operations, and medical procedures.

Beyond these common uses of VR, perhaps the greatest opportunities for VR education lie in the humanities, including history, anthropology, and foreign language acquisition. Consider the difference between reading a book on the Victorian era in England versus being able to roam the streets of nineteenth-century London, in a simulation that has been painstakingly constructed by historians. We could even visit important cultural heritage sites, past or present (Figure 1.17). Fascinating possibilities exist for either touring *physical* museums through a VR interface or scanning



**Figure 1.15** In 2014, BeAnotherLab, an interdisciplinary collective, created "The Machine to Be Another" where you can swap bodies with the other gender. Each person wears a VR headset that has cameras mounted on its front. Each person therefore sees the world from the approximate viewpoint of the other person. They are asked to move their hands in coordinated motions so that they see their new body moving appropriately.



**Figure 1.16** A flight simulator in use by the US Air Force. The user sits in a physical cockpit while being surrounded by displays that show the environment.





**Figure 1.17** A VR experience that visits the ancient Dunhuang caves in western China, developed by Tsinghua University and the Dunhuang Academy.

and exhibiting artifacts directly in *virtual* museums. These examples fall under the heading of *digital heritage*.

### **Virtual Prototyping**

In the real world, we build prototypes to understand how a proposed design feels or functions. Thanks to 3D printing and related technologies, this is easier than ever. At the same time, *virtual prototyping* enables designers to inhabit a virtual world that contains their prototype (Figure 1.18). They can quickly interact with it and make modifications. They also have opportunities to bring clients into their virtual world so that they can communicate their ideas. Imagine you want to remodel your kitchen. You could construct a model in VR and then explain to a contractor exactly how it should look. Virtual prototyping in VR has important uses in many businesses, including real estate, architecture, and the design of aircraft, spacecraft, cars, furniture, clothing, and medical instruments.

### **Health Care**

Although health and safety are challenging VR issues, the technology can also help to improve our health. There is an increasing trend toward distributed medicine, in which doctors train people to perform routine medical procedures in remote communities around the world. Doctors can provide guidance through telepresence, and also use VR technology for training. In another use of VR, doctors can immerse themselves in 3D organ models that were generated from medical scan data (Figure 1.19). This enables them to better plan and prepare for a medical procedure by studying the patient's body shortly before an operation. They can also explain medical options to the patient or his family so that they may make more informed decisions. In yet another use, VR can directly provide therapy to help patients. Examples include overcoming phobias and stress disorders through repeated exposure, improving or maintaining cognitive skills in spite of aging, and improving motor skills to overcome balance, muscular, or nervous system disorders. VR systems could also one day improve longevity by enabling aging people to virtually travel, engage in fun physical therapy, and overcome loneliness by connecting with family and friends through an interface that makes them feel present and included in remote activities.






**Figure 1.18** Architecture is a prime example of where a virtual prototype is invaluable. This demo, called Ty Hedfan, was created by IVR-NATION. The real room is shown in the upper photo and the virtual room in the lower one.

# **Augmented and Mixed Reality**

In many applications, it is advantageous for users to see the live, real world with some additional graphics superimposed to enhance its appearance; see Figure 1.20.



**Figure 1.19** A heart visualization system based on images of a real human heart. This was developed by the Jump Trading Simulation and Education Center and the University of Illinois.

Recall that this is often referred to as AR or MR (both of which we consider to be part of VR in this book). By placing text, icons, and other graphics into the real world, the user could leverage the power of the Internet to help with many operations such as navigation, social interaction, and mechanical maintenance. Many applications to date are targeted at helping businesses to conduct operations more efficiently. Imagine a factory environment in which workers see identifying labels above parts that need to assembled, or they can look directly inside a machine to determine potential replacement parts.

These applications rely heavily on advanced computer vision techniques, which must identify objects, reconstruct shapes, and identify lighting sources in the real world before determining how to draw virtual objects that appear to be naturally embedded. Achieving a high degree of reliability becomes a challenge because vision algorithms make frequent errors in unforeseen environments. The real-world lighting conditions must be estimated to determine how to draw the virtual objects and any shadows they might cast onto real parts of the environment and other virtual objects. Furthermore, the real and virtual objects may need to be perfectly aligned in some use cases, which places strong burdens on both tracking and computer vision systems.

Several possibilities exist for visual displays. A fixed screen should show images that are enhanced through 3D glasses. A digital projector could augment the environment by shining light onto objects, giving them new colors and textures, or by placing text into the real world. A handheld screen, which is part of a smartphone or tablet, could be used as a window into the basis of the popular Nintendo Pokemon Go basis of the Nintendo Pokemon Go game; see Figure 1.21. The cases more relevant for this book involve mounting the display on the head. In this case, two main



**Figure 1.20** The Microsoft Hololens, first generation, uses advanced see-through display technology to superimpose graphical images onto the ordinary physical world, as perceived by looking through the glasses.

approaches exist. In a *see-through display*, the users see most of the real world by simply looking through a transparent material, while the virtual objects appear on the display to disrupt part of the view. Headsets with advanced see-through display technology include Google Glass, Microsoft Hololens, and Magic Leap. Achieving high resolution, wide field of view, and the ability to block out incoming light remain significant challenges for affordable consumer-grade devices; however, it may well be solved within a few years. An alternative is a *pass-through display*, which sends images from an outward-facing camera to a standard screen inside the headset. Pass-through displays overcome current see-through display problems, but sometimes suffer from latency, optical distortion, color distortion, and limited dynamic range.

# **New Human Experiences**

Finally, the point of VR might be to simply provide a new human experience. Through telepresence, people can try experiences through the eyes of robots or other people. However, we can go further by giving people experiences that are impossible (or perhaps deadly) in the real world. Most often, artists are the ones leading this effort. The Birdly experience of human flying (Figure 1.1) was an excellent example. Figure 1.22 shows two more. What if we change our scale? Imagine being 2 mm tall and looking ants right in the face. Compare that to being 50 m tall and towering over a city while people scream and run from you. What if we simulate the effect of drugs in your system? What if you could become your favorite animal? What if you became a piece of food? The creative possibilities for artists seem to be endless. We are limited only by what our bodies can comfortably handle. Exciting adventures lie ahead!



**Figure 1.21** Nintendo Pokemon Go is a geolocation-based game from 2016 that allows users to imagine a virtual world that is superimposed on the real world. They can see Pokemon characters only by looking "through" their smartphone screen.



**Figure 1.22** (a) In 2014, Epic Games created a wild roller-coaster ride through a virtual living room. (b) A guillotine simulator was made in 2013 by Andre Berlemont, Morten Brunbjerg, and Erkki Trummal. Participants were hit on the neck by friends as the blade dropped, and they could see the proper perspective as their heads rolled.

# 1.3 History Repeats

### **Staring at Rectangles**

How did we arrive at VR as it exists today? We start with a history that predates what most people would consider to be VR, but includes many aspects crucial to VR that have been among us for tens of thousands of years. Long ago, our ancestors




**Figure 1.23** (a) A 30,000-year-old painting from the Bhimbetka rock shelters in India (photo by Archaelogical Survey of India). (b) An English painting from around 1470 that depicts John Ball encouraging Wat Tyler rebels (unknown artist). (c) A painting by Hans Vredeman de Vries in 1596. (d) *Impression, Sunrise* by Claude Monet in 1872.

were trained to look at the walls and imagine a 3D world that is part of a story. Figure 1.23 shows some examples, such as cave paintings, such as the one in Figure 1.23(a) from 30,000 years ago. Figure 1.23(b) shows a painting from the European Middle Ages. Similar to the cave painting, it relates to military conflict, a fascination of humans regardless of the era or technology. There is much greater detail in the newer painting, leaving less to the imagination; however, the drawing perspective is comically wrong. Some people seem short relative to others, rather than being further away. The rear portion of the fence looks incorrect. Figure 1.23(c) shows a later painting in which the perspective has been meticulously accounted for, leading to a beautiful palace view that requires no imagination for us to perceive it as "3D." By the nineteenth century, many artists had grown tired of such realism and started the controversial *impressionist* movement, an example of which is shown in Figure 1.23(d). Such paintings leave more to the imagination of the viewer, much like the earlier cave paintings.

### **Moving Pictures**

Once humans were content with staring at rectangles on the wall, the next step was to put them into motion. The phenomenon of *stroboscopic apparent motion* is the



**Figure 1.24** This 1878 *Horse in Motion* motion picture by Eadweard Muybridge was created by evenly spacing 24 cameras along a track and triggering them by trip wire as the horse passed. The animation was played on a zoopraxiscope, which was a precursor to the movie projector but was mechanically similar to a record player.

basis for what we call *movies* or *motion pictures* today. Flipping quickly through a sequence of pictures gives the illusion of motion, even at a rate as low as two pictures per second. Above ten pictures per second, the motion even appears to be continuous, rather a series of individual pictures. One of the earliest examples of this effect is the race horse movie created by Eadweard Muybridge in 1878 at the request of Leland Stanford (yes, that one!); see Figure 1.24.

Motion picture technology quickly improved, and by 1896, a room full of spectators in a movie theater screamed in terror as a short film of a train pulling into a station convinced them that the train was about to crash into them (Figure 1.25(a)). There was no audio track. Such a reaction seems ridiculous for anyone who has been to a modern movie theater. As audience expectations increased, so did the degree of realism produced by special effects. In 1902, viewers were inspired by *A Trip to the Moon* (Figure 1.25(b)), but many years later, an extremely high degree of realism seemed necessary to keep viewers believing (Figure 1.25(c) and 1.25(d)).

At the same time, motion picture audiences have been willing to accept lower degrees of realism. One motivation, as for paintings, is to leave more to the imagination. The popularity of *animation* (also called *anime* or *cartoons*) is a prime example (Figure 1.26). Even within the realm of animations, a similar trend has emerged as





Figure 1.25 A progression of special effects. (a) Arrival of a Train at La Ciotat Station, 1896. (b) A Trip to the Moon, 1902. (c) The movie 2001, from 1968. (d) Gravity, 2013.

with motion pictures in general. Starting from simple line drawings in 1908 with Fantasmagorie (Figure 1.26(a)), greater detail appears in 1928 with the introduction of Mickey Mouse (Figure 1.26(b)). By 2003, animated films achieved a much higher degree of realism (Figure 1.26(c)); however, excessively simple animations have also enjoyed widespread popularity (Figure 1.26(d)).

### **Toward Convenience and Portability**

Further motivations for accepting lower levels of realism are cost and portability. As shown in Figure 1.27, families were once willing to gather in front of a television to watch free broadcasts in their homes, even though they could go to theaters and watch high-resolution, color, panoramic, and 3D movies at the time. Such tiny, blurry, black-and-white television sets seem comically intolerable with respect to our current expectations. The next level of portability is to carry the system around with you. Thus, the progression is from (1) having to go somewhere to watch it, to (2) being able to watch it in your home, to (3) being able to carry it anywhere. Whether pictures, movies, phones, computers, or video games, the same progression continues. We can therefore expect the same for VR systems. At the same time, note that the gap is closing between these levels: the quality we expect from a portable device is closer than ever before to the version that requires going somewhere to experience it.



**Figure 1.26** A progression of cartoons. (a) Emile Cohl, *Fantasmagorie*, 1908. (b) Mickey Mouse in *Steamboat Willie*, 1928. (c) *Star Wars: The Clone Wars*, 2008. (d) *South Park*, 1997.

### **Video Games**

Motion pictures yield a passive, third-person experience, in contrast to video games, which are closer to a first-person experience by allowing us to interact with them. Recall from Section 1.1 the differences between open-loop and closed-loop VR. Video games are an important step toward closed-loop VR, whereas motion pictures are open-loop. As shown in Figure 1.28, we see the same trend from simplicity to improved realism and then back to simplicity. The earliest games, such as Pong and Donkey Kong, left much to the imagination. First-person shooter (FPS) games such as Doom gave the player a first-person perspective and launched a major campaign over the following decade toward higher-quality graphics and realism. Assassin's Creed shows a typical scene from a more realistic video game. At the same time, wildly popular games have emerged by focusing on simplicity. Angry Birds looks reminiscent of games from the 1980s, and Minecraft allows users to create and inhabit worlds composed of coarse blocks. Note that reduced realism often leads to simpler engineering requirements; in 2015, an advanced FPS game might require a powerful PC and graphics card, whereas simpler games would run on a basic smartphone. Repeated lesson: don't assume that more realistic is better!

### **Beyond Staring at a Rectangle**

The concepts so far are still closely centered on staring at a rectangle that is fixed on a wall. Two important steps come next: (1) Presenting a separate picture to each eye


#### 1.3 HISTORY REPEATS



**Figure 1.27** Although movie theaters with large screens were available, families were also content to gather around television sets that produced a viewing quality that would be unbearable by current standards, as shown in this photo from 1958.

to induce a 3D effect. (2) Increasing the field of view so that the user is not distracted by the display boundary. One way our brains infer the distance of objects from our eyes is by stereopsis. Information is gained by observing and matching features in the world that are visible to both the left and right eyes. The differences between their images on the retina yield cues about distances; keep in mind that there are many more such cues, which are explained in Section 6.1. The first experiment that showed the 3D effect of stereopsis was performed in 1838 by Charles Wheatstone in a system called the stereoscope (Figure 1.29(a)). By the 1930s, a portable version became a successful commercial product known to this day as the View-Master (Figure 1.29(b)). Pursuing this idea further led to Sensorama, which added motion pictures, sound, vibration, and even smells to the experience (Figure 1.29(c)). An unfortunate limitation of these designs is requiring that the viewpoint is fixed with respect to the picture. If the device is too large, then the user's head also becomes fixed in the world. An alternative has been available in movie theaters since the 1950s. Stereopsis was achieved when participants wore special glasses that select a different image for each eye using polarized light filters. This popularized 3D movies, which are viewed the same way in the theaters today.

Another way to increase the sense of immersion and depth is to increase the field of view. The Cinerama system from the 1950s offered a curved, wide field of view that is similar to the curved, large LED (Light-Emitting Diode) displays offered today (Figure 1.29(d)). Along these lines, we could place screens all around




**Figure 1.28** A progression of video games. (a) Atari's Pong, 1972. (b) Namco's Pac-Man, 1980. (c) id Software's Doom, 1993. (d) Ubisoft's Assassin's Creed Unity, 2014. (e) Rovio Entertainment's Angry Birds, 2009. (f) Markus "Notch" Persson's Minecraft, 2011.

us. This idea led to one important family of VR systems called the *CAVE*, which was introduced in 1992 at the University of Illinois [49] (Figure 1.30(a)). The user enters a room in which video is projected onto several walls. The CAVE system also offers stereoscopic viewing by presenting different images to each eye using polarized light and special glasses. Often, head tracking is additionally performed to allow viewpoint-dependent video to appear on the walls.

### **VR** Headsets


Once again, the trend toward portability appears. An important step for VR was taken in 1968 with the introduction of Ivan Sutherland's *head-mounted display*, which

#### 1.3 HISTORY REPEATS



**Figure 1.29** (a) The first stereoscope, developed by Charles Wheatstone in 1838, used mirrors to present a different image to each eye; the mirrors were replaced by lenses soon afterward. (b) The View-Master is a mass-produced stereoscope that has been available since the 1930s. (c) In 1957, Morton Heilig's Sensorama added motion pictures, sound, vibration, and even smells to the experience. (d) In competition to stereoscopic viewing, Cinerama offered a larger field of view. Larger movie screens caused the popularity of 3D movies to wane in the 1950s.

leveraged the power of modern displays and computers (Figure 1.30(b)) [321, 322]. He constructed what is widely considered to be the first VR headset. As the user turns his head, the images presented on the screen are adjusted to compensate so that the virtual objects appear to be fixed in space. This yielded the first glimpse of an important concept in this book: the *perception of stationarity*. To make an object appear to be stationary while you move your sense organ, the device producing the stimulus must change its output to compensate for the motion. This requires sensors and tracking systems to become part of the VR system. Commercial VR headsets started appearing in the 1980s with Jaron Lanier's company VPL, thereby popularizing the image of *goggles and gloves*; see Figure 1.30(c). In the 1990s, VR-based video games appeared in arcades (Figure 1.30(d)) and in home units (Figure 1.30(e). The experiences were not compelling or comfortable enough to attract mass interest. However, the current generation of VR headsets leverages the widespread availability of high-resolution screens and sensors, due to the smartphone industry, to offer



**Figure 1.30** (a) CAVE virtual environment, Illinois Simulator Laboratory, Beckman Institute, University of Illinois at Urbana-Champaign, 1992 (photo by Hank Kaczmarski). (b) Sutherland's head-mounted display, Harvard University, 1968. (c) VPL Eyephones, 1980s. (d) Virtuality gaming, 1990s. (e) Nintendo Virtual Boy, 1995. (f) Oculus Rift, 2016.

#### 1.3 HISTORY REPEATS



**Figure 1.31** Second Life was introduced in 2003 as a way for people to socialize through avatars and essentially build a virtual world to live in. Shown here is the author giving a keynote address at the 2014 Opensimulator Community Conference. The developers build open source software tools for constructing and hosting such communities of avatars with real people behind them.

lightweight, low-cost, high-field-of-view headsets, such as the Oculus Rift (Figure 1.30(f)). This has greatly improved the quality of VR experiences while significantly lowering the barrier of entry for developers and hobbyists. This also caused a flood of interest in VR technology and applications.

### **Bringing People Together**

We have so far neglected an important aspect, which is human-to-human or social interaction. We use formats such as a live theater performance, a classroom, or a lecture hall for a few people to communicate with or entertain a large audience. We write and read novels to tell stories to each other. Prior to writing, skilled storytellers would propagate experiences to others, including future generations. We have communicated for centuries by writing letters to each other. More recent technologies have allowed us to interact directly without delay. The audio part has been transmitted through telephones for over a century, and now the video part is transmitted as well through videoconferencing over the Internet. At the same time, simple text messaging has become a valuable part of our interaction, providing yet another example of a preference for decreased realism. Communities of online users who interact through text messages over the Internet have been growing since the 1970s. In the context of games, early Multi-User Dungeons (MUDs) grew into Massively Multiplayer Online Games (MMORPGs) that we have today. In the context of education, the PLATO system from the University of Illinois was the first computer-assisted instruction system, which included message boards, instant messaging, screen sharing, chat rooms, and emoticons. This was a precursor to many community-based, online learning systems, such as the Khan Academy and Coursera. The largest amount of online social interaction today occurs through Facebook or similar apps,

which involve direct communication through text along with the sharing of pictures, videos, and links.

Returning to VR, we can create *avatar* representations of ourselves and "live" together in virtual environments, as is the case with Second Life and Opensimulator 1.31. Without being limited to staring at rectangles, what kinds of societies will emerge with VR? Popular science fiction novels have painted a thrilling, yet dystopian future of a world where everyone prefers to interact through VR [47, 96, 314]. It remains to be seen what the future will bring.

As the technologies evolve over the years, keep in mind the power of simplicity when making a VR experience. In some cases, maximum realism may be important; however, leaving much to the imagination of the users is also valuable. Although the technology changes, one important invariant is that humans are still designed the same way. Understanding how our senses, brains, and bodies work is crucial to understanding the fundamentals of VR systems.

# **Further Reading**

Each chapter of this book concludes with pointers to additional, related literature that might not have been mentioned in the preceding text. Numerous books have been written on VR. A couple of key textbooks that precede the most recent VR push are *Understanding Virtual Reality* by W. R. Sherman and A. B. Craig, 2002 [294] and 3D User Interfaces by D. A. Bowman et al., 2005 [31]. Books based on more recent technology include [137, 186]. For a survey of the concept of reality, see [357]. For coverage of augmented reality that is beyond the scope of this book, see [286].

A vast amount of research literature has been written on VR. Unfortunately, there is a considerable recognition gap in the sense that current industry approaches to consumer VR appear to have forgotten the longer history of VR research. Many of the issues being raised today and methods being introduced in industry were well addressed decades earlier, albeit with older technological components. Much of the earlier work remains relevant today and is therefore worth studying carefully. An excellent starting place is the *Handbook on Virtual Environments*, 2015 [109], which contains dozens of survey articles and thousands of references to research articles. More recent works can be found in venues that publish papers related to VR. Browsing through recent publications in these venues may be useful: IEEE Virtual Reality (IEEE VR), IEEE International Conference on Mixed and Augmented Reality (ISMAR), ACM SIGGRAPH Conference, ACM Symposium on Applied Perception, ACM SIGCHI Conference, IEEE Symposium of 3D User Interfaces, *Journal of Vision, Presence: Teleoperators and Virtual Environments*.