

design of programs aimed at reducing aggressive behaviour. This work was funded by Junta de Andalucía (projects: EMERGIA20_00056 and UMA18-FEDERJA-137) to Alberto Megías Robles.

Disclosure: No significant relationships.

Keywords: Aggressive behaviour; sensitivity to punishment; emotional regulation

EPV0990

Peculiarities of mentalization that hamper consultations of patients with BPD

E. Sokolova and A. Ryzhov*

Lomonosov MSU, Faculty Of Psychology, Moscow, Russian Federation

*Corresponding author.

doi: 10.1192/j.eurpsy.2022.1711

Introduction: The uncertainty of COVID-pandemia, vital danger and disruptions in the habitual social contacts can be paralleled to the experiences of severe emotional stress and violence, usually found in the people with Borderline Personality Disorder. Both can be regarded as hampering the ability to categorize and express thoughts, feelings and experiences. The implementation of distant forms of psychological counseling may accentuate the mentalization deficiency. **Objectives:** To develop a theoretical framework for an empirical typology of impairments of mentalization.

Methods: The model of consciousness proposed by L.S. Vygotsky was used for theoretical generalization of the levels of categorical structures of mentalization observed in previous empirical studies.

Results: The following structures were identified: (1) the syncretic type of mentalization with low differentiation and complexity of object representations, their negative affective tone, autistic, chaotically mutable motivation and low emotional investment in relationships were described in patients with schizotypal disorders; (2) the "complex" type, with literal, non-generalized, field-dependent and rigid, or unstable, representation of the self, others and relationships as a result of the "fusion" of cognitive representations with the current emotional states. Similar types of mentalization were previously described in people with BPD and self-harming behavior (Sokolova, Laisheva, 2017).

Conclusions: The 'syncretic' and 'complex' types of mentalization produce affective-cognitive distortions of the image of a psychotherapist, hamper the understanding of the conditional and metaphorical character of the therapeutic process, render difficult the de-traumatization of the unbearable experiences, and lessen the effectiveness of consultations of people with BPD.

Disclosure: No significant relationships.

Keywords: effectiveness of psychotherapy; cultural-historical model; mentalization; BPD

EPV0993

Adaptive and maladaptive perfectionism of graduating medical students

L. Baranskaya*, K. Zhuravskaya and V. Ivanova

Ural State Medical University, Psychiatry, Psychotherapy And Narcology, Yekaterinburg, Russian Federation

*Corresponding author.

doi: 10.1192/j.eurpsy.2022.1712

Introduction: Perfectionism, as a multiform trait of character, plays an important role in the formation of motivation of achievements in socially significant activity. Adaptive perfectionism, together with the desire to achieve recognition in one's professional community and insure the emotional stability. Maladaptive (neurotic) perfectionism is directed towards the achievement of excessively high (non-relevant) standards of activity, a constant anxiety, internal stress and lack of self-confidence

Objectives: To pinpoint the types of perfectionism that graduating medical students at Medical University experience, those who, during all the years of study, showed high academic results

Methods: Forty-nine graduating medical students volunteered to take part in the study, their average mark being not lower than 4.75 (maximum was 5). Their average age was 22.41 ± 0.75 . The following scales measured the level of expressiveness of perfectionism: A.A. Zolotareva, Hewitt and Flett, I.I. Gracheva

Results: The results of the study undertaken showed two distinct groups. Students of the first group (79.6%) aimed at high internal standards in their study that would make them very well prepared professionally for their future work as doctors. They consciously accepted the common rules and norms of their society. Students of the other group (20.4%), consciously and subconsciously, estimate their high academic results as a good way of overcoming personal disturbances. They have excessive non-realistic demands towards self and others

Conclusions: The results of our study make it possible for us to suppose that medical students of the second group will experience quite a lot of difficulties in their future professional activity

Disclosure: No significant relationships.

Keywords: perfectionism; graduating medical student

EPV0995

Borderline personality disorder and decision-making capacity.

F. Garcia Lazaro

Hospital Virgen del Rocío Sevilla, Ugc Salud Mental, Sevilla, Spain

doi: 10.1192/j.eurpsy.2022.1713

Introduction: Borderline personality disorder is characterized by a pattern in which instability in interpersonal relationships, self-image and affections prevails, and intense impulsivity present in the early stages of adulthood and with altered functionality in several contexts.

Objectives: Establish what functions may be altered in crisis situations in borderline personality disorder.

Point out what legal tools we have available in situations in which the will is altered in borderline personality disorder.

Reflect on borderline personality disorder and its relationship with substance use.

Methods: Regarding a clinical case with a 25-year-old patient with a diagnosis of Borderline Personality Disorder and a history of use in a pattern of dependence (opioids, cannabis, cocaine) who is admitted to a hospital for diagnostic and therapeutic procedures secondary to pathology to which it is denied, determining the absence of the capacity to give consent. A systematic review of the existing bibliography on borderline personality disorder, substance use disorder and decision-making capacity has been carried out using as key words: borderline personality disorder decision-making capacity.